Communicable Disease Morbidity Statistics
1951

C614.1
N87v
1951
pt.1,c.2

The Library
of the
University of North Carolina

Collection of North Caroliniana
This book was presented
by
The Board
C614.1
N87v
1951, pt. 1, c. 2

ANNUAL REPORT

OF

PUBLIC HEALTH

STATISTICS SECTION

PART I

Communicable Disease Morbidity Statistics

1951

NORTH CAROLINA STATE BOARD OF HEALTH

DIVISION OF EPIDEMIOLOGY

ANNUAL REPORT

OF

PUBLIC HEALTH

STATISTICS SECTION

PART I

Communicable Disease Morbidity Statistics

1951

NORTH CAROLINA STATE BOARD OF HEALTH

DIVISION OF EPIDEMIOLOGY

J. W. R. NORTON, M. D.
SECRETARY
AND STATE HEALTH OFFICER

C614.1
N87v
1951
pt. 1
c. 2

TABLE OF CONTENTS

Table — Page

1. Estimated Population of North Carolina by Color and Sex, 1918-1951 — 9

2. Summary of All Reportable Communicable Diseases by Year, 1918-1951 — 10

3. Reported Untreated Cases of Chancroid (Place of Report)
   A. By county and color, 1950 and 1951 with month of report, 1951 — 13
   B. By year of report and age, 1930-1951 — 16
   C. By year of report, color, and sex with rates, 1930-1951 — 17

4. Reported Cases of Diphtheria (Place of Residence)
   A. By county and color, 1950 and 1951 with month of onset, 1951 — 18
   B. By year and age, 1930-1951 — 22
   C. By year, color, and sex with rates, 1930-1951 — 23

5. Reported Cases of Dysentery, Amebic (Place of Residence)
   A. By county and color, 1950 and 1951 with month of report, 1951 — 24
   B. By year of report and age, 1945-1951 — 26
   C. By year of report, color, and sex with rates, 1945-1951 — 27

6. Reported Cases of Dysentery, Bacillary (Place of Residence)
   A. By county and color, 1950 and 1951 with month of onset, 1951 — 28
   B. By year and age, 1932-1951 — 30
   C. By year, color, and sex with rates, 1932-1951 — 31

7. Reported Cases of Encephalitis by County and Color, 1950 and 1951, with month of onset, 1951 (Place of Residence) — 32

8. Reported Untreated Cases of Gonorrhea (Place of Report)
   A. By county and color, 1950 and 1951 with type and sex, 1951 reports — 33
   B. By year of report and age, 1930-1951 — 38
   C. By year of report, color, and sex with rates, 1930-1951 — 39

9. Reported Untreated Cases of Granuloma Inguinale (Place of Report)
   A. By county and color, 1950 and 1951 with month of report, 1951 — 40
   B. By year of report and age, 1945-1951 — 42
   C. By year of report, color, and sex with rates, 1945-1951 — 43

10. Reported Untreated Cases of Lymphogranuloma Venereum (Place of Report)
   A. By county and color, 1950 and 1951 with month of report, 1951 — 44
   B. By year of report and age, 1945-1951 — 46
   C. By year of report, color, and sex with rates, 1945-1951 — 47

11. Reported Cases of Malaria (Place of Residence)
   A. By county and color, 1950 and 1951 with month of onset, 1951 — 49
   B. By year and age, 1937-1951 — 50
   C. By year, color, and sex with rates, 1937-1951 — 51

TABLE OF CONTENTS (Continued)

Table — Page

12. Reported Cases of Measles (Place of Residence)
    A. By county and color, 1950 and 1951 with month of onset, 1951 — 52
    B. By year and age, 1930-1951 — 56
    C. By year, color, and sex with rates, 1930-1951 — 57

13. Reported Cases of Meningitis (Place of Residence)
    A. By county and color, 1950 and 1951 with month of onset, 1951 — 58
    B. By year and age, 1930-1951 — 61
    C. By year, color, and sex with rates, 1930-1951 — 62

14. Reported Cases of Paratyphoid Fever (Place of Residence)
    A. By county and color, 1950 and 1951 with month of onset, 1951 — 63
    B. By year and age, 1930-1951 — 64
    C. By year, color, and sex with rates, 1930-1951 — 65

15. Reported Cases of Poliomyelitis (Place of Residence)
    A. By county and color, 1950 and 1951 with month of onset, 1951 — 66
    B. By year and age, 1931-1951 — 70
    C. By year, color, and sex with rates, 1931-1951 — 71

16. Reported Cases of Rocky Mountain Spotted Fever (Place of Residence)
    A. By county and color, 1950 and 1951 with month of onset, 1951 — 72
    B. By year and age, 1932-1951 — 74
    C. By year, color, and sex with rates, 1932-1951 — 75

17. Reported Cases of Scarlet Fever (Place of Residence)
    A. By county and color, 1950 and 1951 with month of onset, 1951 — 76
    B. By year and age, 1930-1951 — 80
    C. By year, color, and sex with rates, 1930-1951 — 81

18. Reported Cases of Septic Sore Throat (Place of Residence)
    A. By county and color, 1950 and 1951 with month of onset, 1951 — 82
    B. By year and age, 1930-1951 — 83
    C. By year, color, and sex with rates, 1930-1951 — 84

19. Reported Cases of Smallpox (Place of Residence)
    A. By year of report and age, 1930-1951 — 85
    B. By year, color, and sex with rates, 1930-1951 — 86

20. Reported Untreated Cases of Syphilis (Place of Report)
    A. By county and color, 1950 and 1951 with stage and sex, 1951 — 87
    B. By year of report and age, 1930-1951 — 91
    C. By year of report, color, and sex with rates, 1930-1951 — 92
    D. By color, stage, and sex with rates, 1940-1951 — 93
    E. Congenital syphilis, previously untreated, by color showing year of report, 1945-1951 and year of birth, 1925-1951: North Carolina, all report sources — 97

21. Reported Cases of Trachoma (Place of Residence)
    A. By year of report and age, 1931-1951 — 100
    B. By year, color, and sex with rates, 1931-1951 — 101

TABLE OF CONTENTS (Continued)

Table — Page

22. Reported Cases of Tuberculosis, All Forms (Place of Residence)
    A. By county, color, and type, 1950 and 1951 with stage and activity, 1951 102
    B. By year of report and age, 1933-1951 108
    C. By year of report, color, and sex with rates, 1933-1951 109

23. Reported Cases of Tularemia (Place of Residence)
    A. By county and color, 1950 and 1951 with month of onset, 1951 110
    B. By year and age, 1930-1951 112
    C. By year, color, and sex with rates, 1930-1951 113

24. Reported Cases of Typhoid Fever (Place of Residence)
    A. By county and color, 1950 and 1951 with month of onset, 1951 114
    B. By year and age, 1930-1951 116
    C. By year, color, and sex with rates, 1930-1951 117

25. Reported Cases of Typhus Fever, Murine (Place of Residence)
    A. By county and color, 1950 and 1951 with month of onset, 1951 118
    B. By year and age, 1930-1951 119
    C. By year, color, and sex with rates, 1930-1951 120

26. Reported Cases of Undulant Fever (Place of Residence)
    A. By county and color, 1950 and 1951 with month of onset, 1951 121
    B. By year and age, 1932-1951 123
    C. By year, color, and sex with rates, 1932-1951 124

27. Reported Cases of Whooping Cough (Place of Residence)
    A. By county and color, 1950 and 1951 with month of onset, 1951 125
    B. By year and age, 1930-1951 130
    C. By year, color, and sex with rates, 1930-1951 131

INTRODUCTION

The twentieth bulletin of North Carolina communicable disease morbidity statistics, covering the calendar year 1951, is published as Part I of the Annual Report of the Public Health Statistics Section. Part II, which contains natality and mortality data, will be issued later in the year and replaces the Annual Report of Vital Statistics.

Presented herein is a summary of diseases required to be reported in all previous years and detailed tabulations of the thirty-five communicable diseases reportable in 1951.

During 1951 diphtheria reports reached a record low. In July 1950 it was learned that in spite of our excellent progress in the control of this disease other states had made even greater progress so that North Carolina's 1950 rate was the highest in the nation. The 1951 total of 373 cases represents a 25% decline over the preceding year; however, considerable additional improvement must be achieved before our rate will compare favorably with that for the United States as a whole.

Malaria reports reached a new low total of 12 resident cases. In addition there were 69 military infections reported for North Carolina servicemen who were treated in this area but who acquired the infection outside of this country. In view of the situation in other parts of the United States, as well as in this state, malaria appears to be nearing eradication unless returning infected servicemen become sufficiently numerous to constitute a new reservoir of infection.

Typhoid fever cases also reached a record low in 1951 with a total of 44. The state has had no smallpox cases reported for the third consecutive year. The frequent arrival in this country of persons traveling from infected areas of the world has reemphasized the need for maintaining the smallpox immunization program at a high level of efficiency.

There were no significant increases in the reported cases of any of the reportable diseases.

TABLE 1.—ESTIMATED POPULATION OF NORTH CAROLINA BY COLOR AND SEX, 1918-1951*

Year	All Classes			White			Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
1918	2,521,891	1,225,455	1,296,436	1,747,798	849,618	898,180	774,093	375,837	398,256
1919	2,534,828	1,255,353	1,279,475	1,746,614	871,112	875,502	788,214	384,241	403,973
1920	2,587,536	1,294,396	1,293,140	1,808,713	912,302	896,411	778,823	382,094	396,729
1921	2,650,711	1,328,295	1,322,416	1,859,539	940,314	919,225	791,172	387,981	403,191
1922	2,699,923	1,342,609	1,357,314	1,895,420	948,146	947,274	804,503	394,463	410,040
1923	2,761,364	1,373,738	1,387,626	1,942,055	972,207	969,848	819,309	401,531	417,778
1924	2,830,151	1,420,367	1,409,784	1,997,964	1,012,930	985,034	832,187	407,437	424,750
1925	2,894,514	1,444,843	1,449,671	2,031,248	1,022,417	1,008,831	863,266	422,426	440,840
1926	2,959,392	1,470,594	1,488,798	2,096,611	1,048,565	1,048,046	862,781	422,029	440,752
1927	3,027,006	1,495,951	1,531,055	2,147,539	1,067,478	1,080,061	879,467	428,473	450,994
1928	3,082,380	1,534,590	1,547,790	2,175,492	1,092,479	1,083,013	906,888	442,111	464,777
1929	3,133,082	1,558,156	1,574,926	2,208,369	1,107,772	1,100,597	924,713	450,384	474,329
1930	3,171,108	1,575,791	1,595,317	2,236,107	1,120,844	1,115,263	935,001	454,947	480,054
1931	3,206,641	1,593,707	1,612,934	2,266,838	1,136,266	1,130,572	939,803	457,441	482,362
1932	3,264,916	1,622,976	1,641,940	2,314,009	1,159,875	1,154,134	950,907	463,101	487,806
1933	3,318,377	1,649,920	1,668,457	2,357,442	1,181,608	1,175,834	960,935	468,312	492,623
1934	3,359,276	1,670,579	1,688,697	2,391,871	1,198,767	1,193,104	967,405	471,812	495,593
1935	3,380,227	1,681,169	1,699,058	2,409,930	1,207,605	1,202,325	970,297	473,564	496,733
1936	3,400,525	1,690,503	1,710,022	2,427,312	1,215,163	1,212,149	973,213	475,340	497,873
1937	3,432,099	1,705,708	1,726,391	2,453,834	1,227,533	1,226,301	978,265	478,175	500,090
1938	3,475,530	1,727,452	1,748,078	2,490,752	1,245,657	1,245,095	984,778	481,795	502,983
1939	3,531,938	1,755,416	1,776,522	2,536,869	1,268,107	1,268,762	995,069	487,309	507,760
1940	3,571,623	1,772,990	1,798,633	2,567,635	1,281,762	1,285,873	1,003,988	491,228	512,760
1941	3,670,017	1,820,328	1,849,689	2,635,072	1,313,866	1,321,206	1,034,945	506,462	528,483
1942	3,665,373	1,803,364	1,862,009	2,631,738	1,301,208	1,330,530	1,033,635	502,156	531,479
1943	3,683,037	1,789,956	1,893,081	2,637,054	1,281,697	1,355,357	1,045,983	508,259	537,724
1944	3,594,865	1,703,966	1,890,899	2,573,923	1,211,469	1,362,454	1,020,942	492,497	528,445
1945	3,514,297	1,637,662	1,876,635	2,512,722	1,156,203	1,356,519	1,001,575	481,459	520,116
1946	3,640,645	1,780,275	1,860,370	2,606,702	1,277,866	1,328,836	1,033,943	502,409	531,534
1947	3,718,000	1,825,538	1,892,462	2,662,088	1,312,454	1,349,634	1,055,912	513,084	542,828
1948	3,798,000	1,864,818	1,933,182	2,719,368	1,340,694	1,378,674	1,078,632	524,124	554,508
1949	3,864,000	1,897,224	1,966,776	2,766,624	1,363,946	1,402,678	1,097,376	533,278	564,098
1950	4,061,929	2,017,105	2,044,824	2,983,121	1,489,840	1,493,281	1,078,808	527,265	551,543
1951	4,123,218	2,047,620	2,075,598	3,035,045	1,515,841	1,519,204	1,088,173	531,779	556,395

* Source—"Vital Statistics Rates in the United States 1900–1940" and "Current Population Reports," Bureau of the Census, 1941–1949. The census years 1920, 1930, 1940, 1950 by color and sex are not estimated; all other totals are estimated. The color and sex estimates for 1951 were obtained by applying the 1940 percentage distribution.

TABLE 2.—SUMMARY OF ALL REPORTABLE

Disease	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929
Anthrax	—	—	—	—	—	—	—	—	—	—	—	—
Chancroid	+	429	463	222	260	210	169	170	191	151	106	72
Chicken Pox	298	1,575	2,163	3,341	4,573	3,974	5,981	3,845	4,941	4,818	4,695	4,997
Cholera	—	—	—	—	—	—	—	—	—	—	—	—
Dengue	+	+	+	+	+	+	+	+	+	+	+	+
Diphtheria	1,366	3,519	3,422	5,136	8,136	4,671	4,095	3,437	3,198	3,034	3,826	4,337
Dysentery, Amebic	+	+	+	+	+	+	+	+	+	+	+	+
Dysentery, Bacillary	1	128	9	—	—	—	—	—	22	2	—	—
Encephalitis	+	+	+	+	+	+	+	+	+	+	+	+
German Measles	+	43	75	72	130	159	134	106	4,481	389	172	1,267
Glanders	+	+	+	+	+	+	+	+	+	+	+	+
Gonorrhea**	+	4,893	5,361	3,475	4,061	3,023	2,561	2,272	2,113	2,016	1,528	2,130
Granuloma Inguinale	+	+	+	+	+	+	+	+	+	+	+	+
Influenza	+	14,128	76,306	—	—	—	—	—	—	—	—	168
Leprosy	+	+	+	+	+	+	+	+	+	+	+	+
Lymphogranuloma Venereum	+	+	+	+	+	+	+	+	+	+	+	+
Malaria	+	+	+	+	+	+	+	+	+	+	+	+
Measles	9,158	5,725	3,621	11,539	2,042	52,066	34,938	1,002	7,952	32,882	60,543	1,209
Meningococcus Meningitis	151	105	96	70	54	46	30	26	24	26	21	88
Ophthalmia Neonatorum	12	33	27	19	16	15	5	8	6	5	6	12
Paratyphoid Fever	1	26	2	—	—	—	—	—	—	—	—	13
Plague	—	—	—	—	—	—	—	—	—	—	—	—
Poliomyelitis	23	42	25	36	30	16	16	79	112	24	51	133
Psittacosis	—	—	—	—	—	—	—	—	—	—	—	—
Rabies	—	—	—	—	—	—	—	—	—	—	—	2
Rocky Mountain Spotted Fever	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	864	1,512	1,663	2,585	3,153	2,418	2,255	1,856	2,281	2,638	2,828	3,057
Septic Sore Throat	127	371	218	199	281	150	143	104	92	127	104	141
Smallpox	983	2,322	2,961	2,513	1,409	3,352	3,845	1,920	1,594	1,702	2,419	589
Syphilis	+	2,084	2,213	2,637	4,671	3,559	3,153	3,161	3,044	3,224	2,846	4,457
Trachoma	20	16	15	5	12	18	5	32	3	2	3	2
Tuberculosis, All Forms	3,514	2,306	3,295	2,523	1,356	1,851	2,381	2,355	1,921	2,271	2,578	2,858
Tularemia	—	—	—	—	—	—	—	—	—	—	—	4
Typhoid Fever	3,461	2,956	1,856	2,099	1,960	1,577	1,318	1,192	1,502	1,280	1,073	861
Typhus Fever, Murine	—	—	2	—	—	—	—	—	—	—	—	3
Typhus Fever, European	—	—	—	—	—	—	—	—	—	—	—	—
Undulant Fever	—	—	—	—	—	—	—	—	—	—	—	—
Vincent's Infection	+	+	+	+	+	+	+	+	+	+	+	+
Whooping Cough	11,645	5,669	8,465	9,518	6,905	16,075	12,945	4,296	11,099	19,996	5,002	12,434
Yellow Fever	—	—	—	—	—	—	—	—	—	—	—	—

* 1918–1947 by year of report; 1948–1951 by year of onset, except the venereal diseases, tuberculosis, and amebic dysentery which are by year of report.

— Disease was reportable but none was reported.

\+ Disease not reportable.

** Gonorrhea totals include Ophthalmia Neonatorum.

† Data not obtainable.

Communicable Diseases by Year of Report, 1918-1951*

1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944
—	1	—	—	2	—	—	—	—	—	—	1	—	—	—
114	94	88	35	52	73	110	148	102	321	264	223	635	663	451
6,982	4,856	4,226	4,167	4,540	3,843	3,179	5,409	5,316	3,765	4,360	4,726	5,063	4,698	3,782
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
+	+	+	+	+	1	1	—	—	—	—	—	—	—	—
3,248	3,156	1,895	2,497	2,114	1,720	2,347	2,056	2,442	2,368	1,125	1,629	1,187	801	665
+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
—	—	1	1	—	4	3	19	10	22	9	12	35	130	12
+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
967	9,384	394	187	604	589	3,326	2,855	228	244	168	12,769	331	2,374	1,316
+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
2,450	2,298	2,130	2,176	2,164	1,826	2,159	2,894	3,045	3,815	4,616	5,834	9,637	10,870	10,892
+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
856	4,739	3,841	7,215	1,564	3,215	2,830	1,979	498	1,544	2,113	5,837	673	1,404	1,294
+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
+	+	+	+	+	+	+	876	636	629	629	237	248	183	154
1,376	15,499	13,672	16,197	55,764	10,683	1,395	7,937	49,614	20,031	3,685	27,764	21,581	5,217	27,655
153	123	71	66	50	109	196	169	93	59	34	46	49	478	308
14	12	18	9	14	19	22	17	16	15	22	29	17	11	†
21	27	16	12	15	26	20	16	18	16	3	11	7	6	7
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
96	104	54	30	45	675	52	106	50	116	74	168	82	36	861
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	—	—	1	—	4	3	2	—	1	1	—	2	—	1
—	—	1	27	34	21	32	27	42	41	32	20	35	36	59
3,096	3,461	2,868	3,662	2,852	2,072	1,921	2,073	2,228	2,599	2,442	2,165	2,570	2,854	2,239
114	153	142	123	104	116	115	125	148	116	88	139	109	201	47
556	63	72	35	18	24	19	11	35	15	6	4	7	21	4
5,106	5,144	4,365	4,570	5,201	5,189	6,086	12,299	20,714	30,985	21,333	17,560	16,713	14,125	9,804
—	6	—	5	1	6	1	—	—	—	8	4	—	1	—
3,201	2,638	2,488	2,524	2,047	1,996	3,008	2,632	2,607	2,366	2,084	2,425	1,902	1,633	1,804
7	3	10	28	14	15	10	13	26	26	12	22	13	14	10
1,000	991	823	684	464	645	518	493	485	343	238	197	181	111	122
16	14	24	46	23	51	33	68	81	122	65	78	100	157	236
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	4	15	19	31	23	26	29	25	11	12	9	7	14
+	+	+	+	+	+	+	+	29	14	134	85	29	66	174
10,093	6,992	12,137	7,155	14,299	10,075	1,566	7,782	14,908	9,321	5,500	10,932	5,557	8,408	6,355
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 2—*Continued*

Disease	1945	1946	1947	1948	1949	1950	1951
Anthrax	—	—	—	—	—	—	—
Chancroid	447	513	531	381	332	265	253
Chicken Pox	+	+	+	+	+	+	+
Cholera	—	—	—	—	—	—	—
Dengue	—	1	—	—	—	—	—
Diphtheria	1,475	590	751	485	550	499	373
Dysentery, Amebic	21	19	18	29	91	132	96
Dysentery, Bacillary	57	8	12	39	49	45	58
Encephalitis	5	3	5	6	4	9	9
German Measles	+	+	+	+	+	+	+
Glanders	—	—	—	—	—	—	—
Gonorrhea**	13,162	16,082	14,169	14,962	16,173	14,930	15,779
Granuloma Inguinale	75	101	99	98	66	82	58
Influenza	+	+	+	+	+	+	+
Leprosy	1	—	—	—	—	—	—
Lymphogranuloma Venereum	231	153	120	176	129	91	81
Malaria	554	369	137	147	53	36	82
Measles	1,194	9,011	4,978	1,353	17,330	4,964	3,315
Meningococcus Meningitis	179	120	95	73	87	116	151
Ophthalmia Neonatorum	†	6	7	3	11	8	9
Paratyphoid Fever	5	6	7	13	8	7	5
Plague	—	—	—	—	—	—	—
Poliomyelitis	159	157	300	2,516	229	756	314
Psittacosis	—	1	—	—	—	—	—
Rabies	1	—	2	—	—	—	1
Rocky Mountain Spotted Fever	57	66	88	73	79	70	61
Scarlet Fever	3,248	1,530	1,167	1,094	1,793	1,885	2,236
Septic Sore Throat	101	51	44	27	45	41	29
Smallpox	1	2	2	3	—	—	—
Syphilis	8,125	9,233	8,724	7,313	6,699	5,146	4,080
Trachoma	1	—	—	—	—	—	—
Tuberculosis, All Forms	3,392	3,466	3,591	3,274	3,402	3,653	3,105
Tularemia	27	45	74	46	38	25	17
Typhoid Fever	82	54	47	56	53	58	44
Typhus Fever, Murine	159	82	51	43	26	12	19
Typhus Fever, European	—	—	—	—	—	—	—
Undulant Fever	15	9	21	16	25	21	28
Vincent's Infection	+	+	+	+	+	+	+
Whooping Cough	5,834	3,391	2,983	1,932	1,398	3,352	1,961
Yellow Fever	—	—	—	—	—	—	—

* 1918–1947 by year of report; 1948–1951 by year of onset, except the venereal diseases, tuberculosis, and amebic dysentery which are by year of report.

— Disease was reportable but none was reported.

\+ Disease not reportable.

** Gonorrhea totals include Ophthalmia Neonatorum.

† Data not obtainable.

TABLE 3A.—REPORTED UNTREATED CASES OF CHANCROID BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF REPORT, 1951
(Place of Report)

Area	1950 Reports				1951 Reports																
	Color				Color				Month of Report												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	265	37	228		253	28	225		20	15	24	28	20	15	19	21	12	26	31	22	
Alamance	5	1	4		1		1											1			
Anson	1		1																		
Beaufort	1		1																		
Brunswick	1		1																		
Buncombe					4	1	3				2			1			1				
Burke					2		2						1					1			
Cabarrus	1		1		1	1										1					
Catawba	2	2																			
Columbus	3		3		6		6		1				1	1		2		1			
Craven	8	1	7																		
Cumberland	16	7	9		32	3	29		2			1	1	1	1	3		10	5	8	
Davidson	2	1	1		1		1												1		
Davie					2		2			1		1									
Duplin	2		2		3		3		1						1	1					
Durham	31	1	30		32	1	31		3	2	6	5	4	3	1	4	1		2	1	
Edgecombe	2		2		1		1					1									
Forsyth	14	3	11		13		13			3	4	1	1	1	1	1			1		
Franklin					2		2		1			1									
Gaston	2		2		7		7				3				1	2	1				
Granville	3		3																		

TABLE 3A.—*Continued*

Area	1950 Reports				1951 Reports																
	Color				Color				Month of Report												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
Greene	2		2		1		1			1											
Guilford	6		6		4		4						1	1		1				1	
Halifax	3	1	2																		
Harnett	3		3		3		3				1				2						
Henderson	3	2	1																		
Hoke					1		1								1						
Johnston	3		3		3		3		1				1					1			
Lee	1		1		1		1							1							
Lenoir	4	1	3		3	3													3		
McDowell					1		1								1						
Martin	1		1																		
Mecklenburg	45	7	38		66	5	61		4	4	3	12	5	2	3	2	4	5	14	8	
Montgomery	1	1																			
Moore	1		1		2		2								1		1				
Nash	2	1	1		1		1						1								
New Hanover	24	4	20		8		8		1	1	2	1			1			1		1	
Northampton	1		1		2		2						1			1					
Onslow	2	1	1		19	13	6		1				3	1	2	2	3	5	2		
Pasquotank	2		2																		
Pender	1		1																		

Person	2		2		1		1										1				
Pitt	3		3		3		3								1			1	1		
Richmond	1		1		1		1								1						
Rockingham	1		1																		
Rowan	2	1	1		1		1				1										
Sampson	1		1		1		1					1									
Scotland	4		4		1	1														1	
Union	4	1	3																		
Vance	3	1	2		1		1			1											
Wake	21		21		8		8		2	1	1	1				1			2		
Warren	3		3																		
Wayne	8		8		5		5		3					2							
Wilson	13		13		9		9			1	1	3		1	1					2	

TABLE 3B.—REPORTED UNTREATED CASES OF CHANCROID BY YEAR OF REPORT AND AGE, 1930-1951 (Place of Report)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1930	114												14	34	18	11	6	4	2			25
1931	94											2	19	24	16	7	4	2	2			18
1932	88											1	19	28	14	3	10	2	2			9
1933	35												4	10	8	2	4	1				6
1934	52												9	16	8	4	5			1		9
1935	73					1	5						10	25	11	10	6	3				2
1936	110												22	41	22	10	9	4		1		1
1937	148											1	27	45	32	17	11	6	1			8
1938	102												23	32	12	9	14	2			1	9
1939	321											2	79	130	46	30	26	2	1			5
1940	264											2	65	107	38	24	21	2	1			4
1941	223							3	2	3	6	17	48	65	45	18	11	5				
1942	635											5	124	226	135	74	52	11	4	2		2
1943	663					1						3	154	272	128	62	35	7	1			
1944	451							1				6	120	170	84	34	26	9	1			
1945	447											5	119	148	87	49	27	6	2	3	1	
1946	513											4	100	237	106	36	20	6	1		2	1
1947	531											4	133	183	104	51	39	8	7	1		1
1948	381												86	148	82	28	29	7	1			
1949	332											3	74	118	56	34	30	13	1	1		2
1950	265											1	69	95	42	26	19	10	2	1		
1951	253											5	55	92	45	19	24	8	3	2		

TABLE 3C.—REPORTED UNTREATED CASES OF CHANCROID BY YEAR OF REPORT, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1930-1951

(Place of Report)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1930	114	3.6	104	6.6	10	0.6	60	2.7	56	5.0	4	0.4	46	4.9	40	8.8	6	1.2	8
1931	94	2.9	83	5.2	11	0.7	40	1.8	39	3.4	1	0.1	54	5.7	44	9.6	10	2.1	----------
1932	88	2.7	82	5.1	6	0.4	33	1.4	33	2.8	-------	-------	55	5.8	49	10.6	6	1.2	----------
1933	35	1.1	34	2.1	1	0.1	12	0.5	12	1.0	-------	-------	21	2.2	20	4.3	1	0.2	2
1934	52	1.5	50	3.0	2	0.1	22	0.9	22	1.8	-------	-------	28	2.9	26	5.5	2	0.4	2
1935	73	2.2	61	3.6	12	0.7	23	1.0	21	1.7	2	0.2	50	5.2	40	8.4	10	2.0	----------
1936	110	3.2	105	6.2	5	0.3	34	1.4	33	2.7	1	0.1	76	7.8	72	15.1	4	0.8	----------
1937	148	4.3	143	8.4	5	0.3	45	1.8	44	3.6	1	0.1	103	10.5	99	20.7	4	0.8	----------
1938	102	2.9	99	5.7	3	0.2	24	1.0	24	1.9	-------	-------	71	7.2	68	14.1	3	0.6	7
1939	321	9.1	278	15.8	43	2.4	51	2.0	43	3.4	8	0.6	270	27.1	235	48.2	35	6.9	----------
1940	264	7.4	241	13.6	23	1.3	40	1.6	39	3.0	1	0.1	224	22.3	202	41.1	22	4.3	----------
1941	223	6.1	175	9.6	48	2.6	27	1.0	22	1.7	5	0.4	196	18.9	153	30.2	43	8.1	----------
1942	635	17.3	538	29.8	97	5.2	58	2.2	47	3.6	11	0.8	577	55.8	491	97.8	86	16.2	----------
1943	663	18.0	590	33.0	73	3.9	48	1.8	43	3.4	5	0.4	615	58.8	547	107.6	68	12.6	----------
1944	451	12.5	349	20.5	102	5.4	76	3.0	45	3.7	31	2.3	375	36.7	304	61.7	71	13.4	----------
1945	447	12.7	335	20.5	112	6.0	99	3.9	82	7.1	17	1.3	348	34.7	253	52.5	95	18.3	----------
1946	513	14.1	426	23.9	87	4.7	86	3.3	76	5.9	10	0.8	427	41.3	350	69.7	77	14.5	----------
1947	531	14.3	429	23.5	102	5.4	93	3.5	85	6.5	8	0.6	438	41.5	344	67.0	94	17.3	----------
1948	381	10.0	310	16.6	71	3.7	45	1.7	40	3.0	5	0.4	336	31.2	270	51.5	66	11.9	----------
1949	332	8.6	246	13.0	86	4.4	39	1.4	32	2.3	7	0.5	293	26.7	214	40.1	79	14.0	----------
1950	265	6.5	214	10.6	51	2.5	37	1.2	35	2.3	2	0.1	228	21.1	179	33.9	49	8.9	----------
1951	253	6.1	202	9.9	51	2.5	28	0.9	27	1.8	1	0.1	225	20.7	175	32.9	50	9.0	----------

TABLE 4A.—REPORTED CASES OF DIPHTHERIA BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF ONSET, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	499	325	174	------	373	189	184	------	19	26	25	16	19	16	21	25	79	75	27	20	5
Alamance	2	2	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Alexander	4	4	------	------	2	2	------	------	------	1	------	------	------	------	------	------	------	1	------	------	------
Anson	10	1	9	------	1	------	1	------	------	------	------	------	------	------	------	------	------	1	------	------	------
Ashe	------	------	------	------	2	2	------	------	------	------	------	------	------	------	------	------	1	------	1	------	------
Avery	4	4	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Beaufort	80	42	38	------	9	2	7	------	------	------	------	------	1	7	------	------	------	------	------	------	1
Bertie	------	------	------	------	4	2	2	------	------	------	------	------	------	------	------	------	------	4	------	------	------
Bladen	25	22	3	------	5	5	------	------	1	------	------	1	------	------	------	------	1	2	------	------	------
Brunswick	1	------	1	------	6	3	3	------	1	2	------	------	1	------	------	------	------	1	1	------	------
Buncombe	1	1	------	------	4	3	1	------	1	2	1	------	------	------	------	------	------	------	------	------	------
Burke	8	8	------	------	7	7	------	------	1	------	2	------	------	1	------	1	1	------	1	------	------
Cabarrus	1	1	------	------	4	4	------	------	------	------	------	1	2	------	------	------	------	------	1	------	------
Caldwell	2	2	------	------	2	1	1	------	------	1	------	------	1	------	------	------	------	------	------	------	------
Carteret	------	------	------	------	1	------	1	------	------	------	------	------	------	------	------	------	1	------	------	------	------
Caswell	5	5	------	------	11	1	10	------	------	------	------	------	------	2	6	1	------	------	2	------	------
Catawba	2	2	------	------	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------
Chatham	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Cherokee	1	1	------	------	2	2	------	------	------	1	1	------	------	------	------	------	------	------	------	------	------

Clay					1	1															1
Cleveland	11	9	2		7	2	5			1	1						3	1	1		
Columbus	3	3			1	1							1								
Craven	12	9	3		7	6	1			2	2	1			1	1					
Cumberland	5	4	1		2	2			1											1	
Currituck					1		1							1							
Davidson	3	2	1		1	1										1					
Duplin	7	5	2		3	1	2		1		1										1
Durham	3	1	2		4	4										1			3		
Edgecombe	10	2	8		8	3	5		2			2					1	1	2		
Forsyth	1	1			1	1														1	
Franklin	3	2	1																		
Gaston	15	12	3		5	5							1	1	1		1		1		
Granville	5	1	4		3		3					1				1	1				
Greene	1		1																		
Guilford	1	1			1	1										1					
Halifax	24	5	19		24	4	20			4	1		1	1	3	2	7	2	3		
Harnett	13	9	4		2	2			1								1				
Haywood	15	15			11	10	1			1	6		3		1						
Hertford	2		2		15	7	8									1	3	10	1		
Hoke	2	2			3	2	1		1				1					1			
Iredell	6	5	1		8	6	2			4		1	1		1		1				
Jackson	5	5			2	2					1							1			
Johnston	14	8	6		11	8	3		1	1	2	2			2		2	1			
Jones	9	7	2		4	4							1				3				
Lee	2	1	1		3	2	1							1	1			1			
Lenoir	8	6	2		17	7	10					1	3			1	4	7	1		

TABLE 4A.—*Continued*

Area	1950 Onsets				1951 Onsets															
	Color				Color				Month of Onset											
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
Lincoln	3	3																			
McDowell					1	1					1										
Macon					6	6			2									4			
Madison	6	6																			
Martin	16	8	8		6	3	3			1		1				1	1	2			
Mecklenburg	12	5	7		2	2				1								1			
Mitchell	4	4																			
Montgomery	2	1	1																		
Moore					2	2											1				1
Nash	4	2	2		4	2	2		1									2	1		
New Hanover	15	12	3		5	3	2					1	1				2	1			
Northampton	4		4		66	5	61								2	10	28	21	2	2	1
Onslow	7	7			2	2			1											1	
Orange					1		1											1			
Pamlico	3	1	2																		
Pasquotank					1		1											1			
Pender	1	1			2	2			1	1											
Person	1	1			1	1					1										
Pitt	10	5	5		6	2	4					1			1	1	2			1	
Polk	1	1																			

Richmond	3	3			3	3										1	1		1		
Robeson	4	1	3		4		4			1	2	1									
Rockingham	1	1																			
Rowan	13	8	5		4	3	1				1	1						1	1		
Rutherford	1	1			2	2												2			
Sampson	8	8			2	2					1				1						
Scotland	1		1		8	4	4										8				
Surry	2	2																			
Transylvania	1	1			1	1			1												
Union	3	2	1		1	1												1			
Vance	2	1	1																		
Wake	10	7	3		6	4	2			1							1	1	2	1	
Warren	3		3		2	1	1											2			
Washington	7	4	3		22	15	7		1			1			1	1	4	1	1	12	
Watauga	9	9			1	1					1										
Wayne	3	3			3	1	2		1	1				1							
Wilson	9	3	6		3	3							1	1					1		
Yancey	3	3																			

TABLE 4B.—REPORTED CASES OF DIPHTHERIA BY YEAR* AND AGE, 1930-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1930	3,248	80	245	435	389	366	248	285	184	161	94	271	125	96	92	43	55	20	6	5	------	48
1931	3,156	80	205	341	386	359	297	250	212	157	102	293	120	93	72	51	61	22	12	3	------	40
1932	1,895	49	146	213	247	204	170	171	128	83	62	148	82	58	40	25	31	11	5	------	------	22
1933	2,497	58	151	269	274	285	214	239	160	117	104	233	93	100	47	52	52	8	5	1	------	35
1934	2,114	50	147	227	252	229	198	197	136	107	65	177	80	71	51	46	47	14	8	------	------	12
1935	1,720	52	128	156	186	197	159	178	107	88	67	148	63	61	44	27	33	4	3	------	------	19
1936	2,347	75	180	264	281	301	184	224	145	96	90	209	83	61	50	28	32	9	2	------	1	32
1937	2,056	53	165	223	261	262	190	175	151	105	67	156	64	51	41	28	24	12	6	------	1	21
1938	2,442	56	162	253	273	299	241	249	172	125	77	215	92	67	47	33	32	16	6	1	------	26
1939	2,368	59	176	251	293	305	235	223	150	130	78	207	69	45	38	26	30	12	4	2	------	35
1940	1,125	34	84	142	125	115	110	92	67	57	27	101	48	33	23	17	15	10	5	------	1	19
1941	1,629	33	71	183	175	192	176	162	123	99	68	153	57	29	33	14	27	9	2	------	1	22
1942	1,187	31	40	124	134	129	117	114	97	66	67	134	35	22	23	17	19	3	------	1	1	13
1943	801	26	31	83	116	100	72	61	46	43	35	90	25	22	14	12	10	3	------	------	------	12
1944	665	19	28	91	80	81	55	49	45	33	37	61	32	18	12	5	4	4	------	------	1	10
1945	1,475	26	34	150	184	192	177	119	89	75	51	192	57	32	34	25	21	5	1	------	1	10
1946	590	11	29	82	77	78	44	44	26	23	20	64	27	17	18	11	9	4	------	------	------	6
1947	751	30	39	85	72	82	72	51	53	42	28	96	29	25	22	7	8	3	4	2	------	1
1948	506	17	53	48	51	55	50	33	29	19	19	53	28	13	10	6	12	7	1	1	------	1
1949	550	19	59	47	56	60	51	34	25	33	17	72	20	23	11	9	10	1	------	3	------	------
1950	499	15	33	50	66	51	37	41	25	20	24	71	21	13	9	10	9	3	------	1	------	------
1951	373	4	26	30	43	44	38	15	15	14	22	56	24	15	7	7	7	4	1	1	------	------

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 4C.—REPORTED CASES OF DIPHTHERIA BY YEAR*, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1930-1951
(Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1930	3,248	102.4	1,524	96.7	1,698	106.4	2,727	122.0	1,289	115.0	1,415	126.9	488	52.2	221	48.6	265	55.2	33
1931	3,156	98.4	1,436	90.1	1,718	106.5	2,758	121.7	1,253	110.3	1,505	133.1	379	40.3	175	38.3	204	42.3	19
1932	1,895	58.0	900	55.5	989	60.2	1,698	73.4	811	69.9	887	76.9	179	18.8	85	18.4	94	19.3	18
1933	2,497	75.2	1,237	75.0	1,258	75.4	2,227	94.5	1,124	95.1	1,101	93.6	264	27.5	109	23.3	155	31.5	6
1934	2,114	62.9	969	58.0	1,145	67.8	1,875	78.4	867	72.3	1,008	84.5	231	23.9	96	20.3	135	27.2	8
1935	1,720	50.9	805	47.9	915	53.9	1,525	63.3	719	59.5	806	67.0	191	19.7	86	18.2	105	21.1	4
1936	2,347	69.0	1,124	66.5	1,223	71.5	2,098	86.4	1,008	83.0	1,090	89.9	235	24.1	106	22.3	129	25.9	14
1937	2,056	59.9	944	55.3	1,112	64.4	1,753	71.4	816	66.5	937	76.4	293	30.0	127	26.6	166	33.2	18
1938	2,442	70.3	1,198	69.4	1,244	71.2	2,069	83.1	1,015	81.5	1,054	84.7	365	37.1	178	36.9	187	37.2	8
1939	2,368	67.0	1,073	61.1	1,242	69.9	1,999	78.8	933	73.6	1,066	84.0	316	31.8	140	28.7	176	34.7	53
1940	1,125	31.5	544	30.7	581	32.3	920	35.8	456	35.6	464	36.1	205	20.4	88	17.9	117	22.8	----------
1941	1,629	44.4	781	42.9	808	43.7	1,352	51.3	660	50.2	692	52.4	237	22.9	121	23.9	116	21.9	40
1942	1,187	32.4	543	30.1	615	33.0	995	37.8	468	36.0	527	39.6	163	15.8	75	14.9	88	16.6	29
1943	801	21.7	379	21.2	416	22.0	663	25.1	314	24.5	349	25.7	132	12.6	65	12.8	67	12.5	6
1944	665	18.5	317	18.6	331	17.5	510	19.8	243	20.1	267	19.6	138	13.5	74	15.0	64	12.1	17
1945	1,475	42.0	663	40.5	801	42.7	1,212	48.2	553	47.8	659	48.6	252	25.2	110	22.8	142	27.3	11
1946	590	16.2	285	16.0	299	16.1	458	17.6	231	18.1	227	17.1	126	12.2	54	10.7	72	13.5	6
1947	751	20.2	356	19.5	395	20.9	494	18.6	237	18.1	257	19.0	257	24.3	119	23.2	138	25.4	----------
1948	506	13.3	232	12.4	274	14.2	351	12.9	159	11.9	192	13.9	154	14.3	73	13.9	81	14.6	1
1949	550	14.2	268	14.1	282	14.3	376	13.6	192	14.1	184	13.1	172	15.7	74	13.9	98	17.4	2
1950	499	12.3	234	11.6	265	13.0	325	10.9	154	10.3	171	11.5	174	16.1	80	15.2	94	17.0	----------
1951	373	9.0	180	8.8	193	9.3	189	6.2	95	6.3	94	6.2	184	16.9	85	16.0	99	17.8	----------

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 5A.—REPORTED CASES OF DYSENTERY, AMEBIC, BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF REPORT, 1951
(Place of Residence)

Area	1950 Reports				1951 Reports																
	Color				Color				Month of Reports												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	132	121	11		96	89	7		6	7	11	10	8	3	8	28	4	7	2	2	
Bertie					1		1			1											
Brunswick	8	7	1		2	2										2					
Buncombe	3	3																			
Cabarrus	1		1																		
Catawba	1	1																			
Cherokee	1	1																			
Craven					2	2									1					1	
Durham	1	1																			
Edgecombe					3	3										3					
Forsyth	1		1		1		1							1							
Graham	1	1																			
Granville					1	1								1							
Halifax	1		1		3	3										3					
Haywood	8	8			9	9			1	1	1				2	3	1				
Henderson					1	1												1			

Jackson	70	69	1		35	34	1		3	5	5	7	2		3	5	3	2			
Johnston					1	1							1								
Lee					1	1														1	
Lenoir					1		1					1									
Macon	17	17			14	14			2		3	1	2	1	1			2	2		
Madison					1	1												1			
Martin					2	2										2					
Nash					3	3										3					
New Hanover					3	3							3								
Orange	1	1																			
Pitt					3	3										3					
Robeson					2		2					1				1					
Rowan	5		5																		
Sampson					1		1				1										
Surry	2	2																			
Swain	9	9			1	1										1					
Transylvania					1	1												1			
Wake	1		1		2	2					1				1						
Washington					2	2										2					
Yadkin	1	1																			

TABLE 5B.—REPORTED CASES OF DYSENTERY, AMEBIC, BY YEAR OF REPORT AND AGE, 1945-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1945	21	------	------	------	------	------	------	------	------	------	------	------	1	1	7	4	3	2	2	------	------	1
1946	19	------	------	------	------	------	------	------	------	------	------	------	1	5	6	4	2	1	------	------	------	------
1947	18	------	1	------	------	------	------	------	------	------	------	------	------	5	5	2	1	3	------	------	------	1
1948	29	1	------	2	------	------	1	------	------	------	------	2	1	6	1	4	4	3	2	2	------	------
1949	91	2	------	2	------	1	------	------	1	------	------	7	2	8	10	11	29	7	5	1	------	5
1950	132	------	1	1	------	------	------	------	1	4	1	9	16	6	10	18	31	18	8	4	1	3
1951	96	------	------	------	------	------	------	1	1	2	1	4	4	5	11	15	21	16	11	3	1	------

Table 5C.—Reported Cases of Dysentery, Amebic, by Year of Report, Color, and Sex With Rates per 100,000 Population, 1945-1951
(Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1945	21	0.6	16	1.0	5	0.3	14	0.6	10	0.9	4	0.3	7	0.7	6	1.2	1	0.2	
1946	19	0.5	17	1.0	2	0.1	15	0.6	13	1.0	2	0.2	4	0.4	4	0.8			
1947	18	0.5	15	0.8	3	0.2	18	0.7	15	1.1	3	0.2							
1948	29	0.8	16	0.9	13	0.7	26	1.0	15	1.1	11	0.8	3	0.3	1	0.2	2	0.4	
1949	91	2.4	38	2.0	53	2.7	87	3.1	34	2.5	53	3.8	4	0.4	4	0.8			
1950	132	3.2	61	3.0	71	3.5	121	4.1	55	3.7	66	4.4	11	1.0	6	1.1	5	0.9	
1951	96	2.3	43	2.1	53	2.6	89	2.9	37	2.4	52	3.4	7	0.6	6	1.1	1	0.2	

TABLE 6A.—REPORTED CASES OF DYSENTERY, BACILLARY, BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF ONSET, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	45	32	13		58	47	11		5	3	6	2	2	2	8	7	10	10	1		2
Alamance					1	1												1			
Avery	1	1																			
Beaufort					1	1								1							
Bertie	1		1																		
Brunswick	3	3																			
Catawba					7	7												7			
Chatham					4	4			4												
Cleveland	1	1																			
Columbus	2	2																			
Craven					4	4						1			1		1		1		
Cumberland					7	7								1	1	3	1	1			
Durham	1		1		1		1								1						
Edgecombe	1	1			1	1				1											
Franklin	1	1			1	1										1					
Gaston	1	1																			

Granville					1	1									1						
Greene					1		1									1					
Guilford	4	3	1		2	2					1		1								
Iredell	1	1																			
Johnston	2	1	1		3	3					1						2				
Lee					2		2										2				
Lenoir					1		1										1				
Macon	1	1																			
Mecklenburg	1		1																		
Moore	8	8																			
Nash					2	2									1		1				
Northampton					2	1	1				1										1
Onslow					2	1	1			1		1									
Orange					1	1											1				
Pender					1		1									1					
Pitt	2		2		2		2										1	1			
Robeson	3	1	2		1	1										1					
Rockingham	1	1																			
Sampson	1		1																		
Scotland					2	2				1	1										
Wake	5	4	1		5	5			1		1		1		1						1
Washington	1	1																			
Wilkes	1	1																			
Wilson	2		2		3	2	1				1				2						

TABLE 6B.—REPORTED CASES OF DYSENTERY, BACILLARY, BY YEAR* AND AGE, 1932-1951 (PLACE OF RESIDENCE)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1932	1																		1			
1933	1	1																				
1935	4	1		3																		
1936	3	1	1													1						
1937	19	1	5				2							1	1	2	4	1	2			
1938	10	2	3													2	2	1				
1939	22	8	4	1	1					1					3	1	1			1		1
1940	9	2	2	2	2									1								
1941	12		1	2									1	2	1	3	2					
1942	35	2	5	5	1	2						4	1		3	3		3	2	2		2
1943	130	3	2	2		1						1	29	55	19	9	4		1	1		3
1944	12	2		1									1	2	1	3	1					1
1945	57	9	1	2	2	2	1				1	3	12	7	8	6	2		1			
1946	8	1	1										1	1	2	1						1
1947	12	5											1	1				1		1	1	2
1948	37	11	3	4	2	3	1		1			1	1	1		3	2	2	1	1		
1949	49	11	2	5	2	2	2		1	1		3	1	4	2	5	4	2	2			
1950	45	7	2	3	1	1		4				3	1	5	3	5	2	2	4			2
1951	58	6	2	4	2	5	1		1	3		1	3	9	4	3	5	3	1	4		1

* 1932-1948 by year of report; 1949-1951 by year of onset. No cases reported for years not shown.

TABLE 6C.—REPORTED CASES OF DYSENTERY, BACILLARY, BY YEAR*, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1932-1951
(Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1932	1	0.0	1	0.1	------	------	1	0.0	1	0.1	------	------	------	------	------	------	------	------	------
1933	1	0.0	1	0.1	------	------	1	0.0	1	0.1	------	------	------	------	------	------	------	------	------
1935	4	0.1	1	0.1	3	0.2	4	0.2	1	0.1	3	0.2	------	------	------	------	------	------	------
1936	3	0.1	2	0.1	1	0.1	1	0.0	1	0.1	------	------	2	0.2	1	0.2	1	0.2	------
1937	19	0.6	14	0.8	5	0.3	15	0.6	11	0.9	4	0.3	4	0.4	3	0.6	1	0.2	------
1938	10	0.3	3	0.2	7	0.4	7	0.3	3	0.2	4	0.3	3	0.3	------	------	3	0.6	------
1939	22	0.6	12	0.7	10	0.6	16	0.6	7	0.6	9	0.7	6	0.6	5	1.0	1	0.2	------
1940	9	0.3	3	0.2	6	0.3	4	0.2	3	0.2	1	0.1	5	0.5	------	------	5	1.0	------
1941	12	0.3	9	0.5	3	0.2	10	0.4	8	0.6	2	0.2	2	0.2	1	0.2	1	0.2	------
1942	35	1.0	20	1.1	15	0.8	24	0.9	15	1.2	9	0.7	11	1.1	5	1.0	6	1.1	------
1943	130	3.5	118	6.6	12	0.6	127	4.8	116	9.1	11	0.8	3	0.3	2	0.4	1	0.2	------
1944	12	0.3	12	0.7	------	------	12	0.5	12	1.0	------	------	------	------	------	------	------	------	------
1945	57	1.6	45	2.7	12	0.6	50	2.0	40	3.5	10	0.7	7	0.7	5	1.0	2	0.4	------
1946	8	0.2	7	0.4	------	------	6	0.2	6	0.5	------	------	1	0.1	1	0.2	------	------	1
1947	12	0.3	6	0.3	6	0.3	9	0.3	4	0.3	5	0.4	3	0.3	2	0.4	1	0.2	------
1948	37	1.0	17	0.9	20	1.0	31	1.1	13	1.0	18	1.3	5	0.5	3	0.6	2	0.4	1
1949	49	1.3	25	1.3	24	1.2	31	1.1	18	1.3	13	0.9	18	1.6	7	1.3	11	2.0	------
1950	45	1.1	27	1.3	18	0.9	32	1.1	20	1.3	12	0.8	13	1.2	7	1.3	6	1.1	------
1951	58	1.4	27	1.3	31	1.5	47	1.5	23	1.5	24	1.6	11	1.0	4	0.8	7	1.3	------

* 1932-1948 by year of report; 1949-1951 by year of onset. No cases reported for years not shown.

TABLE 7.—REPORTED CASES OF ENCEPHALITIS BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF ONSET, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	9	7	2		9	6	3			1	3		1	1			2	1			
Bertie	1	1																			
Chowan	1		1																		
Cleveland					1	1							1								
Cumberland					1	1								1							
Davidson	1	1																			
Gates					1		1										1				
Greene	1	1																			
Iredell	1	1																			
Onslow					3	1	2			1	2										
Pitt					1	1												1			
Polk					1	1											1				
Richmond	1	1																			
Robeson	1	1																			
Rockingham	1	1																			
Rowan	1		1																		
Wake					1	1					1										

TABLE 8A.—REPORTED UNTREATED CASES OF GONORRHEA BY COUNTY AND COLOR, 1950 AND 1951, WITH TYPE AND SEX, 1951 REPORTS
(Place of Report)

Area	1950 Reports			1951 Reports																					
							Site of Infection																		
							Genito-Urinary				Ophthalmia								Other			
											Neonatorum				Other Eye							
							White		Other		White		Other		White		Other		White		Other	
	Total	White	Other	Total	White	Other	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
North Carolina	14,930	2,041	12,889	15,779	1,977	13,802	1,329	634	8,934	4,831			5	4		2	1	4	6	6	12	11
Alamance	143	10	133	82	8	74	5	3	44	29												1
Alexander	6		6	8	7	1	4	3	1													
Alleghany	9	5	4																			
Anson	105	2	103	58		58			39	19												
Ashe	1	1		3	3		1	2														
Avery	7	7		1	1		1															
Beaufort	29		29	46	3	43	1	2	21	22												
Bertie	21		21	25		25			19	6												
Bladen	29	4	25	66		66			37	29												
Brunswick	14	3	11	25	2	23	2		17	6												
Buncombe	290	150	140	232	80	152	55	25	110	42												
Burke	66	34	32	54	30	24	22	8	21	3												
Cabarrus	158	45	113	251	55	196	31	24	144	52												
Caldwell	60	45	15	47	34	13	26	8	10	3												
Camden	37	1	36	34		34			30	4												

TABLE 8A.—*Continued*

Area	1950 Reports			1951 Reports																			
							Site of Infection																
							Genito-Urinary				Ophthalmia								Other			
											Neonatorum				Other Eye							
							White		Other		White		Other		White		Other		White		Other	
	Total	White	Other	Total	White	Other	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Carteret	37	3	34	31	2	29		2	25	4												
Caswell	2		2	6		6			4	2												
Catawba	76	25	51	97	35	62	23	12	51	11												
Chatham	13		13	1		1			1													
Cherokee	12	11	1	2	2			2														
Chowan	26	2	24	4		4			1	3												
Clay	1	1																				
Cleveland	156	23	133	200	35	165	26	9	125	39												1
Columbus	139	7	132	135	3	132	1	2	80	52												
Craven	650	117	533	556	128	428	104	24	232	195							1					
Cumberland	935	300	635	1,503	301	1,202	245	55	984	217				1						1		
Currituck	16		16	28	1	27	1		22	5												
Dare	4		4																			
Davidson	3	2	1	3	1	2	1		2													
Davie	4		4	15		15			10	5												

Duplin	52		52	29	2	27	1	1	24	1								1			1	
Durham	1,129	82	1,047	1,065	44	1,021	29	15	681	335			1									4
Edgecombe	158	4	154	270	5	265	5		192	73												
Forsyth	1,189	66	1,123	1,463	81	1,382	58	23	780	602												
Franklin	22		22	29		29			17	12												
Gaston	204	89	115	223	92	131	56	35	95	32									1		3	1
Gates	1		1	3		3				3												
Graham	1	1		3	3		2	1														
Granville	119	5	114	85	3	82		3	42	40												
Greene	13		13	17		17			8	9												
Guilford	889	131	758	762	76	686	48	28	472	214												
Halifax	49	8	41	22	1	21	1		11	8											2	
Harnett	115	10	105	121	4	117		4	76	40											1	
Haywood	7	7		7	7		4	3														
Henderson	20	12	8	20	2	18	2		17	1												
Hoke	61		61	78	1	77		1	40	37												
Hyde	4		4																			
Iredell	32	4	28	63	2	61	2		32	29												
Jackson	7	2	5	2	2			2														
Johnston	46	8	38	45	2	43	2		28	15												
Jones	25	4	21	23	1	22	1		12	10												
Lee	4	1	3	3		3			3													
Lenoir	166	12	154	151	4	147	2	2	60	87												
Lincoln	8	3	5	14	7	7		1		1								1	2	4	4	1
McDowell	26	19	7	18	4	14	3	1	10	4												
Macon				6	6		3	3														
Madison				1	1		1															
Martin	65	4	61	33	2	31	1	1	15	16												
Mecklenburg	2,954	351	2,603	2,483	291	2,192	152	138	1,111	1,078			2	1		1						
Mitchell	5	5		4	4		1	3														

TABLE 8A.—*Continued*

Area	1950 Reports			1951 Reports																					
							Site of Infection																		
							Genito-Urinary				Ophthalmia								Other			
											Neonatorum				Other Eye							
							White		Other		White		Other		White		Other		White		Other	
	Total	White	Other	Total	White	Other	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Montgomery	12	1	11	12	2	10	1	1	2	8												
Moore	55	2	53	44	9	35		9	25	10												
Nash	285	3	282	359	5	354	3	2	240	113				1								
New Hanover	886	23	863	1,360	88	1,272	25	63	842	428				1				1				
Northampton	31	1	30	46		46			17	29												
Onslow	183	80	103	681	250	431	239	11	377	54												
Orange	85	2	83	109	1	108	1		60	48												
Pamlico	12	1	11	4		4				4												
Pasquotank	212	4	208	126	3	123	2	1	100	23												
Pender	17		17	22	1	21	1		12	9												
Perquimans	31	1	30	23		23			15	7												1
Person	66		66	193	4	189	3	1	113	76												
Pitt	105	11	94	82	1	81	1		47	32												2
Polk	2	1	1	5	2	3	1	1	1	2												
Randolph	38	4	34	42	8	34	4	4	29	5												

Richmond	78	15	63	63	19	44	10	9	33	11												
Robeson	228	16	212	136	15	121	8	7	93	27			1									
Rockingham	18	9	9	34	6	28	5	1	13	15												
Rowan	22	4	18	63	16	47	8	7	29	17						1					1	
Rutherford	44	7	37	34	12	22	8	4	14	8												
Sampson	17	1	16	17		17			9	8												
Scotland	389	63	326	271	28	243	17	11	161	81			1									
Stanly	115	1	114	128	9	119	4	5	70	49												
Stokes	2	1	1																			
Surry	142	97	45	96	59	37	32	27	26	11												
Swain	1		1	5		5			3	2												
Transylvania	5	1	4	1	1		1															
Tyrrell	4		4	4		4			2	2												
Union	16	2	14	21	5	16	1	4	6	9								1				
Vance	285	5	280	267	6	261	5	1	239	22												
Wake	433	22	411	461	20	441	13	6	282	159										1		
Warren	77		77	90		90			75	15												
Washington	4		4	3		3				3												
Watauga	2	1	1	1	1		1															
Wayne	293	20	273	191	15	176	5	10	110	66												
Wilkes				3	3		3															
Wilson	304	10	294	218	7	211	4	3	129	82												
Yadkin	4		4																			
Yancey	7	6	1	8	3	5			4	1									3			

TABLE 8B.—REPORTED UNTREATED CASES OF GONORRHEA BY YEAR OF REPORT AND AGE, 1930-1951 (Place of Report)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1930	2,450	17	3	5	10	11	5	10	7	10	2	21	464	819	459	238	202	57	28	2	2	78
1931	2,298	15	1	6	9	8	6	8	8	9	8	21	483	810	369	235	177	43	15	3	------	64
1932	2,130	19	------	4	4	6	7	4	11	12	4	20	454	730	379	170	193	55	13	2	1	42
1933	2,176	14	4	9	6	9	7	7	6	6	4	34	446	780	353	167	175	59	40	1	------	49
1934	2,164	13	1	7	12	10	6	8	7	11	5	31	385	565	586	189	168	40	19	3	------	98
1935	1,826	16	2	4	7	7	10	7	9	7	8	28	357	627	293	147	171	57	12	------	5	52
1936	2,159	16	3	8	8	9	29	43	28	36	25	72	415	684	334	192	164	41	15	4	------	33
1937	2,894	17	2	9	15	16	14	22	28	16	11	65	589	897	472	247	226	78	24	9	------	137
1938	3,045	17	4	18	14	19	11	21	19	17	17	62	681	980	510	226	222	68	27	7	1	104
1939	3,815	13	3	19	12	10	22	21	19	17	26	74	918	1,265	632	321	277	70	21	10	------	65
1940	4,616	21	5	23	15	12	26	25	23	21	31	90	1,110	1,526	765	390	325	85	25	12	------	86
1941	5,834	31	3	22	10	13	8	22	23	15	18	85	1,459	2,168	1,037	464	315	82	30	7	2	20
1942	9,637	24	------	7	3	11	8	11	10	13	9	94	1,971	4,140	1,757	813	597	85	25	7	2	50
1943	10,870	1	6	9	5	10	2	9	5	7	10	127	3,053	4,240	1,844	835	510	93	18	5	1	80
1944	10,892	10	5	6	5	12	10	5	9	8	2	102	2,849	4,393	2,089	856	437	68	17	5	4	------
1945	13,162	18	19	13	16	11	4	15	14	7	5	174	3,506	4,633	2,765	1,068	684	177	22	11	------	------
1946	16,082	------	12	16	11	11	7	12	7	9	11	159	4,130	6,826	2,969	1,036	643	143	31	10	2	37
1947	14,169	9	3	7	16	13	9	11	15	15	9	176	3,751	5,900	2,540	898	613	118	27	9	------	30
1948	14,962	6	8	11	12	12	7	13	13	16	20	167	3,799	6,263	2,761	965	694	133	35	12	2	13
1949	16,173	10	7	12	11	14	9	11	15	10	9	176	4,044	6,512	3,126	1,197	789	168	37	3	1	12
1950	14,930	9	3	5	9	10	7	7	12	6	11	205	3,917	5,913	2,883	1,037	698	142	33	9	------	14
1951	15,779	11	4	3	2	4	6	5	5	11	6	215	4,417	6,190	2,859	1,154	694	139	33	5	------	16

TABLE 8C.—REPORTED UNTREATED CASES OF GONORRHEA BY YEAR OF REPORT, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1930-1951

(Place of Report)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1930	2,450	77.3	2,104	133.5	342	21.4	1,366	61.1	1,139	101.6	227	20.4	1,079	115.4	965	212.1	114	23.7	5
1931	2,298	71.7	1,980	124.2	318	19.7	1,269	56.0	1,052	92.6	217	19.2	1,029	109.5	928	202.9	101	20.9	----------
1932	2,130	65.2	1,858	114.5	272	16.6	1,164	50.3	988	85.2	176	15.2	963	101.3	868	187.4	95	19.5	3
1933	2,176	65.6	1,884	114.2	292	17.5	981	41.6	811	68.6	170	14.5	1,167	121.4	1,053	224.9	114	23.1	28
1934	2,164	64.4	1,779	106.5	380	22.5	1,113	46.5	867	72.3	246	20.6	1,041	107.6	908	192.4	133	26.8	10
1935	1,826	54.0	1,522	90.5	304	17.9	1,000	41.5	798	66.1	202	16.8	823	84.8	721	152.2	102	20.5	3
1936	2,159	63.5	1,531	90.6	628	36.7	1,159	47.7	749	61.6	410	33.8	996	102.3	779	163.9	217	43.6	4
1937	2,894	84.3	2,091	122.6	803	46.5	1,406	57.3	973	79.3	433	35.3	1,454	148.6	1,086	227.1	368	73.6	34
1938	3,045	87.6	2,401	139.0	644	36.8	1,252	50.3	939	75.4	313	25.1	1,748	177.5	1,432	297.2	316	62.8	45
1939	3,815	108.0	2,999	170.8	816	45.9	1,311	51.7	967	76.3	344	27.1	2,504	251.6	2,032	417.0	472	93.0	----------
1940	4,616	129.2	3,557	200.6	1,059	58.9	1,546	60.2	1,150	89.7	396	30.8	3,070	305.8	2,407	490.0	663	129.3	----------
1941	5,834	159.0	3,966	217.9	1,868	101.0	1,491	56.6	949	72.2	542	41.0	4,343	419.6	3,017	595.7	1,326	250.9	----------
1942	9,637	262.9	7,266	402.9	2,371	127.3	2,666	101.3	1,937	148.9	729	54.8	6,971	674.4	5,329	1,061.2	1,642	308.9	----------
1943	10,870	295.1	7,247	404.9	3,623	191.4	3,101	117.6	1,916	149.5	1,185	87.4	7,769	742.7	5,331	1,048.9	2,438	453.4	----------
1944	10,892	303.0	7,389	433.6	3,503	185.3	4,681	181.9	3,106	256.4	1,575	115.6	6,211	608.4	4,283	869.6	1,928	364.8	----------
1945	13,162	374.5	8,175	499.2	4,987	265.7	5,828	231.9	3,692	319.3	2,136	157.5	7,334	732.2	4,483	931.1	2,851	548.1	----------
1946	16,082	441.7	10,636	597.4	5,446	292.7	5,087	195.2	3,349	262.1	1,738	130.8	10,995	1,063.4	7,287	1,450.4	3,708	697.6	----------
1947	14,169	381.1	9,582	524.9	4,587	242.4	3,232	121.4	2,153	164.0	1,079	79.9	10,937	1,035.8	7,429	1,447.9	3,508	646.2	----------
1948	14,962	393.9	10,260	550.2	4,702	243.2	2,982	109.7	1,932	144.1	1,050	76.2	11,980	1,110.7	8,328	1,588.9	3,652	658.6	----------
1949	16,173	418.6	10,846	571.7	5,327	270.8	2,949	106.6	1,947	142.7	1,002	71.4	13,224	1,205.1	8,899	1,668.7	4,325	766.7	----------
1950	14,930	367.6	9,845	488.1	5,085	248.7	2,042	68.5	1,389	93.2	653	43.7	12,888	1,194.6	8,456	1,603.7	4,432	803.6	----------
1951	15,779	382.7	10,287	502.4	5,492	264.6	1,977	65.1	1,335	88.1	642	42.3	13,802	1,268.4	8,952	1,683.4	4,850	871.7	----------

TABLE 9A.—REPORTED UNTREATED CASES OF GRANULOMA INGUINALE BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF REPORT, 1951
(Place of Report)

Area	1950 Reports				1951 Reports																
	Color				Color				Month of Report												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	82	------	82	------	58	1	57	------	5	5	2	3	5	7	5	6	2	5	7	6	------
Alamance	------	------	------	------	1	------	1	------	------	------	------	------	------	------	------	------	------	1	------	------	------
Anson	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Beaufort	2	------	2	------	2	------	2	------	------	------	------	------	------	------	------	------	------	------	2	------	------
Bertie	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Bladen	1	------	1	------	1	------	1	------	------	------	------	------	------	------	1	------	------	------	------	------	------
Brunswick	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Buncombe	2	------	2	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Cabarrus	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Catawba	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Cleveland	1	------	1	------	1	------	1	------	------	------	------	------	------	1	------	------	------	------	------	------	------
Columbus	2	------	2	------	4	------	4	------	1	1	------	------	------	------	------	1	------	1	------	------	------
Craven	3	------	3	------	1	------	1	------	------	------	------	------	------	------	------	1	------	------	------	------	------
Cumberland	1	------	1	------	8	1	7	------	1	------	------	------	------	2	1	1	------	1	2	------	------
Currituck	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Duplin	1	------	1	------	3	------	3	------	------	------	------	------	------	------	1	------	------	------	1	1	------

Durham	3		3		3		3					1					1		1		
Forsyth	2		2																		
Franklin	1		1																		
Guilford					2		2									1				1	
Halifax	2		2																		
Harnett	2		2																		
Henderson	1		1																		
Johnston	1		1																		
Lenoir	2		2																		
Mecklenburg	24		24		16		16		3	2	2	1	2	1	1	1		2		1	
Nash	2		2																		
New Hanover	1		1		6		6					1	1				1			3	
Northampton	1		1		1		1						1								
Pasquotank	1		1																		
Perquimans					1		1							1							
Pitt	2		2																		
Richmond	3		3		2		2							1	1						
Robeson	1		1																		
Rockingham					1		1									1					
Scotland	3		3																		
Vance					1		1			1											
Wake	5		5		1		1							1							
Wayne	3		3																		
Wilson	3		3		3		3			1			1						1		

TABLE 9B.—REPORTED UNTREATED CASES OF GRANULOMA INGUINALE BY YEAR OF REPORT AND AGE, 1945-1951
(Place of Report)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1945	75	------	------	------	------	------	------	------	------	------	------	------	25	15	15	8	5	5	2	------	------	------
1946	101	------	------	------	------	------	------	------	------	------	------	1	25	29	19	9	11	3	2	------	2	------
1947	99	------	------	------	------	------	------	------	------	------	------	1	26	29	21	6	11	2	1	2	------	------
1948	98	------	------	1	------	------	------	------	------	------	------	1	20	20	20	7	19	6	1	3	------	------
1949	66	------	------	------	------	------	------	------	------	------	------	------	8	19	10	8	14	4	------	2	------	1
1950	82	------	------	------	------	------	------	------	------	------	------	------	6	26	16	8	17	7	2	------	------	------
1951	58	------	------	------	------	------	------	------	------	------	------	1	5	21	9	8	9	2	1	1	------	1

TABLE 9C.—REPORTED UNTREATED CASES OF GRANULOMA INGUINALE BY YEAR OF REPORT, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1945-1951 (Place of Report)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1945	75	2.1	42	2.6	33	1.8	2	0.1	------	------	2	0.1	73	7.3	42	8.7	31	6.0	------
1946	101	2.8	51	2.9	50	2.7	5	0.2	4	0.3	1	0.1	96	9.3	47	9.4	49	9.2	------
1947	99	2.7	42	2.3	57	3.0	1	0.0	------	------	1	0.1	98	9.3	42	8.2	56	10.3	------
1948	98	2.6	52	2.8	46	2.4	3	0.1	3	0.2	------	------	95	8.8	49	9.3	46	8.3	------
1949	66	1.7	38	2.0	28	1.4	------	------	------	------	------	------	66	6.0	38	7.1	28	5.0	------
1950	82	2.0	50	2.5	32	1.6	------	------	------	------	------	------	82	7.6	50	9.5	32	5.8	------
1951	58	1.4	34	1.7	24	1.2	1	0.03	1	0.1	------	------	57	5.2	33	6.2	24	4.3	------

TABLE 10A.—REPORTED UNTREATED CASES OF LYMPHOGRANULOMA VENEREUM BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF REPORT, 1951

(Place of Report)

Area	1950 Reports				1951 Reports																
	Color				Color				Month of Report												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	91	3	88	------	81	------	81	------	7	9	5	7	10	5	5	4	7	7	8	7	------
Alamance	2	------	2	------	2	------	2	------	------	1	------	------	------	------	------	------	------	1	------	------	------
Anson	------	------	------	------	1	------	1	------	------	------	------	------	------	------	1	------	------	------	------	------	------
Cabarrus	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Catawba	------	------	------	------	1	------	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------
Columbus	2	1	1	------	3	------	3	------	2	------	------	------	------	1	------	------	------	------	------	------	------
Craven	6	1	5	------	3	------	3	------	------	------	------	------	------	------	------	2	------	1	------	------	------
Cumberland	3	------	3	------	10	------	10	------	------	3	------	1	------	------	------	------	1	2	1	2	------
Currituck	2	------	2	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Davidson	2	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Duplin	1	------	1	------	2	------	2	------	------	------	------	------	------	------	1	------	------	1	------	------	------
Durham	10	------	10	------	9	------	9	------	------	------	2	------	2	2	1	------	1	------	1	------	------
Edgecombe	1	------	1	------	2	------	2	------	------	1	------	1	------	------	------	------	------	------	------	------	------
Forsyth	5	------	5	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Franklin	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Greene	2	------	2	------	2	------	2	------	------	1	1	------	------	------	------	------	------	------	------	------	------

Guilford	1		1		2		2						1							1	
Halifax	3		3																		
Hoke	1		1		1		1					1									
Iredell					2		2									1		1			
Johnston	1		1		1		1					1									
Lenoir					1		1		1												
Martin	2		2																		
Mecklenburg	3		3		4		4		1				1	1	1						
Nash	2		2																		
New Hanover					11		11					1	4				1	1	2	2	
Northampton	1		1		1		1									1					
Onslow	1		1		3		3									1	2				
Pasquotank	1		1																		
Pitt	3		3		2		2		1										1		
Richmond	1		1		3		3			1		1	1								
Robeson	2		2																		
Rockingham	1		1																		
Rowan					1		1				1										
Sampson	1		1																		
Surry					1		1													1	
Union	1		1																		
Vance	3		3																		
Wake	4		4		1		1										1				
Warren	3		3																		
Washington					1		1												1		
Wayne	7		7		2		2		1									1			
Wilson	11		11		9		9			2	1	1	1	1	1				1	1	

TABLE 10B.—REPORTED UNTREATED CASES OF LYMPHOGRANULOMA VENEREUM BY YEAR OF REPORT AND AGE, 1945-1951
(Place of Report)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1945	231	------	------	------	------	------	------	------	------	------	------	7	48	87	56	16	14	3	------	------	------	------
1946	153	------	------	------	------	------	------	------	------	------	------	3	34	66	37	6	5	2	------	------	------	------
1947	120	------	------	------	------	------	------	------	------	------	------	1	18	50	23	10	15	2	1	------	------	------
1948	176	------	------	------	------	------	------	------	------	------	------	1	17	59	51	19	24	5	------	------	------	------
1949	129	------	------	------	------	------	------	------	------	------	------	1	17	46	29	12	18	6	------	------	------	------
1950	91	------	------	------	------	------	------	------	------	------	------	1	9	33	21	10	13	2	2	------	------	------
1951	81	------	------	------	------	------	------	------	------	------	------	------	10	30	15	10	12	3	------	1	------	------

Table 10C.—Reported Untreated Cases of Lymphogranuloma Venereum by Year of Report, Color, and Sex With Rates Per 100,000 Population, 1945-1951, (Place of Report)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1945	231	6.6	159	9.7	72	3.8	7	0.3	7	0.6	------	------	224	22.4	152	31.6	72	13.8	------
1946	153	4.2	114	6.4	39	2.1	5	0.2	5	0.4	------	------	148	14.3	109	21.7	39	7.3	------
1947	120	3.2	89	4.9	31	1.6	7	0.3	7	0.5	------	------	113	10.7	82	16.0	31	5.7	------
1948	176	4.6	132	7.1	44	2.3	4	0.1	3	0.2	1	0.1	172	15.9	129	24.6	43	7.8	------
1949	129	3.3	85	4.5	44	2.2	7	0.3	6	0.4	1	0.1	122	11.1	79	14.8	43	7.6	------
1950	91	2.2	70	3.5	21	1.0	3	0.1	3	0.2	------	------	88	8.2	67	12.7	21	3.8	------
1951	81	2.0	69	3.4	12	0.6	------	------	------	------	------	------	81	7.4	69	13.0	12	2.2	------

TABLE 103.—HOSPITAL STATISTICS OF CASES OF GASTROENTERITIS, VARIOUS OF YEAR OF BIRTH, CAUSE, AND SEX
WITH RATES PER 100,000 POPULATION, 1942-1957. (PHOC OF REPORT)

| | | |

TABLE 11A.—REPORTED CASES OF MALARIA BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF ONSET, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets															
	Color				Color				Month of Onset											
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	36	30	6		12*	11*	1*						1		4	2			2		3
Brunswick					7	7									2	2					3
Craven	1	1			1	1									1						
Edgecombe	3	2	1		2	1	1						1		1						
Gates	1	1																			
Halifax	20	17	3																		
Jackson	2	2																			
Lenoir	1	1																			
Mecklenburg	1	1																			
Nash	1	1																			
Northampton	1	1																			
Onslow					2	2													2		
Robeson	1	1																			
Wayne	3	1	2																		
Wilkes	1	1																			
*No. of Cases in U. S. Armed Forces					70	67	3						2	7	14	19	16	6	1	1	4

TABLE 11B.—REPORTED CASES OF MALARIA BY YEAR* AND AGE, 1937-1951 (Place of Residence)

	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1937	876	16	8	21	20	14	17	12	13	18	19	57	77	90	85	59	118	94	49	21	13	55
1938	636	5	4	13	8	13	9	11	5	14	7	44	55	84	56	56	105	54	43	16	14	20
1939	629	5	13	12	7	19	17	11	10	4	9	49	34	55	82	61	90	49	49	30	8	15
1940	629	4	7	9	16	6	12	12	20	7	12	52	60	64	59	55	87	43	40	20	5	39
1941	237	------	2	7	------	5	4	4	5	4	1	10	24	31	24	17	40	22	16	14	------	7
1942	248	4	3	4	7	5	8	3	6	7	2	18	19	21	21	19	37	22	9	5	4	24
1943	183	2	2	6	------	3	1	1	1	2	2	5	15	26	12	14	24	13	11	9	2	32
1944	154	1	2	------	------	1	4	1	------	3	2	7	5	13	25	22	17	22	14	6	1	8
1945	554	------	2	12	2	2	1	8	4	4	5	16	22	72	122	68	74	68	47	19	3	3
1946	369	2	1	2	2	6	2	2	7	4	3	8	7	109	110	39	28	18	5	5	------	9
1947	137	1	------	9	3	4	3	1	3	2	2	5	------	23	24	15	18	11	5	3	------	5
1948	150	10	14	6	8	4	5	6	6	5	3	12	13	9	14	7	12	4	6	1	2	3
1949	53	------	1	------	1	3	3	2	4	1	1	3	8	8	5	2	5	5	------	------	------	1
1950	36	------	1	1	------	2	1	1	------	------	2	4	1	7	4	2	2	1	4	2	1	------
1951	82	------	------	1	2	------	1	------	------	------	------	1	8	39	11	11	4	1	------	3	------	------

* 1937-1948 by year of report; 1949-1951 by year of onset.

Table 11C.—Reported Cases of Malaria by Year*, Color, and Sex With Rates per 100,000 Population, 1937-1951
(Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1937	876	25.5	454	26.6	422	24.4	539	22.0	283	23.1	256	20.9	319	32.6	162	33.9	157	31.4	9
1938	636	18.3	293	17.0	343	19.6	425	17.1	199	16.0	226	18.2	200	20.3	90	18.7	110	21.9	11
1939	629	17.8	282	16.1	337	19.0	480	18.9	219	17.3	261	20.6	139	14.0	63	12.9	76	15.0	10
1940	629	17.6	286	16.1	343	19.1	442	17.2	204	15.9	238	18.5	187	18.6	82	16.7	105	20.5	----------
1941	237	6.5	108	5.9	129	7.0	167	6.3	81	6.2	86	6.5	70	6.8	27	5.3	43	8.1	----------
1942	248	6.8	106	5.9	141	7.6	200	7.6	86	6.6	114	8.6	47	4.5	20	4.0	27	5.1	1
1943	183	5.0	77	4.3	106	5.6	153	5.8	65	5.1	88	6.5	30	2.9	12	2.4	18	3.3	----------
1944	154	4.3	73	4.3	78	4.1	113	4.4	61	5.0	52	3.8	38	3.7	12	2.4	26	4.9	3
1945	554	15.8	312	19.1	240	12.8	405	16.1	269	23.3	136	10.0	147	14.7	43	8.9	104	20.0	2
1946	369	10.1	298	16.7	70	3.8	312	12.0	263	20.6	49	3.7	56	5.4	35	7.0	21	4.0	1
1947	137	3.7	83	4.5	54	2.9	101	3.8	64	4.9	37	2.7	36	3.4	19	3.7	17	3.1	----------
1948	150	3.9	78	4.2	72	3.7	118	4.3	63	4.7	55	4.0	32	3.0	15	2.9	17	3.1	----------
1949	53	1.4	34	1.8	19	1.0	46	1.7	29	2.1	17	1.2	7	0.6	5	0.9	2	0.4	----------
1950	36	0.9	21	1.0	15	0.7	30	1.0	17	1.1	13	0.9	6	0.6	4	0.8	2	0.4	----------
1951	82	2.0	74	3.6	8	0.4	78	2.6	70	4.6	8	0.5	4	0.4	4	0.8	------	------	----------

* 1937-1948 by year of report; 1949-1951 by year of onset.

TABLE 12A.—REPORTED CASES OF MEASLES BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF ONSET, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	4,964	4,265	631	68	3,315	2,937	352	26	640	566	509	816	341	159	57	18	25	22	29	71	62
Alamance	20	20			19	19			1	9	6	3									
Alexander	97	97																			
Anson	18	12	6																		
Ashe					8	8					1		5	2							
Avery	1	1																			
Beaufort	58	50	8		14	12	2		1				3	6	1	2				1	
Bertie	1	1			2	2				1			1								
Bladen	8	6	1	1	2		2												2		
Brunswick	59	54	3	2	25	24	1		20	2		1			1	1					
Buncombe	131	129	2		112	110	1	1	1	1	14	80	13	1	1					1	
Burke	2	2			2	2				2											
Cabarrus					5	4	1		2	1				1				1			
Caldwell	1	1																			
Camden					1	1						1									
Carteret	2	2			143	139	2	2	84	55	2				2						
Caswell	102	46	56		65	47	7	11	25	36	1	1	2								
Catawba	15	9	6		1	1						1									
Chatham	7	6	1		85	82	3				3	40	7	4	3	2	1				25
Cherokee	1	1																			
Chowan					4	2	2		1		1						1	1			

Cleveland	41	39	2		1	1								1							
Craven	59	52	6	1	351	301	49	1	144	106	60	12	7	1	2		1	3	3	4	8
Cumberland					24	23		1					2	22							
Dare	13	13																			
Davidson	10	10			3	3			1	1			1								
Davie	3	3																			
Duplin	2	1	1		1	1				1											
Durham	210	147	63		273	220	53		16	66	79	65	23	12	2	1	3	1	2	1	2
Edgecombe					59	49	10		2	1	3	5	10	6	1		4	4		19	4
Forsyth	174	159	15		83	56	26	1	5	6	4	32	13	7	11	3	1			1	
Franklin	1		1		4	3	1					1	3								
Gaston	174	168	5	1	9	9			1	2	2		2			1		1			
Gates	2		2		1	1			1												
Graham	80	80			1	1									1						
Granville	5	4	1		16	10	6		1		6	3	3	2	1						
Greene	12	12			1	1			1												
Guilford	153	137	15	1	73	70	2	1	13	13	8	14	16	3					2	3	1
Halifax	6	6			44	41	2	1		2		22	11	6	2					1	
Harnett	6	6			108	104	3	1			1	70	35	1					1		
Haywood	2	1		1	7	6	1		1			1	2	1					1	1	
Henderson	47	46	1		4	4			1	2					1						
Hertford					31	25	6		1	17	6								6		1
Hoke	9	8	1		1	1											1				
Hyde	1	1			20	19	1		11	6	1	1			1						
Iredell	185	171	14		5	5									1	1	1	1	1		
Jackson	7	6		1	3	1	1	1						1			2				
Johnston	4	1	3		17	15	2		3		3	7	2	1			1				
Jones	57	38	19		4	4			3							1					
Lee	14	14			41	33	8		1					12			3	5	2	18	
Lenoir	37	35	1	1	22	21	1		12	6	1		3								

TABLE 12A.—*Continued*

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
Lincoln	3	3																			
Macon	2	2			1	1				1											
Madison	1	1																			
Martin					6	2	4		1	1	1	3									
Mecklenburg	1,261	984	274	3	34	24	10		4	7	4	3	6	5		1			3	1	
Mitchell	4	4			3	3			2				1								
Montgomery	1	1			8	8					1		4	2					1		
Moore	70	60	9	1	10	9	1		1	1		4		2	1			1			
Nash	2	2			51	47	4		1	1	5	6	17	6	7					6	2
New Hanover	35	34	1		62	57	3	2	5	2	9	14	15	8	1			1		6	1
Northampton					3		3					3									
Onslow	54	54			287	231	55	1	31	18	36	109	66	15	3	1	3	1		1	3
Orange	16	13	3		19	18	1		3		6		5	5							
Pamlico	16	16			25	17	8		18	4		2							1		
Pasquotank					12	11	1					2	1	6	3						
Pender	1	1																			
Perquimans					12	12						1	4	3							4
Person	37	36		1	3	1	2		2							1					
Pitt	11	6	5		181	142	38	1	94	32	20	19	4		3		3	1		3	2
Polk	6	6			1		1							1							

Randolph	37	36	1		142	142			1	1	45	95									
Richmond	238	233	4	1	5	5			1			3	1								
Robeson	50	46	4		11	10	1			1		5	5								
Rockingham	36	32	4		13	12	1		5	2	1										5
Rowan	19	18	1		5	5					3				1			1			
Rutherford	723	649	21	53																	
Sampson	9	9			1	1															1
Scotland	64	32	32																		
Stanly	113	88	25		5	3	2				2									3	
Stokes					1	1									1						
Surry	33	30	3		8	8				1		6	1								
Swain	46	46																			
Transylvania	3	3			2	2															2
Tyrrell					4	4						1							3		
Union	52	45	7																		
Vance	5	5			3	3					1	1		1							
Wake	157	155	2		597	578	19		116	149	152	129	29	15	3	3			1		
Warren	2		2		3	3						1	1		1						
Wayne					36	36			1	2	11	16	6								
Wilkes	10	10																			
Wilson	8	8			61	55	5	1	1	7	9	32	8		2					1	1
Yadkin	1	1			3	3							3								
Yancey	1	1			2	2					1	1									

TABLE 12B.—REPORTED CASES OF MEASLES BY YEAR* AND AGE, 1930-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1930	1,376	64	89	98	99	97	88	196	170	130	65	147	45	16	12	14	11	5	1	2	1	26
1931	15,499	280	582	758	922	1,026	974	2,008	1,945	1,566	1,133	2,530	829	317	174	99	95	47	14	5	5	190
1932	13,672	298	488	652	811	995	881	1,517	1,592	1,460	978	2,126	735	234	109	84	106	42	25	8	1	530
1933	16,197	304	492	734	808	1,004	1,103	1,946	1,894	1,984	1,452	2,965	565	262	98	96	73	41	17	9	3	347
1934	55,764	1,017	1,786	2,624	2,933	3,524	3,807	6,239	6,200	5,655	4,578	10,905	2,983	1,171	636	399	464	169	54	28	17	575
1935	10,683	260	417	529	586	688	642	1,094	1,047	952	742	2,259	654	237	105	59	65	26	7	5	1	308
1936	1,395	62	46	57	46	53	53	123	103	120	101	288	152	104	30	23	8	5	4	------	------	17
1937	7,937	188	274	332	407	439	437	757	854	933	712	1,516	539	206	77	49	68	24	5	3	------	117
1938	49,614	893	1,560	2,296	2,685	3,017	2,997	5,493	5,853	5,916	4,910	9,219	2,215	709	405	255	268	103	35	18	13	754
1939	20,031	381	661	821	1,082	1,242	1,232	2,223	2,544	2,143	1,763	4,088	801	260	160	119	121	60	80	8	2	240
1940	3,685	151	204	213	225	245	223	347	403	318	254	667	216	70	47	23	25	7	4	3	3	37
1941	27,764	601	963	1,479	1,874	1,895	1,979	3,354	3,449	2,919	1,891	4,459	1,186	464	286	196	160	60	27	7	2	513
1942	21,581	519	569	1,365	1,470	1,573	1,447	3,043	3,401	2,395	1,622	2,802	468	214	139	85	92	32	19	10	4	312
1943	5,217	207	152	373	387	420	386	593	638	434	235	524	278	176	99	61	49	14	6	1	1	183
1944	27,655	750	861	1,989	2,006	2,170	2,135	3,668	3,828	3,302	1,778	2,924	789	357	236	170	154	46	17	8	5	462
1945	1,194	63	50	126	104	102	104	181	134	93	45	101	46	14	13	6	2	------	------	------	------	10
1946	9,011	233	276	607	662	741	696	1,366	1,715	1,008	548	774	148	74	42	27	26	11	5	------	------	52
1947	4,978	156	159	317	367	422	429	932	821	580	271	325	61	28	30	19	12	4	2	1	------	42
1948	1,172	50	74	66	67	79	83	195	160	123	65	140	33	5	5	3	3	2	------	------	------	19
1949	17,330	363	727	909	934	1,036	1,117	2,922	3,045	2,095	1,112	2,194	274	80	45	47	59	11	5	2	4	349
1950	4,964	160	238	330	431	408	363	893	739	441	251	414	64	21	11	20	13	3	------	------	2	162
1951	3,315	77	107	155	211	239	194	544	560	368	177	301	122	193	25	7	12	2	2	1	------	18

*1930–1948 by year of report; 1949–1951 by year of onset.

TABLE 12C.—REPORTED CASES OF MEASLES BY YEAR*, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1930-1951
(Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1930	1,376	43.4	695	44.1	670	42.0	1,240	55.5	634	56.6	601	53.9	125	13.4	54	11.9	68	14.2	11
1931	15,499	483.3	7,414	465.2	8,085	501.3	14,372	634.0	6,795	598.0	7,577	670.2	1,017	108.2	564	123.3	453	93.9	110
1932	13,672	418.8	6,462	398.2	6,781	413.0	11,097	479.6	5,478	472.3	5,619	486.9	2,051	215.7	955	206.2	1,096	224.7	524
1933	16,197	488.1	8,107	491.4	7,915	474.4	13,798	585.3	7,007	593.0	6,688	568.8	2,246	233.7	1,040	222.1	1,186	240.8	175
1934	55,764	1,660.0	27,775	1,662.6	27,836	1,648.4	48,372	2,022.3	24,215	2,020.0	24,033	2,014.3	6,923	715.6	3,306	700.7	3,588	724.0	469
1935	10,683	316.0	5,372	319.5	5,311	312.6	7,541	312.9	3,812	315.7	3,729	310.1	3,061	315.5	1,513	319.5	548	110.3	81
1936	1,395	41.0	713	42.2	682	39.9	1,229	50.6	640	52.7	589	48.6	154	15.8	66	13.9	88	17.7	12
1937	7,937	231.3	4,020	235.7	3,917	226.9	6,715	273.7	3,408	277.6	3,307	269.7	1,185	121.1	587	122.8	598	119.6	37
1938	49,614	1,427.5	24,668	1,428.0	24,946	1,427.1	42,299	1,698.2	21,284	1,708.7	21,015	1,687.8	7,007	711.5	3,204	665.0	3,803	756.1	308
1939	20,031	567.1	9,946	566.6	9,640	542.6	17,959	707.9	9,181	724.0	8,778	691.9	1,627	163.5	765	157.0	862	169.8	445
1940	3,685	103.2	1,873	105.6	1,810	100.6	2,604	101.4	1,337	104.3	1,267	98.5	1,078	107.4	535	108.9	543	105.9	3
1941	27,764	756.5	13,343	733.0	13,871	749.9	22,225	843.4	10,982	835.9	11,243	851.0	4,989	482.1	2,361	466.2	2,628	497.3	550
1942	21,581	588.8	10,610	588.3	10,441	560.7	18,599	706.7	9,367	719.9	9,232	693.9	2,452	237.2	1,243	247.5	1,209	227.5	530
1943	5,217	141.6	2,665	148.9	2,545	134.4	4,464	169.3	2,298	179.3	2,166	159.8	746	71.3	367	72.2	379	70.5	7
1944	27,655	769.3	13,642	800.6	13,479	712.8	24,797	963.4	12,437	1,026.6	12,360	907.2	2,324	227.6	1,205	244.7	1,119	211.8	534
1945	1,194	34.0	614	37.5	570	30.4	846	33.7	450	38.9	396	29.2	338	33.7	164	34.1	174	33.5	10
1946	9,011	247.5	4,527	254.3	4,443	238.8	7,263	278.6	3,685	288.4	3,578	269.3	1,707	165.1	842	167.6	865	162.7	41
1947	4,978	133.9	2,543	139.3	2,435	128.7	4,452	167.2	2,282	173.9	2,170	160.8	526	49.8	261	50.9	265	48.8	----------
1948	1,172	30.9	615	33.0	554	28.7	888	32.7	470	35.1	415	30.1	269	24.9	139	26.5	130	23.4	15
1949	17,330	448.5	8,756	461.5	8,556	435.0	14,106	509.9	7,180	526.4	6,910	492.6	3,125	284.8	1,534	287.7	1,591	282.0	99
1950	4,964	122.2	2,469	122.4	2,490	121.8	4,265	143.0	2,126	142.7	2,137	143.1	631	58.5	309	58.6	322	58.4	68
1951	3,315	80.4	1,799	87.9	1,514	72.9	2,937	96.8	1,614	106.5	1,323	87.1	352	32.3	175	32.9	177	31.8	26

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 13A.—REPORTED CASES OF MENINGITIS BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF ONSET, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	116	84	32	------	151	124	27	------	23	17	15	18	6	9	15	4	6	14	9	15	------
Alamance	4	2	2	------	1	------	1	------	------	------	------	------	------	------	------	1	------	------	------	------	------
Ashe	------	------	------	------	1	1	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------
Bladen	2	2	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Brunswick	------	------	------	------	3	2	1	------	------	------	------	------	------	2	------	------	1	------	------	------	------
Buncombe	2	2	------	------	9	9	------	------	4	------	1	------	------	1	------	1	2	------	------	------	------
Burke	1	------	1	------	6	5	1	------	2	1	1	------	------	------	------	1	------	------	1	------	------
Cabarrus	------	------	------	------	2	1	1	------	1	------	1	------	------	------	------	------	------	------	------	------	------
Caldwell	------	------	------	------	4	4	------	------	------	------	------	------	1	------	------	------	1	1	------	1	------
Carteret	8	8	------	------	1	1	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------
Caswell	------	------	------	------	1	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------
Catawba	------	------	------	------	2	1	1	------	------	------	------	1	------	------	------	------	------	------	------	1	------
Chatham	1	1	------	------	1	------	1	------	------	------	------	------	------	------	1	------	------	------	------	------	------
Cherokee	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Chowan	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Cleveland	------	------	------	------	2	1	1	------	------	1	------	1	------	------	------	------	------	------	------	------	------
Columbus	3	1	2	------	1	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------
Cumberland	4	4	------	------	12	11	1	------	5	------	1	------	------	1	2	------	------	2	1	------	------
Currituck	------	------	------	------	1	1	------	------	------	------	1	------	------	------	------	------	------	------	------	------	------
Dare	------	------	------	------	1	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------
Davidson	4	3	1	------	3	3	------	------	------	------	1	1	------	------	1	------	------	------	------	------	------

Durham	5	4	1		1	1											1				
Edgecombe					1	1							1								
Forsyth	1	1			5	5			2			1	1							1	
Franklin					4	1	3		1	1	1								1		
Gaston	4	3	1		2	1	1					1		1							
Greene					1	1												1			
Guilford	2	2			7	6	1		1	1	2		1				1			1	
Halifax	1	1			1	1						1									
Harnett	2	2			3	3														3	
Haywood	2	2																			
Henderson	2	2			2	2				1			1								
Hertford	4	1	3		1		1		1												
Iredell	5	5			3	2	1							1	2						
Johnston	3	3			5	4	1			1	1								1	2	
Lee	1	1			2	2			1						1						
Lenoir	3	2	1																		
McDowell	1	1																			
Madison					1	1								1							
Martin	2	1	1																		
Mecklenburg	8	8			8	6	2			2		1	1		1		1		2		
Mitchell	2	2			4	4									1			3			
Montgomery					2	2						1		1							
Nash					2	1	1					1			1						
New Hanover	2		2																		
Northampton					1		1			1											
Onslow	2	2			6	5	1					1		1			1	1	1	1	
Perquimans	1	1																			
Pitt	6	2	4		1		1		1												
Randolph	1		1		2	2				1										1	
Robeson	2		2		3	1	2			1	1	1									

TABLE 13A.—*Continued*

Area	1950 Onsets				1951 Onsets															
	Color				Color				Month of Onset											
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
Rowan					2	2												1		1	
Rutherford	4	2	2																		
Sampson	3	3			2	2						1			1						
Scotland					1	1						1									
Stanly	1	1			1	1									1						
Surry	1	1			4	4				2	1	1									
Transylvania	1	1																			
Union					1		1													1	
Vance					2	1	1					2									
Wake					9	8	1			3	1	2			1			1		1	
Warren	1		1		1	1				1											
Wayne	2		2		2	2			2												
Wilkes	3	2	1																		
Wilson	6	3	3		3	3									2	1					
Yadkin					1	1			1												
Yancey	1	1			3	3					2									1	

TABLE 13B.—REPORTED CASES OF MENINGITIS BY YEAR* AND AGE, 1930-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1930	153	15	15	5	8	7	13	5	4	6	7	22	20	7	5	4	5	3	2	------	------	------
1931	123	10	8	6	6	7	5	4	7	2	3	21	22	7	2	6	5	------	------	------	------	2
1932	71	7	3	3	4	3	2	4	2	1	2	10	13	6	1	4	4	------	2	------	------	------
1933	66	14	4	5	2	1	4	4	3	------	------	9	10	3	1	1	1	4	------	------	------	------
1934	50	15	3	2	1	5	2	4	2	1	1	7	2	2	1	1	1	------	------	------	------	------
1935	109	14	6	3	1	4	2	3	1	2	3	17	16	13	10	4	2	7	1	------	------	------
1936	196	30	7	16	7	5	3	2	6	5	5	16	26	23	18	9	5	5	------	1	------	7
1937	169	19	5	9	6	7	7	4	7	2	6	19	27	17	8	5	10	7	2	------	------	2
1938	93	16	3	6	9	3	------	3	4	1	5	7	9	6	3	2	4	5	3	2	------	2
1939	59	10	4	6	2	3	2	2	2	1	------	4	7	6	2	3	2	------	1	------	------	2
1940	34	4	------	2	2	1	3	1	2	4	------	5	5	2	1	1	------	------	------	------	------	1
1941	46	7	2	1	1	------	2	3	------	------	2	9	7	5	2	------	1	2	------	------	------	2
1942	49	5	------	2	1	4	4	------	------	2	1	4	8	9	1	2	3	2	------	------	------	1
1943	478	19	2	14	4	7	5	8	7	4	1	26	122	114	63	30	28	6	2	1	------	15
1944	308	17	9	9	10	6	11	4	6	5	7	30	53	47	29	25	21	8	2	3	------	6
1945	179	11	8	8	4	8	15	4	2	5	1	14	38	16	10	8	15	8	1	------	------	3
1946	120	10	5	6	7	4	2	4	2	2	4	15	36	8	1	3	4	4	1	1	------	1
1947	95	17	2	10	6	1	5	2	5	6	3	10	6	5	1	2	4	5	2	------	1	2
1948	75	15	3	7	4	5	3	2	3	2	3	8	4	4	7	------	1	------	3	------	1	------
1949	87	9	7	7	7	4	4	4	2	1	3	12	9	6	1	2	------	5	2	1	1	------
1950	116	16	7	9	13	7	6	5	3	3	4	11	13	4	2	2	3	4	2	------	1	1
1951	151	12	17	13	13	11	7	8	4	5	2	14	15	5	2	4	5	10	1	3	------	------

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 13C.—REPORTED CASES OF MENINGITIS BY YEAR*, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1930-1951
(Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1930	153	4.8	100	6.3	53	3.3	102	4.6	67	6.0	35	3.1	51	5.5	33	7.3	18	3.7	----------
1931	123	3.8	72	4.5	49	3.0	87	3.8	54	4.8	33	2.9	34	3.6	18	3.9	16	3.3	2
1932	71	2.2	43	2.6	28	1.7	45	1.9	23	2.0	22	1.9	26	2.7	20	4.3	6	1.2	----------
1933	66	2.0	38	2.3	28	1.7	44	1.9	25	2.1	19	1.6	22	2.3	13	2.8	9	1.8	----------
1934	50	1.5	35	2.1	15	0.9	36	1.5	26	2.2	10	0.8	14	1.4	9	1.9	5	1.0	----------
1935	109	3.2	77	4.6	32	1.9	78	3.2	51	4.2	27	2.2	31	3.2	26	5.5	5	1.0	----------
1936	196	5.8	137	8.1	59	3.5	124	5.1	86	7.1	38	3.1	72	7.4	51	10.7	21	4.2	----------
1937	169	4.9	120	7.0	49	2.8	83	3.4	60	4.9	23	1.9	85	8.7	59	12.3	26	5.2	1
1938	93	2.7	61	3.5	32	1.8	64	2.6	45	3.6	19	1.5	27	2.7	15	3.1	12	2.4	2
1939	59	1.7	45	2.6	14	0.8	45	1.8	34	2.7	11	0.9	14	1.4	11	2.3	3	0.6	----------
1940	34	1.0	25	1.4	9	0.5	24	0.9	20	1.6	4	0.3	10	1.0	5	1.0	5	1.0	----------
1941	46	1.3	31	1.7	15	0.8	35	1.3	24	1.8	11	0.8	11	1.1	7	1.4	4	0.8	----------
1942	49	1.3	37	2.1	10	0.5	33	1.3	27	2.1	6	0.5	14	1.4	10	2.0	4	0.8	2
1943	478	13.0	387	21.6	87	4.6	412	15.6	347	27.1	65	4.8	62	5.9	40	7.9	22	4.1	4
1944	308	8.6	229	13.4	74	3.9	258	10.0	194	16.0	64	4.7	45	4.4	35	7.1	10	1.9	5
1945	179	5.1	116	7.1	58	3.1	138	5.5	91	7.9	47	3.5	36	3.6	25	5.2	11	2.1	5
1946	120	3.3	86	4.8	33	1.8	95	3.6	71	5.6	24	1.8	24	2.3	15	3.0	9	1.7	1
1947	95	2.6	59	3.2	36	1.9	66	2.5	39	3.0	27	2.0	29	2.7	20	3.9	9	1.7	----------
1948	75	2.0	46	2.5	29	1.5	58	2.1	37	2.8	21	1.5	16	1.5	8	1.5	8	1.4	1
1949	87	2.3	40	2.1	47	2.4	69	2.5	31	2.3	38	2.7	18	1.6	9	1.7	9	1.6	----------
1950	116	2.9	57	2.8	59	2.9	84	2.8	41	2.8	43	2.9	32	3.0	16	3.0	16	2.9	----------
1951	151	3.7	78	3.8	73	3.5	124	4.1	61	4.0	63	4.1	27	2.5	17	3.2	10	1.8	----------

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 14A.—REPORTED CASES OF PARATYPHOID FEVER BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF ONSET, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	7	6	1		5	4	1								1	3	1				
Buncombe					1		1									1					
Burke	1	1																			
Cumberland	1	1																			
Durham	1	1			1	1											1				
Gaston	1	1																			
Guilford					1	1									1						
Jackson	1	1																			
Mecklenburg	1		1																		
Orange	1	1																			
Scotland					2	2										2					

TABLE 14B.—REPORTED CASES OF PARATYPHOID FEVER BY YEAR* AND AGE, 1930-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1930	21									2	1	6	2	2	1		4	2	1			
1931	27								2	1	3	8	1	1	3	3	2	2	1			
1932	16				1	1			1	1	1	2	4	2		1		1	1			
1933	12						1			1	1	2	4	1	1		1					
1934	15	1								1		1	6	2			1	1		1		1
1935	26								1		1	2	1	3	6	4	5	3				
1936	20	1		1	1		1						6	1	1	4	1	1	1			1
1937	16			1					2				5	2	1	2		2			1	
1938	18	2			1				1	1		2	3	4	1		1	1	1			
1939	16	2			1	2				1		1	3	1			2	3				
1940	3						1			1		1										
1941	11	3				1							3		1	1		1	1			
1942	7		1	1				1		1		1					1		1			
1943	6						1			1		1	2						1			
1944	7	1										1	1		2			1	1			
1945	5									1				2	1					1		
1946	6	1		1									1				1	2				
1947	7			1								2	1	1			2					
1948	12		1	1			1	1		1		1		2		2	1			1		
1949	8										1	1	1		1		2		1		1	
1950	7											2	2	1			2					
1951	5								1					1	1			1		1		

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 14C.—REPORTED CASES OF PARATYPHOID FEVER BY YEAR*, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1930-1951
(Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1930	21	0.7	11	0.7	10	0.6	18	0.8	10	0.9	8	0.7	3	0.3	1	0.2	2	0.4	----------
1931	27	0.8	17	1.1	10	0.6	21	0.9	16	1.4	5	0.4	6	0.6	1	0.2	5	1.0	----------
1932	16	0.5	9	0.6	7	0.4	12	0.5	7	0.6	5	0.4	4	0.4	2	0.4	2	0.4	----------
1933	12	0.4	10	0.6	2	0.1	9	0.4	8	0.7	1	0.1	3	0.3	2	0.4	1	0.2	----------
1934	15	0.4	9	0.5	6	0.4	11	0.5	6	0.5	5	0.4	3	0.3	2	0.4	1	0.2	1
1935	26	0.8	17	1.0	9	0.5	16	0.7	9	0.7	7	0.6	10	1.0	8	1.7	2	0.4	----------
1936	20	0.6	12	0.7	8	0.5	15	0.6	9	0.7	6	0.5	4	0.4	2	0.4	2	0.4	1
1937	16	0.5	7	0.4	9	0.5	9	0.4	6	0.5	3	0.2	7	0.7	1	0.2	6	1.2	----------
1938	18	0.5	10	0.6	8	0.5	16	0.6	9	0.7	7	0.6	2	0.2	1	0.2	1	0.2	----------
1939	16	0.5	8	0.5	7	0.4	14	0.6	8	0.6	6	0.5	1	0.1	------	------	1	0.2	1
1940	3	0.1	1	0.1	2	0.1	3	0.1	1	0.1	2	0.2	------	------	------	------	------	------	----------
1941	11	0.3	4	0.2	7	0.4	7	0.3	2	0.2	5	0.4	4	0.4	2	0.4	2	0.4	----------
1942	7	0.2	3	0.2	4	0.2	6	0.2	2	0.2	4	0.3	1	0.1	1	0.2	------	------	----------
1943	6	0.2	3	0.2	3	0.2	4	0.2	1	0.1	3	0.2	2	0.2	2	0.4	------	------	----------
1944	7	0.2	6	0.4	1	0.1	3	0.1	2	0.2	1	0.1	4	0.4	4	0.8	------	------	----------
1945	5	0.1	1	0.1	4	0.2	4	0.2	1	0.1	3	0.2	1	0.1	------	------	1	0.2	----------
1946	6	0.2	2	0.1	4	0.2	6	0.2	2	0.2	4	0.3	------	------	------	------	------	------	----------
1947	7	0.2	4	0.2	3	0.2	5	0.2	3	0.2	2	0.1	2	0.2	1	0.2	1	0.2	----------
1948	12	0.3	8	0.4	4	0.2	12	0.4	8	0.6	4	0.3	------	------	------	------	------	------	----------
1949	8	0.2	5	0.3	3	0.2	8	0.3	5	0.4	3	0.2	------	------	------	------	------	------	----------
1950	7	0.2	5	0.2	2	0.1	6	0.2	4	0.3	2	0.1	1	0.1	1	0.2	------	------	----------
1951	5	0.1	3	0.1	2	0.1	4	0.1	2	0.1	2	0.1	1	0.1	1	0.2	------	------	----------

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 15A.—REPORTED CASES OF POLIOMYELITIS BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF ONSET, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets															
	Color				Color				Month of Onset											
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	756	666	90	------	314	287	27	------	12	10	2	4	18	19	57	86	61	22	17	6	------
Alamance	15	12	3	------	3	3	------	------	------	------	------	------	------	------	------	1	1	1	------	------	------
Alexander	------	------	------	------	5	5	------	------	------	------	------	------	------	------	1	3	1	------	------	------	------
Alleghany	1	1	------	------	3	3	------	------	2	------	------	------	------	------	------	------	1	------	------	------	------
Anson	2	2	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Ashe	8	8	------	------	4	4	------	------	------	------	------	------	------	------	1	1	------	------	1	1	------
Avery	2	2	------	------	1	1	------	------	------	------	------	------	------	1	------	------	------	------	------	------	------
Beaufort	9	5	4	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Bertie	3	2	1	------	1	------	1	------	------	------	------	1	------	------	------	------	------	------	------	------	------
Bladen	5	3	2	------	1	------	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------
Brunswick	4	4	------	------	2	1	1	------	------	1	------	------	------	------	1	------	------	------	------	------	------
Buncombe	50	49	1	------	13	13	------	------	1	------	------	------	------	------	1	4	5	1	1	------	------
Burke	16	15	1	------	13	10	3	------	------	------	------	------	------	1	------	4	6	2	------	------	------
Cabarrus	4	4	------	------	2	2	------	------	------	------	------	------	1	------	------	1	------	------	------	------	------
Caldwell	21	21	------	------	17	15	2	------	------	3	------	------	------	------	4	8	------	2	------	------	------
Carteret	1	1	------	------	2	2	------	------	------	------	------	1	------	------	------	------	1	------	------	------	------

Caswell	2	2			3	3										1			2	
Catawba	6	6			18	18			1	1			3		3	5	4	1		
Chatham	1	1			1	1									1					
Cherokee	1	1																		
Chowan	2	1	1																	
Cleveland	11	9	2		10	10					1				3		4		2	
Columbus	7	6	1		3	3							2					1		
Craven	8	4	4		1	1								1						
Cumberland	18	14	4		9	8	1		1						2	3	3			
Davidson	12	10	2		1	1										1				
Davie	1	1			1		1									1				
Duplin	9	8	1																	
Durham	44	40	4		8	8									4	2	2			
Edgecombe	12	10	2		1		1								1					
Forsyth	19	17	2		2	2									1	1				
Franklin	8	7	1		2	1	1							1	1					
Gaston	11	11			10	10			1	3					2	3	1			
Graham	3	3																		
Granville	6	4	2		3	3								1			2			
Greene	1	1																		
Guilford	40	34	6		19	17	2		1				2	1	5	3	6		1	
Halifax	13	8	5																	
Harnett	2	2			1	1								1						
Haywood	18	18			1	1							1							
Henderson	5	5			14	14			1					2	1	6		1	3	
Hertford	1	1																		
Hoke	6	4	2		1	1							1							
Hyde	1	1																		
Iredell	8	8			1	1										1				
Jackson	2	2			1	1										1				

TABLE 15A.—*Continued*

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
Johnston	13	11	2		5	5				1			1		1	1				1	
Jones	1	1																			
Lee	3	3			5	5									4	1					
Lenoir	2	2																			
Lincoln	6	6																			
McDowell	4	4			5	5								2		3					
Macon	1	1			3	3								1	2						
Madison	12	12																			
Martin	3	2	1		1	1							1								
Mecklenburg	26	25	1		15	15					1	1				7	2	4			
Mitchell	1	1			1	1														1	
Montgomery	4	4																			
Moore	11	11			2	2										1		1			
Nash	7	5	2		5	5									1	2			1	1	
New Hanover	27	24	3		6	5	1							3	2	1					
Northampton	1	1			1		1											1			
Onslow	2	2			5	5										2	2		1		
Orange	24	20	4		12	12									1	1	10				
Pamlico	1		1																		
Pasquotank	9	7	2		2	1	1								1				1		

Pender	2	2																			
Perquimans	1	1																			
Person	4	3	1		1	1											1				
Pitt	16	11	5																		
Polk	2	2			1	1												1			
Randolph	9	9			5	4	1								1	2	1	1			
Richmond	6	6																			
Robeson	12	10	2		1	1								1							
Rockingham	3	3			7	7						1	1					1	4		
Rowan	8	7	1		8	7	1									4	1	2	1		
Rutherford	6	6			4	4									2	1	1				
Sampson	6	5	1		1		1										1				
Scotland	7	6	1		1	1									1						
Stanly	3	3																			
Stokes	3	3																			
Surry	1	1			3	3				1			1			1					
Swain					1	1							1								
Transylvania	5	4	1		2	1	1									1	1				
Tyrrell	1	1																			
Union					4	4								2			1	1			
Vance	9	9			2	2										2					
Wake	51	42	9		12	8	4		1				1		5	4	1				
Washington	4	3	1		2	2									1	1					
Watauga	1	1			3	3							2		1						
Wayne	3	2	1		2	1	1								1	1					
Wilkes	2	2			4	3	1		1					1			1	1			
Wilson	7	7			4	4			1						1	1			1		
Yadkin	4	4																			
Yancey	3	3																			

TABLE 15B.—REPORTED CASES OF POLIOMYELITIS BY YEAR* AND AGE, 1931-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1931	104	11	29	17	13	4	2	4	3	3	5	5	3	1	1	1	1	------	------	------	------	1
1932	54	5	8	7	6	6	2	5	2	2	1	2	2	1	------	2	1	1	------	------	------	1
1933	30	2	6	2	2	3	3	2	1	1	------	5	------	------	1	------	------	------	------	------	------	2
1934	45	2	5	5	3	4	6	1	3	3	------	6	6	------	1	------	------	------	------	------	------	------
1935	675	52	68	78	85	53	52	38	33	30	35	62	36	15	8	7	10	5	3	1	------	4
1936	52	4	6	6	6	7	3	3	1	3	3	5	4	------	1	------	------	------	------	------	------	------
1937	106	10	11	21	10	8	9	5	5	4	2	14	2	2	2	------	------	------	------	------	------	1
1938	50	4	9	5	7	3	3	4	2	2	1	8	1	------	1	------	------	------	------	------	------	------
1939	116	5	15	10	9	13	9	10	8	2	7	14	6	3	1	2	1	------	------	------	------	1
1940	74	12	8	13	5	5	3	3	------	5	5	12	3	------	------	------	------	------	------	------	------	------
1941	168	6	10	31	20	16	9	13	12	14	6	22	5	1	1	------	------	------	------	------	------	2
1942	82	3	2	17	9	11	6	3	4	3	6	10	5	1	1	1	------	------	------	------	------	------
1943	36	5	2	4	6	7	2	------	------	2	------	4	3	------	1	------	------	------	------	------	------	------
1944	861	30	30	75	78	77	49	71	59	56	67	143	77	16	10	12	7	3	1	------	------	------
1945	159	7	9	21	12	9	15	12	10	7	5	29	14	4	4	1	------	------	------	------	------	------
1946	157	7	10	18	17	18	16	15	13	9	6	20	5	1	2	------	------	------	------	------	------	------
1947	300	12	20	40	41	25	27	16	21	12	14	47	13	7	3	------	1	------	1	------	------	------
1948	2,498	143	263	260	245	229	206	170	135	103	74	336	161	83	50	19	16	5	------	------	------	------
1949	229	9	17	23	22	17	24	20	13	5	8	30	15	10	8	4	3	1	------	------	------	------
1950	756	27	44	48	62	56	52	55	49	38	27	156	65	35	19	9	9	2	1	------	------	2
1951	314	16	18	20	22	24	21	19	17	19	24	54	23	22	8	3	4	------	------	------	------	------

* 1931-1948 by year of report; 1949-1951 by year of onset.

TABLE 15C.—REPORTED CASES OF POLIOMYELITIS BY YEAR*, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1931-1951
(Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1931	104	3.2	64	4.0	40	2.5	88	3.9	54	4.8	34	3.0	14	1.5	8	1.7	6	1.2	2
1932	54	1.7	28	1.7	26	1.6	43	1.9	23	2.0	20	1.7	9	0.9	3	0.6	6	1.2	2
1933	30	0.9	15	0.9	15	0.9	19	0.8	7	0.6	12	1.0	10	1.0	7	1.5	3	0.6	1
1934	45	1.3	20	1.2	25	1.5	32	1.3	18	1.5	14	1.2	13	1.3	2	0.4	11	2.2	----------
1935	675	20.0	364	21.7	311	18.3	519	21.5	289	23.9	230	19.1	152	15.7	73	15.4	79	15.9	4
1936	52	1.5	28	1.7	24	1.4	39	1.6	23	1.9	16	1.3	13	1.3	5	1.1	8	1.6	----------
1937	106	3.1	68	4.0	38	2.2	91	3.7	58	4.7	33	2.7	15	1.5	10	2.1	5	1.0	----------
1938	50	1.4	22	1.3	28	1.6	40	1.6	17	1.4	23	1.8	10	1.0	5	1.0	5	1.0	----------
1939	116	3.3	48	2.7	68	3.8	95	3.7	40	3.2	55	4.3	21	2.1	8	1.6	13	2.6	----------
1940	74	2.1	49	2.8	25	1.4	61	2.4	40	3.1	21	1.6	13	1.3	9	1.8	4	0.8	----------
1941	168	4.6	81	4.4	79	4.3	146	5.5	74	5.6	72	5.4	14	1.4	7	1.4	7	1.3	8
1942	82	2.2	45	2.5	35	1.9	72	2.7	41	3.2	31	2.3	8	0.8	4	0.8	4	0.8	2
1943	36	1.0	24	1.3	12	0.6	30	1.1	20	1.6	10	0.7	6	0.6	4	0.8	2	0.4	----------
1944	861	24.0	466	27.3	395	20.9	786	30.5	424	35.0	362	26.6	75	7.3	42	8.5	33	6.2	----------
1945	159	4.5	86	5.3	73	3.9	135	5.4	76	6.6	59	4.3	24	2.4	10	2.1	14	2.7	----------
1946	157	4.3	87	4.9	69	3.7	131	5.0	69	5.4	62	4.7	25	2.4	18	3.6	7	1.3	1
1947	300	8.1	165	9.0	135	7.1	268	10.1	154	11.7	114	8.4	32	3.0	11	2.1	21	3.9	----------
1948	2,498	65.8	1,424	76.4	1,074	55.6	2,214	81.4	1,247	93.0	967	70.1	284	26.3	177	33.8	107	19.3	----------
1949	229	5.9	140	7.4	89	4.5	204	7.4	128	9.4	76	5.4	25	2.3	12	2.3	13	2.3	----------
1950	756	18.6	440	21.8	316	15.5	666	22.3	379	25.4	287	19.2	90	8.3	61	11.6	29	5.3	----------
1951	314	7.6	182	8.9	132	6.4	287	9.5	164	10.8	123	8.1	27	2.5	18	3.4	9	1.6	----------

* 1931-1948 by year of report; 1949-1951 by year of onset.

TABLE 16A.—REPORTED CASES OF ROCKY MOUNTAIN SPOTTED FEVER BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF ONSET, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	70	59	11		61	57	4					1	16	11	17	13	2			1	
Alamance	2	2			1	1										1					
Bladen	1	1																			
Brunswick	1	1																			
Burke	1	1																			
Caswell					1	1							1								
Catawba	1	1																			
Chatham	5	3	2		6	5	1								5	1					
Cherokee					1	1							1								
Columbus	2	2																			
Craven	1	1																			
Cumberland	1	1																			
Davidson					4	4							1	1	2						
Davie	1	1																			
Durham	2	2			2	2							1			1					
Edgecombe					1	1										1					
Forsyth	2	2			1	1										1					
Gaston	2	2			1	1								1							
Granville	2		2																		
Guilford	8	8			6	6						1	1		2	2					
Hertford	1	1																			

Iredell	1	1			2	2								2						
Johnston	3	3																		
Lee	2	2			1	1								1						
Lincoln	1	1																		
Martin					1	1							1							
Mecklenburg	3	3			1	1							1							
Montgomery					2	2									1	1				
Moore	1	1			1	1											1			
Nash	1	1			1	1										1				
Onslow	1	1			1	1								1						
Orange	1	1			4	2	2						3			1				
Pasquotank	1	1																		
Person	2	1	1		2	1	1							1		1				
Pitt					1	1										1				
Randolph	4	4			5	5							1	1	1	1	1			
Robeson	2		2		1	1								1						
Rockingham	1	1			1	1							1							
Rowan	1		1		3	3							2		1					
Rutherford					1	1									1					
Sampson					2	2							1	1						
Stanly	3	3			2	2									2					
Stokes	2	2			1	1								1						
Surry	2	2			2	2									2					
Vance	1	1																		
Wake	1		1																	
Warren	1		1		1	1							1							
Wayne					1	1													1	
Wilson	1		1																	
Yadkin	1	1																		

TABLE 16B.—REPORTED CASES OF ROCKY MOUNTAIN SPOTTED FEVER BY YEAR* AND AGE, 1932-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1932	1	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------	------	------	------	------
1933	27	------	------	1	------	------	1	------	2	3	1	4	4	3	1	------	2	2	------	2	------	1
1934	34	------	2	------	1	------	2	3	------	1	3	9	4	2	3	------	2	------	2	------	------	------
1935	21	------	------	------	2	------	1	------	2	1	------	3	4	2	------	3	1	1	1	------	------	------
1936	32	------	------	1	1	------	3	3	2	1	1	6	2	4	3	1	------	3	1	------	------	------
1937	27	------	------	1	1	2	1	1	2	2	------	8	2	3	1	------	2	------	1	------	------	------
1938	42	------	1	1	1	2	3	3	1	3	------	6	4	2	1	5	5	3	1	------	------	------
1939	41	------	------	2	2	4	1	2	3	1	2	2	4	4	2	2	------	3	3	4	------	------
1940	32	------	------	------	2	2	5	1	------	------	------	10	5	1	------	------	1	5	------	------	------	------
1941	20	------	------	1	------	2	2	1	1	2	------	2	2	------	------	2	1	3	1	------	------	------
1942	35	------	------	1	3	1	1	2	3	3	2	4	------	1	1	4	2	1	3	1	------	2
1943	36	------	------	2	1	1	1	------	5	4	------	10	2	------	2	------	2	2	2	2	------	------
1944	59	------	3	2	6	1	3	4	5	1	4	11	10	1	------	3	5	------	------	------	------	------
1945	57	------	------	5	4	2	3	5	6	3	------	6	1	5	------	4	4	3	4	2	------	------
1946	66	------	3	4	3	3	7	4	4	6	3	7	5	4	1	2	5	1	2	1	1	------
1947	88	1	------	4	5	4	2	4	9	7	5	15	6	2	1	3	7	8	1	1	3	------
1948	74	2	2	2	8	6	3	5	2	8	3	12	1	1	1	4	7	2	3	1	1	------
1949	79	------	3	1	4	5	5	6	5	5	------	13	2	3	8	4	3	4	3	3	1	1
1950	70	1	2	1	5	4	5	2	4	2	7	12	1	2	4	1	3	4	3	5	1	1
1951	61	------	1	4	5	8	3	1	4	2	5	7	------	2	1	2	3	7	4	2	------	------

* 1932-1948 by year of report; 1949-1951 by year of onset.

Table 16C.—Reported Cases of Rocky Mountain Spotted Fever by Year*, Color, and Sex with Rates per 100,000 Population, 1932-1951 (Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1932	1	0.03	1	0.06			1	0.04	1	0.08									
1933	27	0.8	22	1.3	5	0.3	26	1.1	21	1.8	5	0.4	1	0.1	1	0.2			
1934	34	1.0	18	1.1	16	0.9	31	1.3	16	1.3	15	1.3	1	0.1	1	0.2			2
1935	21	0.6	15	0.9	6	0.4	20	0.8	14	1.2	6	0.5	1	0.1	1	0.2			
1936	32	0.9	19	1.1	13	0.8	31	1.3	18	1.5	13	1.1	1	0.1	1	0.2			
1937	27	0.8	14	0.8	13	0.8	25	1.0	14	1.1	11	0.9	2	0.2			2	0.4	
1938	42	1.2	25	1.4	17	1.0	37	1.5	22	1.8	15	1.2	4	0.4	2	0.4	2	0.4	1
1939	41	1.2	23	1.3	18	1.0	40	1.6	22	1.7	18	1.4	1	0.1	1	0.2			
1940	32	0.9	15	0.8	17	0.9	29	1.1	13	1.0	16	1.2	3	0.3	2	0.4	1	0.2	
1941	20	0.5	10	0.5	10	0.5	16	0.6	8	0.6	8	0.6	4	0.4	2	0.4	2	0.4	
1942	35	1.0	23	1.3	11	0.6	29	1.1	19	1.5	10	0.8	5	0.5	4	0.8	1	0.2	1
1943	36	1.0	25	1.4	11	0.6	34	1.3	25	2.0	9	0.7	2	0.2			2	0.4	
1944	59	1.6	34	2.0	24	1.3	57	2.2	33	2.7	24	1.8	1	0.1	1	0.2			1
1945	57	1.6	27	1.6	30	1.6	49	2.0	22	1.9	27	2.0	8	0.8	5	1.0	3	0.6	
1946	66	1.8	28	1.6	38	2.0	56	2.1	22	1.7	34	2.6	10	1.0	6	1.2	4	0.8	
1947	88	2.4	45	2.5	43	2.3	79	3.0	38	2.9	41	3.0	9	0.9	7	1.4	2	0.4	
1948	74	1.9	39	2.1	35	1.8	66	2.4	35	2.6	31	2.2	7	0.6	3	0.6	4	0.7	1
1949	79	2.0	44	2.3	35	1.8	73	2.6	38	2.8	35	2.5	6	0.5	6	1.1			
1950	70	1.7	44	2.2	26	1.3	59	2.0	37	2.5	22	1.5	11	1.0	7	1.3	4	0.7	
1951	61	1.5	30	1.5	31	1.5	57	1.9	28	1.8	29	1.9	4	0.4	2	0.4	2	0.4	

* 1932-1948 by year of report; 1949-1951 by year of onset.

TABLE 17A.—REPORTED CASES OF SCARLET FEVER BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF ONSET, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	1,885	1,787	93	5	2,236	2,132	94	10	379	322	260	173	91	55	46	51	127	253	261	212	6
Alamance	27	27	------	------	60	58	2	------	8	17	14	5	2	------	------	1	7	1	4	1	------
Alexander	15	15	------	------	16	16	------	------	------	4	2	2	------	------	------	------	1	4	2	1	------
Alleghany	------	------	------	------	3	3	------	------	------	------	------	------	------	------	------	1	------	------	2	------	------
Anson	7	7	------	------	11	10	1	------	------	------	------	------	------	------	------	1	3	4	1	2	------
Ashe	2	2	------	------	18	18	------	------	5	7	1	1	------	------	------	------	------	------	2	2	------
Avery	5	5	------	------	2	2	------	------	------	------	------	------	------	------	------	------	------	------	2	------	------
Beaufort	14	11	3	------	9	9	------	------	1	5	------	1	------	------	------	------	------	1	------	1	------
Bertie	5	4	1	------	1	1	------	------	------	1	------	------	------	------	------	------	------	------	------	------	------
Bladen	2	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Brunswick	5	5	------	------	2	2	------	------	------	------	1	------	------	------	------	------	------	1	------	------	------
Buncombe	127	121	6	------	75	66	9	------	25	7	7	7	4	5	------	2	2	4	7	4	1
Burke	45	42	3	------	78	75	3	------	9	------	5	4	2	4	------	2	2	15	26	9	------
Cabarrus	1	1	------	------	45	43	1	1	7	2	7	------	2	1	3	3	1	7	6	6	------
Caldwell	60	59	------	1	43	42	1	------	7	3	2	1	1	1	1	------	1	5	9	11	1
Carteret	3	2	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

Caswell	5	5			1		1											1			
Catawba	34	33	1		57	55	2		13	8	4	4		1		2	1	7	7	10	
Chatham	8	7	1		6	5	1					1					1	3	1		
Cherokee	13	13			3	3						2	1								
Chowan	5	5			6	6			5	1											
Clay	3	3																			
Cleveland	26	22	4		45	45			12	4	7	1	3	4	2	3	2	1	2	4	
Columbus	2	2			8	8				1								5	2		
Craven	11	11			36	36			1	1	2	2				1	3	11	6	9	
Cumberland	19	17	2		14	14			4	2					2		1		1	4	
Dare	1	1																			
Davidson	60	60			50	50			6	11	6	7	3				1	4	7	5	
Davie	10	10			5	5			3		1						1				
Duplin	3	3																			
Durham	49	46	3		81	76	5		5	13	12	9	2	3	2	3	7	8	12	5	
Edgecombe	35	30	5		25	22	3		7	3	1	4		1			1		4	4	
Forsyth	90	83	7		236	227	8	1	34	58	38	26	12	3	3	2	5	11	23	21	
Franklin	6	4	2		6	5	1		1		1		1						2	1	
Gaston	69	67	2		124	122	2		6	25	27	11	5	4	2	4	4	14	13	9	
Gates					2	2			1										1		
Graham	3	3			1	1												1			
Granville	9	9			8	7	1		5			1			1				1		
Greene					2	2			2												
Guilford	155	154		1	184	172	9	3	46	28	27	18	9		4	2	10	20	8	12	
Halifax	9	7	2		11	11			2	1		1	2			2	1	1	1		
Harnett	19	17	2		15	15			1	2	2		2			1		2	4	1	
Haywood	46	46			30	30			6	3	1	1	1		1	1	3	5	4	4	
Henderson	28	28			19	18	1		12		1	2					4				
Hertford	1		1																		
Hoke	2	2			4	1	3										3		1		

TABLE 17A.—*Continued*

Area	1950 Onsets				1951 Onsets															
	Color				Color				Month of Onset											
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
Hyde	1	1			1	1			1												
Iredell	32	30	2		51	51			13	5	1		1	1		1	3	6	11	9	
Jackson	4	4			4	4				1							1		2		
Johnston	9	8	1		16	15	1		1	2		2		1			2	4	3	1	
Jones	3	2	1		3	3					1						1	1			
Lee	29	27	2		3	2	1		1	1										1	
Lenoir	14	9	5		9	9					1			1			4		2	1	
Lincoln	28	28			11	10	1			2	3	2					1		2	1	
McDowell	1	1																			
Macon	11	11			1	1			1												
Madison	12	12			4	4			3	1											
Martin	11	10	1		5	4		1		2				1		2					
Mecklenburg	116	112	4		196	195		1	31	31	35	20	12	8	8	2	13	13	10	13	
Mitchell	18	16		2	10	10			1	2	3								1	3	
Montgomery	3	3			7	7			4				1	1						1	
Moore	22	20	2		5	5			1	2								1	1		
Nash	24	23	1		21	20	1		2	1	4	2		1		1	2	3	3		2
New Hanover	30	30			32	31	1		4	3	3	1			1	6	1	6	3	4	
Northampton	5	5			3	1	1	1					1	1				1			
Onslow	16	13	3		10	6	4		4	3	1		1					1			

Orange	5	3	2		12	10	2			1			2		1		1	3	4	
Pamlico	1	1			2	2			2											
Pender	5	5																		
Perquimans	7	7																		
Person	3	3			1	1				1										
Pitt	24	21	3		18	18			2	1			1				3	7	3	1
Polk					2	2			1							1				
Randolph	28	28			43	42		1	7	5	5	4	3	3	2	1	3	1	5	3	1
Richmond	17	17			8	8			1	4							1		1	1	
Robeson	6	6			8	5	3		1		3			1				1	1	1	
Rockingham	51	45	6		7	6	1		1	1		1			1		1		2		
Rowan	16	16			42	41		1	2	6	2				1		2	11	4	13	1
Rutherford	29	27	2		23	21	2		10	1						1		4	3	4	
Sampson	14	13	1		12	12					2	1			4	1		1		3	
Scotland	4	4			5	3	2									2	1	1		1	
Stanly	2	1	1		48	47	1		1	2	1	1	1				10	12	12	8	
Stokes	9	9			8	8			2	2			1	2				1			
Surry	51	50		1	50	50			13	8	6	10	3	1	1		1	5	1	1	
Swain					2	2												2			
Transylvania	4	4			1	1											1				
Union	3	3			3	2	1			1					1				1		
Vance	2	2			11	11			3			1						1	1	5	
Wake	75	73	2		67	55	12		10	5	5	7	2	2	5		6	9	10	6	
Warren	11	8	3		7	5	2		2	1							1	3			
Washington	1	1			1	1					1										
Watauga	9	9			27	27			4	8	5	2	6	1			1				
Wayne	11	10	1		8	8				1	1					1		3	1	1	
Wilkes	11	11			20	20			4	3	6	3						1	1	2	
Wilson	10	8	2		14	12	2		6	2	1					1		1	1	2	
Yadkin	33	33			38	36	2		4	5	1	2	2	1			2	15	6		
Yancey	15	14	1		14	14			2	1		3	2	2					4		

TABLE 17B.—REPORTED CASES OF SCARLET FEVER BY YEAR* AND AGE, 1930-1951 (Place of Residence)

	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1930	3,096	63	104	202	275	311	321	374	297	277	189	354	88	45	32	15	9	2	1	1	------	136
1931	3,461	61	110	190	246	331	314	389	357	290	182	586	168	84	45	23	24	6	3	1	1	50
1932	2,868	57	86	167	197	278	227	324	277	277	193	492	131	65	35	21	21	7	2	------	------	11
1933	3,662	65	117	219	268	333	336	387	362	291	263	647	130	67	54	36	22	5	2	------	------	58
1934	2,852	41	106	172	235	275	265	314	253	261	153	485	118	67	33	25	11	7	2	2	------	27
1935	2,072	31	83	112	202	196	197	254	199	157	117	320	72	40	35	17	10	4	1	1	------	24
1936	1,921	36	62	107	155	196	166	196	193	169	117	335	77	43	28	16	8	2	------	1	------	14
1937	2,073	50	82	108	165	181	172	237	222	163	136	339	87	41	39	15	7	3	------	------	------	26
1938	2,228	41	82	135	165	204	179	223	210	195	166	369	126	40	32	22	11	2	1	1	------	24
1939	2,599	49	81	159	187	240	231	283	255	214	182	452	96	39	34	26	21	5	8	1	------	36
1940	2,442	42	74	152	196	240	235	336	235	217	143	364	81	50	17	16	12	2	1	------	------	29
1941	2,165	30	52	126	166	217	225	262	247	191	120	333	73	40	22	15	15	3	2	------	------	26
1942	2,570	49	40	145	221	266	262	326	251	218	173	411	79	35	20	31	18	3	2	------	------	20
1943	2,854	52	59	180	266	269	263	339	276	246	177	432	117	80	33	12	14	4	3	2	------	30
1944	2,239	35	55	147	209	214	203	257	224	175	141	324	85	61	38	24	13	2	2	1	------	29
1945	3,248	43	62	210	280	304	277	390	352	298	243	536	109	47	34	26	19	4	1	------	------	13
1946	1,530	32	24	85	134	147	141	181	138	124	91	223	117	48	21	9	9	------	3	1	------	2
1947	1,167	21	22	73	110	114	123	162	129	91	79	176	35	12	7	4	6	1	------	------	------	2
1948	1,099	14	46	79	106	126	123	169	129	94	50	132	12	7	3	3	3	------	------	------	------	3
1949	1,793	18	60	115	132	184	181	284	233	180	108	232	35	11	4	4	6	2	------	------	------	4
1950	1,885	21	55	119	200	192	182	263	216	198	143	226	34	9	6	9	8	1	------	------	------	3
1951	2,236	15	40	118	219	250	238	336	286	216	147	302	33	13	4	8	2	------	1	------	------	8

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 17C.—REPORTED CASES OF SCARLET FEVER BY YEAR*, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1930-1951
(Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1930	3,096	97.6	1,295	82.2	1,674	104.9	2,882	128.9	1,249	111.4	1,603	143.7	79	8.4	31	6.8	48	10.0	137
1931	3,461	107.9	1,362	85.5	2,089	129.5	3,308	145.9	1,301	114.5	2,002	177.1	116	12.3	45	9.8	71	14.7	37
1932	2,868	87.8	1,238	76.3	1,616	98.4	2,774	119.9	1,204	103.8	1,570	136.0	69	7.3	29	6.3	40	8.2	25
1933	3,662	110.4	1,550	93.9	2,108	126.3	3,488	148.0	1,477	125.0	2,007	170.7	145	15.1	56	12.0	89	18.1	29
1934	2,852	84.9	1,174	70.3	1,673	99.1	2,737	114.4	1,127	94.0	1,605	134.5	100	10.3	40	8.5	60	12.1	15
1935	2,072	61.3	865	51.5	1,207	71.0	1,975	82.0	819	67.8	1,156	96.1	89	9.2	44	9.3	45	9.1	8
1936	1,921	56.5	804	47.6	1,117	65.3	1,865	76.8	786	64.7	1,079	89.0	52	5.3	17	3.6	35	7.0	4
1937	2,073	60.4	826	48.4	1,247	72.2	1,984	80.9	791	64.4	1,193	97.3	80	8.2	30	6.3	50	10.0	9
1938	2,228	64.1	960	55.6	1,268	72.5	2,129	85.5	916	73.5	1,213	97.4	91	9.2	40	8.3	51	10.1	8
1939	2,599	73.6	1,062	60.5	1,467	82.6	2,437	96.1	1,016	80.1	1,421	112.0	92	9.2	46	9.4	46	9.1	70
1940	2,442	68.4	1,100	62.0	1,342	74.6	2,240	87.2	1,011	78.9	1,229	95.6	202	20.1	89	18.1	113	22.0	----------
1941	2,165	59.0	913	50.2	1,204	65.1	1,962	74.5	839	63.9	1,123	85.0	155	15.0	74	14.6	81	15.3	48
1942	2,570	70.1	1,089	60.4	1,427	76.6	2,369	90.0	1,027	78.9	1,342	100.9	147	14.2	62	12.3	85	16.0	54
1943	2,854	77.5	1,277	71.3	1,569	82.9	2,643	100.2	1,187	92.6	1,456	107.4	236	22.6	90	17.7	113	21.0	8
1944	2,239	62.3	981	57.6	1,213	64.1	2,069	80.4	934	77.1	1,135	83.3	125	12.2	47	9.5	78	14.8	45
1945	3,248	92.4	1,390	84.9	1,817	96.8	3,070	122.2	1,329	114.9	1,741	128.3	137	13.7	61	12.7	76	14.6	41
1946	1,530	42.0	749	42.1	765	41.1	1,435	55.1	704	55.1	731	55.0	79	7.6	45	9.0	34	6.4	16
1947	1,167	31.4	560	30.7	607	32.1	1,108	41.6	532	40.5	576	42.7	59	5.6	28	5.5	31	5.7	----------
1948	1,099	28.9	494	26.5	605	31.3	1,041	38.3	473	35.3	568	41.2	48	4.5	18	3.4	30	5.4	10
1949	1,793	46.4	818	43.1	975	49.6	1,722	62.2	795	58.3	927	66.1	64	5.8	21	3.9	43	7.6	7
1950	1,885	46.4	870	43.1	1,015	49.6	1,787	59.9	832	55.8	955	64.0	93	8.6	38	7.2	55	10.0	5
1951	2,236	54.2	1,010	49.3	1,226	59.1	2,132	70.2	965	63.7	1,167	76.8	94	8.6	38	7.1	56	10.1	10

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 18A.—REPORTED CASES OF SEPTIC SORE THROAT BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF ONSET, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	41	40	1		29	28	1		4	2	6	1	1	1	1		1	1		11	
Bertie					2	2					2										
Buncombe	1	1			1	1						1									
Catawba					1	1			1												
Cherokee	4	4																			
Forsyth					1	1				1											
Gaston					2	2					1							1			
Guilford	1	1																			
Halifax	8	8			7	7			2		2		1	1			1				
Haywood	1	1																			
Lenoir	1	1																			
Madison	2	2																			
Mecklenburg					2	1	1								1					1	
Mitchell	1	1			1	1														1	
Moore	1		1		1	1				1											
Nash					1	1					1										
Onslow	1	1			1	1			1												
Yancey	20	20			9	9														9	

TABLE 18B.—REPORTED CASES OF SEPTIC SORE THROAT BY YEAR* AND AGE, 1930-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1930	114	2	1	4	8	6	2	8	6	5	2	16	9	10	9	10	5	4	2	1	1	3
1931	153	------	2	5	6	5	5	6	8	6	8	22	18	9	11	15	11	3	1	2	1	9
1932	142	------	1	4	5	2	7	3	3	5	1	18	23	24	10	12	11	6	4	------	------	3
1933	123	7	3	1	3	3	1	3	8	2	6	15	12	17	12	14	6	6	3	1	------	------
1934	104	------	1	2	7	7	7	3	4	4	1	15	6	17	6	5	7	4	1	1	------	6
1935	116	1	3	9	7	5	4	4	2	3	2	10	19	10	11	6	7	5	2	2	1	3
1936	115	3	5	2	5	6	2	11	10	1	4	12	8	6	14	8	7	4	1	2	1	3
1937	125	------	3	7	6	6	1	4	8	6	3	20	9	13	10	9	8	7	2	1	------	2
1938	148	2	4	5	8	6	6	4	8	3	3	25	19	18	7	7	11	5	1	1	------	5
1939	116	4	5	7	5	3	6	5	4	5	5	20	12	9	8	6	6	2	2	------	------	2
1940	88	------	4	2	4	1	2	3	3	1	4	9	12	13	5	4	7	7	------	5	------	2
1941	139	1	2	4	3	6	2	9	6	5	3	24	16	13	16	7	9	3	2	3	3	2
1942	109	5	2	5	5	2	3	4	5	5	1	13	17	10	6	5	12	5	2	------	------	2
1943	201	1	------	4	2	1	4	2	7	2	5	12	57	51	20	10	8	8	2	2	------	3
1944	47	------	------	1	1	2	2	1	------	2	4	9	12	3	4	------	2	2	1	1	------	------
1945	101	1	1	4	4	3	5	3	4	1	2	13	15	9	11	6	9	5	2	2	------	1
1946	51	1	------	4	5	4	1	2	3	------	3	1	8	4	5	1	4	2	2	------	------	1
1947	44	3	2	1	1	2	2	2	------	1	4	8	2	4	5	3	1	2	------	------	------	1
1948	30	1	3	1	1	2	1	1	1	------	------	6	2	2	3	2	1	1	1	------	1	------
1949	45	------	1	5	4	------	1	2	------	------	2	11	4	6	5	1	1	2	------	------	------	------
1950	41	1	1	------	2	1	------	1	1	2	------	7	4	4	6	5	4	2	------	------	------	------
1951	29	------	------	2	3	2	------	1	3	2	1	3	3	2	2	1	2	------	1	------	1	------

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 18C.—REPORTED CASES OF SEPTIC SORE THROAT BY YEAR*, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1930-1951
(Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1930	114	3.6	49	3.1	65	4.1	92	4.1	40	3.6	52	4.7	17	1.8	8	1.8	9	1.9	5
1931	153	4.8	66	4.1	87	5.4	139	6.1	59	5.2	80	7.1	10	1.1	4	0.9	6	1.2	4
1932	142	4.3	60	3.7	82	5.0	127	5.5	53	4.6	74	6.4	14	1.5	6	1.3	8	1.6	1
1933	123	3.7	58	3.5	65	3.9	106	4.5	50	4.2	56	4.8	17	1.8	8	1.7	9	1.8	----------
1934	104	3.1	41	2.5	63	3.7	81	3.4	32	2.7	49	4.1	23	2.4	9	1.9	14	2.8	----------
1935	116	3.4	59	3.5	57	3.4	103	4.3	52	4.3	51	4.2	13	1.3	7	1.5	6	1.2	----------
1936	115	3.4	48	2.8	67	3.9	100	4.1	44	3.6	56	4.6	14	1.4	4	0.8	10	2.0	1
1937	125	3.6	59	3.5	66	3.8	94	3.8	48	3.9	46	3.8	29	3.0	11	2.3	18	3.6	2
1938	148	4.3	68	3.9	80	4.6	130	5.2	58	4.7	72	5.8	17	1.7	9	1.9	8	1.6	1
1939	116	3.3	53	3.0	61	3.4	106	4.2	48	3.8	58	4.6	8	0.8	5	1.0	3	0.6	2
1940	88	2.5	43	2.4	45	2.5	76	3.0	38	3.0	38	3.0	12	1.2	5	1.0	7	1.4	----------
1941	139	3.8	71	3.9	65	3.5	118	4.5	65	4.9	53	4.0	18	1.7	6	1.2	12	2.3	3
1942	109	3.0	51	2.8	54	2.9	93	3.5	43	3.3	50	3.8	12	1.2	8	1.6	4	0.8	4
1943	201	5.5	152	8.5	49	2.6	199	7.5	150	11.7	49	3.6	2	0.2	2	0.4	------	------	----------
1944	47	1.3	25	1.5	22	1.2	42	1.6	22	1.8	20	1.5	5	0.5	3	0.6	2	0.4	----------
1945	101	2.9	44	2.7	56	3.0	82	3.3	35	3.0	47	3.5	18	1.8	9	1.9	9	1.7	1
1946	51	1.4	22	1.2	29	1.6	41	1.6	18	1.4	23	1.7	10	1.0	4	0.8	6	1.1	----------
1947	44	1.2	19	1.0	25	1.3	39	1.5	16	1.2	23	1.7	5	0.5	3	0.6	2	0.4	----------
1948	30	0.8	13	0.7	17	0.9	26	1.0	12	0.9	14	1.0	4	0.4	1	0.2	3	0.5	----------
1949	45	1.2	22	1.2	23	1.2	43	1.6	21	1.5	22	1.6	1	0.1	1	0.2	------	------	1
1950	41	1.0	18	0.9	23	1.1	40	1.3	18	1.2	22	1.5	1	0.1	------	------	1	0.2	----------
1951	29	0.7	12	0.6	17	0.8	28	0.9	12	0.8	16	1.1	1	0.1	------	------	1	0.2	----------

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 19A.—REPORTED CASES OF SMALLPOX BY YEAR OF REPORT* AND AGE, 1930-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1930	556	6	6	4	6	8	6	10	5	6	6	25	68	89	52	45	74	68	35	16	3	18
1931	63	3	1	2	1	1	4	5	2	1		3	4	7	4	5	9	4	3	1	1	2
1932	72	1		1	3	2	3	2	3	1	1	5	9	7	9	5	11	4	3			2
1933	35	1		1	1	1	2	3	1	1	1	2	1	10	5	1	1	3				
1934	18	1										3	2	5	2	1	3	1				
1935	24	1			2			1	4				3	2	4	1	3	3				
1936	19		1									2		5	2	3	4		1			1
1937	11									1	2	1			3		2	2				
1938	35			1						1	1	1		3	5	5	12	2	2	1	1	
1939	15		1			1			2			1	2	2	1	1	3					1
1940	6				1	1								1			1	2				
1941	4	1	1												1	1						
1942	7											2		2			3					
1943	21			1								1	3	1	1	2	2	3	4	2	1	
1944	4			1	2	1																
1945	1															1						
1946	2											1						1				
1947	2																	1			1	
1948	3								1					1					1			
1951																						

* No cases reported for years not shown prior to 1951.

TABLE 19B.—REPORTED CASES OF SMALLPOX BY YEAR OF REPORT*, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1930-1951
(Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1930	556	17.5	326	20.7	230	14.4	177	7.9	110	9.8	67	6.0	379	40.5	216	47.5	163	34.0	
1931	63	2.0	33	2.1	30	1.9	32	1.4	15	1.3	17	1.5	31	3.3	18	3.9	13	2.7	
1932	72	2.2	38	2.3	34	2.1	45	1.9	21	1.8	24	2.1	27	2.8	17	3.7	10	2.0	
1933	35	1.1	21	1.3	14	0.8	13	0.6	6	0.5	7	0.6	22	2.3	15	3.2	7	1.4	
1934	18	0.5	14	0.8	4	0.2	10	0.4	9	0.8	1	0.1	8	0.8	5	1.1	3	0.6	
1935	24	0.7	16	1.0	8	0.5	14	0.6	8	0.7	6	0.5	10	1.0	8	1.7	2	0.4	
1936	19	0.6	13	0.8	6	0.4	5	0.2	3	0.2	2	0.2	14	1.4	10	2.1	4	0.8	
1937	11	0.3	6	0.4	5	0.3	3	0.1	1	0.1	2	0.2	8	0.8	5	1.0	3	0.6	
1938	35	1.0	22	1.3	13	0.7	17	0.7	9	0.7	8	0.6	18	1.8	13	2.7	5	1.0	
1939	15	0.4	11	0.6	4	0.2	11	0.4	7	0.6	4	0.3	4	0.4	4	0.8			
1940	6	0.2	5	0.3	1	0.1	3	0.1	2	0.2	1	0.1	3	0.3	3	0.6			
1941	4	0.1	4	0.2			3	0.1	3	0.2			1	0.1	1	0.2			
1942	7	0.2	4	0.2	3	0.2	4	0.2	1	0.1	3	0.2	3	0.3	3	0.6			
1943	21	0.6	9	0.5	12	0.6	17	0.6	6	0.5	11	0.8	4	0.4	3	0.6	1	0.2	
1944	4	0.1			4	0.2							4	0.4			4	0.8	
1945	1	0.0			1	0.1	1	0.0			1	0.1							
1946	2	0.1	1	0.1	1	0.1	1	0.0			1	0.1	1	0.1	1	0.2			
1947	2	0.1	1	0.1	1	0.1	1	0.0	1	0.1			1	0.1			1	0.2	
1948	3	0.1	3	0.2			1	0.0	1	0.1			2	0.2	2	0.4			
1951																			

* No cases reported for years not shown prior to 1951.

TABLE 20A.—REPORTED UNTREATED CASES OF SYPHILIS BY COUNTY AND COLOR, 1950 AND 1951, WITH STAGE AND SEX, 1951
(Place of Report)

Area	1950 Reports			1951 Reports																		
							Primary-Secondary				Early Latent				Late Latent and Other				Congenital			
							White		Other		White		Other		White		Other		White		Other	
	Total	White	Other	Total	White	Other	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
North Carolina	5,146	498	4,648	4,080	459	3,621	78	40	329	297	57	65	650	1,032	95	77	475	467	21	26	167	204
Alamance	60	4	56	36	6	30	3	1	2	1			6	11	1		3	4	1		1	2
Alexander	16	5	11	5	1	4							1		1			3				
Alleghany	4	2	2	3	1	2							2		1							
Anson	28	4	24	27		27				9			4	9			1	4				
Ashe	2	2		1		1												1				
Avery	4	3	1	1	1										1							
Beaufort	88	3	85	75	10	65			1	6	1		20	28	2	3	1	6	1	3	1	2
Bertie	52		52	33		33			2	5			9	11			2	2			1	1
Bladen	50	3	47	37	2	35			5	1		1	7	9			7	3		1	2	1
Brunswick	22	3	19	15		15				1			1	3			4	6				
Buncombe	59	18	41	76	25	51			3	3	1	5	8	11	9	8	14	10		2	2	
Burke	19	5	14	64	15	49	2	3	17	3	1	1	7	1	2	4	19	2		2		
Cabarrus	80	11	69	45	5	40	1	1	7	6		1	8	8			3	3	1	1	1	4
Caldwell	6	3	3	18	6	12	1		2	3	1	1	2	1	2	1	2					2
Camden	20		20	4		4			1								1	1			1	
Carteret	10	1	9	16	2	14	1		1	3			6	2		1	1				1	
Caswell	14		14	16		16				1			4					1			4	6
Catawba	38	13	25	15	8	7		1	2		1	1	2	2	3	2	1					
Chatham	11	1	10	10	1	9					1		1	3			2	1			1	1
Cherokee	1	1		3	3						1				2							

TABLE 20A.—*Continued*

Area	1950 Reports			1951 Reports																				
							Primary-Secondary				Early Latent				Late Latent and Other				Congenital			
							White		Other		White		Other		White		Other		White		Other	
	Total	White	Other	Total	White	Other	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Chowan	26	------	26	24	2	22	1	------	3	2	------	1	2	7	------	------	4	3	------	------	------	1
Cleveland	61	7	54	51	6	45	2	------	3	6	------	------	11	16	2	1	5	3	------	1	1	------
Columbus	94	1	93	76	5	71	------	------	4	6	1	------	11	16	2	------	11	12	1	1	5	6
Craven	104	10	94	75	6	69	3	------	5	8	2	1	15	24	------	------	7	8	------	------	1	1
Cumberland	248	36	212	236	32	204	18	2	34	5	5	2	27	76	1	2	20	24	1	1	8	10
Currituck	13	------	13	3	1	2	------	------	------	------	------	------	------	------	------	1	1	1	------	------	------	------
Dare	4	1	3	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Davidson	43	15	28	12	6	6	1	2	------	------	------	------	2	------	1	------	2	2	2	------	------	------
Davie	3	2	1	10	3	7	1	------	1	------	------	1	1	3	------	1	1	------	------	------	------	1
Duplin	26	1	25	19	------	19	------	------	2	2	------	------	3	4	------	------	1	1	------	------	2	4
Durham	136	12	124	108	12	96	1	2	16	25	3	1	9	19	1	3	13	7	1	------	2	5
Edgecombe	126	7	119	111	1	110	------	------	9	6	1	------	22	46	------	------	8	9	------	------	6	4
Forsyth	225	13	212	182	18	164	2	2	17	9	1	2	26	44	4	4	31	32	3	------	4	1
Franklin	60	------	60	28	------	28	------	------	3	------	------	------	4	8	------	------	6	4	------	------	------	3
Gaston	84	22	62	59	19	40	1	1	3	------	4	3	9	9	4	4	5	10	1	1	2	2
Gates	6	------	6	5	1	4	------	------	------	------	------	1	1	2	------	------	------	1	------	------	------	------
Graham	4	4	------	3	3	------	1	------	------	------	------	1	------	------	1	------	------	------	------	------	------	------
Granville	38	------	38	30	------	30	------	------	5	6	------	------	8	5	------	------	2	1	------	------	2	1
Greene	36	------	36	25	1	24	1	------	------	1	------	------	4	15	------	------	1	1	------	------	1	1
Guilford	196	41	155	117	12	105	1	3	8	4	2	1	20	35	3	1	13	14	------	1	4	7
Halifax	207	1	206	60	------	60	------	------	6	6	------	------	15	18	------	------	7	4	------	------	1	3
Harnett	65	4	61	42	4	38	1	3	3	3	------	------	8	11	------	------	4	5	------	------	2	2
Haywood	17	15	2	10	8	2	3	1	2	------	1	------	------	------	1	2	------	------	------	------	------	------
Henderson	27	7	20	76	13	63	5	3	8	4	1	2	16	15	------	2	11	3	------	------	3	3
Hertford	35	------	35	18	1	17	------	------	3	1	1	------	5	6	------	------	1	1	------	------	------	------

Hoke	15		15	20		20				2			4	6			2	5			1	
Hyde	8		8	9		9			3	1				2			3					
Iredell	58	9	49	83	11	72		1	3	1		1	12	17	6	3	11	24			1	3
Jackson	4	4		2	1	1										1						1
Johnston	57	4	53	44	3	41			1	3	1	2	8	12			5	9			2	1
Jones	23		23	13		13			2				2	3			3				2	1
Lee	37	3	34	27	1	26			1	3			6	11	1		1				1	3
Lenoir	133	1	132	126	10	116	3	1	14	18	1	2	24	43	1	1	6	7		1	1	3
Lincoln	10	5	5	5	3	2	1	1		1					1		1					
McDowell	7	3	4	11	1	10			4	5				1	1							
Macon	3		3	7	4	3	1	3					2				1					
Madison	3	2	1	8	6	2						1				2		1	2	1		1
Martin	44		44	29		29			3	1			6	11			3	2			1	2
Mecklenburg	310	30	280	202	29	173	1	1	21	13	4	4	15	36	7	7	29	21		5	20	18
Mitchell	6	6		3	3										2				1			
Montgomery	8	1	7	19	3	16	2		2	1				6		1	3	2			1	1
Moore	24	3	21	36	1	35		1					5	11			6	6			2	5
Nash	111	4	107	82	4	78	2		3	2		1	16	31	1		9	6			4	7
New Hanover	172	8	164	167	13	154		1	14	10		2	12	33	3	4	46	36		3	2	1
Northampton	40	1	39	24	1	23			1	2		1	1	4			4	6			2	3
Onslow	24	3	21	107	30	77	12		9	4	8	3	19	14	5		17	8	2		3	3
Orange	41	3	38	21	2	19	1			2			2	7		1	2	6				
Pamlico	13		13	22	1	21				1			5	6	1		2	2			3	2
Pasquotank	85	2	83	70	3	67		1	9	9			16	14		2	6	6			2	5
Pender	18		18	30		30							4	10			2	5			3	6
Perquimans	24		24	19		19							5	4			2	3			2	3
Person	17		17	24		24			3	2			6	5			4	2				2
Pitt	117	9	108	92	5	87		1	2	4	1	2	18	33	1		8	7			8	7
Polk	14	9	5	3	3										2	1						
Randolph	12	4	8	16	2	14			2	1	1		4	4	1						2	1

TABLE 20A.—*Continued*

Area	1950 Reports			1951 Reports																			
							Primary-Secondary				Early Latent				Late Latent and Other				Congenital				
							White		Other		White		Other		White		Other		White		Other		
	Total	White	Other	Total	White	Other	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Richmond	47	3	44	29	1	28	------	------	1	3	------	------	7	6	1	------	5	2	------	------	2	2	
Robeson	136	9	127	129	6	123	------	------	9	10	------	3	25	31	2	1	11	16	------	------	10	11	
Rockingham	37	4	33	74	5	69	1	------	4	2	2	1	10	12	------	1	5	8	------	------	9	19	
Rowan	109	15	94	37	3	34	------	1	4	2	------	1	3	14	1	------	4	6	------	------	------	1	
Rutherford	20	7	13	10	6	4	1	------	------	------	------	3	1	2	2	------	------	1	------	------	------	------	
Sampson	53	2	51	29	3	26	------	------	------	2	------	2	8	11	1	------	1	2	------	------	2	------	
Scotland	67	4	63	31	2	29	------	------	6	3	------	1	1	5	1	------	1	9	------	------	3	1	
Stanly	25	2	23	20	1	19	------	------	------	------	1	------	3	5	------	------	3	4	------	------	1	3	
Stokes	6	------	6	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	
Surry	17	7	10	7	3	4	------	------	------	------	1	------	3	------	1	1	------	------	------	------	1	------	
Swain	6	6	------	4	2	2	------	------	------	------	------	2	------	------	------	------	------	2	------	------	------	------	
Transylvania	------	------	------	4	3	1	------	------	------	------	1	------	------	------	1	------	1	------	1	------	------	------	
Tyrrell	3	------	3	3	1	2	------	------	------	1	------	------	------	1	1	------	------	------	------	------	------	------	
Union	21	2	19	19	3	16	------	------	------	2	1	1	3	4	------	1	2	4	------	------	------	1	
Vance	135	3	132	49	3	46	------	------	1	5	------	1	9	14	------	------	5	8	------	2	3	1	
Wake	237	21	216	174	15	159	------	------	12	17	2	4	34	36	4	5	23	31	------	------	4	2	
Warren	52	------	52	23	------	23	------	------	1	3	------	------	4	7	------	------	3	3	------	------	1	1	
Washington	18	1	17	31	1	30	------	------	1	------	------	------	10	6	1	------	6	6	------	------	------	1	
Watauga	5	4	1	5	5	------	------	------	------	------	------	------	------	------	------	4	------	------	1	------	------	------	
Wayne	92	1	91	78	5	73	------	------	3	7	3	------	13	32	2	------	6	6	------	------	2	4	
Wilkes	8	7	1	6	3	3	1	------	------	1	------	1	1	------	------	1	1	------	------	------	------	------	
Wilson	140	2	138	106	1	105	------	------	11	17	1	------	16	43	------	------	7	1	------	------	7	3	
Yadkin	4	1	3	7	4	3	------	2	1	------	------	------	------	1	------	------	------	------	2	------	------	1	
Yancey	2	2	------	4	3	1	2	1	------	------	------	------	------	------	------	------	------	1	------	------	------	------	

TABLE 20B.—REPORTED UNTREATED CASES OF SYPHILIS BY YEAR OF REPORT AND AGE, 1930-1951 (Place of Report)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1930	5,106	18	5	4	1	3	3	5	9	1	6	65	841	1,478	925	493	513	217	51	8	2	458
1931	5,144	17	4	8	4	2	4	7	5	5	6	69	843	1,595	967	596	509	189	61	10	1	242
1932	4,365	18	1	3	3	4	2	4	7	6	4	57	736	1,358	806	499	452	186	54	8	------	157
1933	4,570	21	4	3	7	1	3	7	5	11	9	61	751	1,390	854	538	516	179	79	13	3	115
1934	5,201	30	14	6	6	5	5	6	4	6	8	70	759	1,571	978	569	577	229	74	19	4	261
1935	5,189	20	9	4	7	3	7	12	6	4	10	74	774	1,556	1,030	638	575	258	95	16	3	88
1936	6,086	24	10	10	6	8	9	7	15	16	16	122	1,009	1,726	1,220	675	707	250	93	26	6	131
1937	12,299	68	14	26	25	28	32	49	45	47	54	315	1,860	3,456	2,314	1,238	1,454	454	179	47	12	582
1938	20,714	118	32	40	27	31	35	53	63	64	59	474	2,810	5,050	4,056	2,402	2,741	1,043	383	161	18	1,054
1939	30,985	115	31	59	53	43	65	90	109	65	62	629	3,631	7,303	6,727	4,223	4,874	1,760	530	189	6	421
1940	21,333	79	21	41	36	30	45	62	75	45	43	433	2,500	5,028	4,631	2,907	3,356	1,212	365	130	4	290
1941	17,560	98	19	39	28	37	38	102	38	59	29	379	2,319	4,470	3,667	2,588	2,401	769	263	91	6	120
1942	16,713	62	28	29	21	21	19	39	40	29	34	265	2,477	4,304	3,065	2,347	2,787	793	238	60	5	50
1943	14,125	32	44	12	13	20	12	20	32	30	29	242	2,910	3,564	2,392	1,926	1,994	561	184	57	6	45
1944	9,804	46	24	21	13	15	11	16	18	20	17	227	2,299	2,570	1,535	1,143	1,152	454	155	62	6	--------
1945	8,125	46	77	20	10	13	9	19	15	20	25	233	2,090	1,938	1,254	755	950	430	164	50	5	2
1946	9,233	*	84	19	12	11	6	21	17	14	21	250	2,234	2,871	1,491	767	825	373	123	56	8	30
1947	8,724	103	12	12	19	6	10	14	15	9	16	249	2,076	2,660	1,422	643	761	416	159	72	18	32
1948	7,313	91	15	12	12	10	11	14	10	11	11	177	1,618	2,220	1,170	632	730	333	147	61	6	22
1949	6,699	65	30	10	7	8	10	15	14	12	20	205	1,403	1,750	1,046	634	781	438	156	56	16	23
1950	5,146	50	7	9	13	8	7	9	7	9	16	156	953	1,273	848	522	653	352	155	67	11	21
1951	4,080	33	3	9	13	7	13	12	12	9	9	188	768	874	564	396	537	357	177	70	11	18

* "Under 1 yr." combined with "1 yr." group.

TABLE 20C.—REPORTED UNTREATED CASES OF SYPHILIS BY YEAR OF REPORT, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1930-1951 (Place of Report)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1930	5,106	161.0	2,705	171.7	2,401	150.5	922	41.2	602	53.7	370	33.2	4,134	442.1	2,103	462.3	2,031	423.1	----------
1931	5,144	160.4	2,816	176.7	2,327	144.3	969	42.7	567	49.9	402	35.6	4,170	443.7	2,245	490.8	1,925	399.1	5
1932	4,365	133.7	2,222	136.9	2,143	130.5	912	39.4	551	47.5	361	31.3	3,438	361.5	1,661	358.7	1,777	364.3	15
1933	4,570	137.7	2,461	149.2	2,096	125.6	805	34.1	462	39.1	343	29.2	3,759	391.2	1,993	425.6	1,753	355.9	13
1934	5,201	154.8	2,517	150.7	2,684	158.9	992	41.5	594	49.6	398	33.4	4,203	434.5	1,920	406.9	2,283	460.7	6
1935	5,189	153.5	2,491	148.2	2,698	158.8	878	36.4	544	45.0	334	27.8	4,307	443.9	1,943	410.3	2,364	475.9	4
1936	6,086	179.0	2,645	156.5	3,441	201.2	951	39.2	536	44.1	415	34.2	5,120	526.1	2,098	441.4	3,022	607.0	15
1937	12,299	358.4	4,911	287.9	7,388	427.9	1,735	70.7	785	63.9	950	77.5	10,501	1,073.4	4,089	855.1	6,412	1,282.2	63
1938	20,714	596.0	8,143	471.4	12,571	719.1	2,698	108.3	1,321	106.0	1,377	110.6	17,736	1,801.0	6,756	1,402.3	10,980	2,183.0	280
1939	30,985	877.3	13,757	783.7	17,228	969.8	4,431	174.7	2,386	188.2	2,045	161.2	26,554	2,668.6	11,371	2,333.4	15,183	1,990.2	----------
1940	21,333	597.3	9,365	528.2	11,968	665.4	2,764	107.6	1,433	111.8	1,331	103.5	18,569	1,849.5	7,932	1,614.7	10,637	2,074.5	----------
1941	17,560	478.5	8,864	486.9	8,696	470.1	2,143	81.3	1,198	91.2	945	71.5	15,417	1,489.6	7,666	1,513.6	7,751	1,466.7	----------
1942	16,713	456.0	9,996	554.3	6,717	360.7	2,000	76.0	1,302	100.1	698	52.5	14,713	1,423.4	8,694	1,731.3	6,019	1,132.5	----------
1943	14,125	383.5	7,835	437.7	6,290	332.3	1,814	68.8	998	77.9	816	60.2	12,311	1,177.0	6,837	1,345.2	5,474	1,018.0	----------
1944	9,804	272.7	4,533	266.0	5,271	278.8	1,550	60.2	777	64.1	773	56.7	8,254	808.5	3,756	762.6	4,498	851.2	----------
1945	8,125	231.2	3,618	220.9	4,507	240.2	1,536	61.1	795	68.8	741	54.6	6,589	657.9	2,823	586.3	3,766	724.1	----------
1946	9,233	253.6	4,369	245.4	4,864	261.5	1,615	62.0	950	74.3	665	50.0	7,618	736.8	3,419	680.5	4,199	790.0	----------
1947	8,724	234.6	3,897	213.5	4,827	255.1	1,438	54.0	793	60.4	645	47.8	7,286	690.0	3,104	605.0	4,182	770.4	----------
1948	7,313	192.5	3,308	177.4	4,005	207.2	1,220	44.9	684	51.0	536	38.9	6,093	564.9	2,624	500.6	3,469	625.6	----------
1949	6,699	173.4	2,981	157.1	3,718	189.0	1,016	36.7	570	41.8	446	31.8	5,683	517.9	2,411	452.1	3,272	580.0	----------
1950	5,146	126.7	2,258	111.9	2,888	141.2	498	16.7	252	16.9	246	16.5	4,648	430.8	2,006	380.4	2,642	479.0	----------
1951	4,080	99.0	1,871	91.4	2,209	106.4	459	15.1	251	16.6	208	13.7	3,621	332.8	1,620	304.6	2,001	359.6	----------

TABLE 20D.—REPORTED UNTREATED CASES OF SYPHILIS BY COLOR, STAGE, AND SEX WITH RATES PER 100,000 POPULATION, 1940-1951*

Year	Color	All Stages			Primary-Secondary			Early Latent			Late and Unknown			Congenital		
		Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
1940	Total	21,225	9,528	11,697	2,611	1,307	1,304	9,436	3,766	5,670	8,143	4,009	4,134	1,035	446	589
	Rate	594.3	537.4	650.3	73.1	73.7	72.5	264.2	212.4	315.2	228.0	226.1	229.8	29.0	25.2	32.7
	White	2,756	1,454	1,302	504	280	224	986	467	519	1,104	632	472	162	75	87
	Rate	107.3	113.4	101.3	19.6	21.8	17.4	38.4	36.4	40.4	43.0	49.3	36.7	6.3	5.9	6.8
	Other	18,469	8,074	10,395	2,107	1,027	1,080	8,450	3,299	5,151	7,039	3,377	3,662	873	371	502
	Rate	1,839.6	1,643.6	2,027.3	209.9	209.1	210.6	841.6	671.6	1,004.6	701.1	687.5	714.2	87.0	75.5	97.9
1941	Total	18,627	9,403	9,224	3,805	2,087	1,718	7,357	3,515	3,842	6,567	3,421	3,146	898	380	518
	Rate	507.5	516.6	498.7	103.7	114.6	92.9	200.5	193.1	207.7	178.9	187.9	170.1	24.5	20.9	28.0
	White	2,270	1,272	998	445	247	198	705	386	319	971	568	403	149	71	78
	Rate	86.1	96.8	75.5	16.9	18.8	15.0	26.8	29.4	24.1	36.8	43.2	30.5	5.7	5.4	5.9
	Other	16,357	8,131	8,226	3,360	1,840	1,520	6,652	3,129	3,523	5,596	2,853	2,743	749	309	440
	Rate	1,580.5	1,605.5	1,556.5	324.7	363.3	287.6	642.7	617.8	666.6	540.7	563.3	519.0	72.4	61.0	83.3
1942	Total	16,695	9,986	6,709	3,616	2,158	1,458	6,819	3,743	3,076	5,799	3,876	1,923	461	209	252
	Rate	455.5	553.7	360.3	98.7	119.7	78.3	186.0	207.6	165.2	158.2	214.9	103.3	12.6	11.6	13.5
	White	2,004	1,304	700	518	343	175	607	352	255	802	570	232	77	39	38
	Rate	76.1	100.2	52.6	19.7	26.4	13.2	23.1	27.1	19.2	30.5	43.8	17.4	2.9	3.0	2.9
	Other	14,691	8,682	6,009	3,098	1,815	1,283	6,212	3,391	2,821	4,997	3,306	1,691	384	170	214
	Rate	1,421.3	1,728.9	1,130.6	299.7	361.4	241.4	601.0	675.3	530.8	483.4	658.4	318.2	37.2	33.9	40.3

TABLE 20D.—*Continued*

Year	Color	All Stages			Primary-Secondary			Early Latent			Late and Unknown			Congenital		
		Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
	Total	13,709	7,627	6,082	3,267	1,755	1,512	5,866	2,969	2,897	4,324	2,787	1,537	252	116	136
	Rate	372.2	426.1	321.3	88.7	98.0	79.9	159.3	165.9	153.0	117.4	155.7	81.2	6.8	6.5	7.2
1943	White	1,628	904	724	477	276	201	536	258	278	568	348	220	47	22	25
	Rate	61.7	70.5	53.4	18.1	21.5	14.8	20.3	20.1	20.5	21.5	27.2	16.2	1.8	1.7	1.8
	Other	12,081	6,723	5,358	2,790	1,479	1,311	5,330	2,711	2,619	3,756	2,439	1,317	205	94	111
	Rate	1,155.0	1,322.8	996.4	266.7	291.0	243.8	509.6	533.4	487.1	359.1	479.9	244.9	19.6	18.5	20.6
	Total	9,823	4,542	5,281	3,350	1,721	1,629	3,767	1,353	2,414	2,528	1,389	1,139	178	79	99
	Rate	273.3	266.6	279.3	93.2	101.0	86.1	104.8	79.4	127.7	70.3	81.5	60.2	5.0	4.6	5.2
1944	White	1,556	780	776	734	406	328	426	144	282	356	212	144	40	18	22
	Rate	60.5	64.4	57.0	28.5	33.5	24.1	16.6	11.9	20.7	13.8	17.5	10.6	1.6	1.5	1.6
	Other	8,267	3,762	4,505	2,616	1,315	1,301	3,341	1,209	2,132	2,172	1,177	995	138	61	77
	Rate	809.7	763.9	852.5	256.2	267.0	246.2	327.2	245.5	403.4	212.7	239.0	188.3	13.5	12.4	14.6
	Total	8,212	3,664	4,548	3,037	1,508	1,529	3,072	1,093	1,979	1,691	876	815	412	187	225
	Rate	233.7	223.7	242.3	86.4	92.1	81.5	87.4	66.7	105.5	48.1	53.5	43.4	11.7	11.4	12.0
1945	White	1,570	810	760	765	451	314	415	149	266	323	180	143	67	30	37
	Rate	62.5	70.1	56.0	30.4	39.0	23.1	16.5	12.9	19.6	12.9	15.6	10.5	2.7	2.6	2.7
	Other	6,642	2,854	3,788	2,272	1,057	1,215	2,657	944	1,713	1,368	696	672	345	157	188
	Rate	663.2	592.8	728.3	226.8	219.5	233.6	265.3	196.1	329.3	136.6	144.6	129.2	34.4	32.6	36.1
	Total	9,262	4,387	4,875	4,574	2,452	2,122	3,101	1,153	1,948	1,155	574	581	432	208	224
	Rate	254.4	246.4	262.0	125.6	137.7	114.1	85.2	64.8	104.7	31.7	32.2	31.2	11.9	11.7	12.0
1946	White	1,620	954	666	1,018	660	358	337	143	194	201	121	80	64	30	34
	Rate	62.1	74.7	50.1	39.1	51.6	26.9	12.9	11.2	14.6	7.7	9.5	6.0	2.5	2.3	2.6
	Other	7,642	3,433	4,209	3,556	1,792	1,764	2,764	1,010	1,754	954	453	501	368	178	190
	Rate	739.1	683.3	791.9	343.9	356.7	331.9	267.3	201.0	330.0	92.3	90.2	94.3	35.6	35.4	35.7

	Total	8,760	3.912	4,848	4,072	2,082	1,990	3,205	1,080	2,125	1,112	578	534	371	172	199
	Rate	235.6	214.3	256.2	109.5	114.0	105.2	86.2	59.2	112.3	29.9	31.7	28.2	10.0	9.4	10.5
1947	White	1,440	793	647	859	514	345	336	129	207	184	119	65	61	31	30
	Rate	54.1	60.4	47.9	32.3	39.2	25.6	12.6	9.8	15.3	6.9	9.1	4.8	2.3	2.4	2.2
	Other	7,320	3,119	4,201	3,213	1,568	1,645	2,869	951	1,918	928	459	469	310	141	169
	Rate	693.2	607.9	773.9	304.3	305.6	303.0	271.7	185.3	353.3	87.9	89.5	86.4	29.4	27.5	31.1
	Total	7,313	3,308	4,005	2,992	1,627	1,365	2,905	1,025	1,880	1,060	502	558	356	154	202
	Rate	192.5	177.4	207.2	78.8	87.2	70.6	76.5	55.0	97.2	27.9	26.9	28.9	9.4	8.3	10.4
1948	White	1,220	684	536	673	433	240	315	124	191	186	106	80	46	21	25
	Rate	44.9	51.0	38.9	24.7	32.3	17.4	11.6	9.2	13.9	6.8	7.9	5.8	1.7	1.6	1.8
	Other	6,093	2,624	3,469	2,319	1,194	1,125	2,590	901	1,689	874	396	478	310	133	177
	Rate	564.9	500.6	625.6	215.0	227.8	202.9	240.1	171.9	304.6	81.0	75.6	86.2	28.7	25.4	31.9
	Total	6,699	2,981	3,718	2,093	1,115	978	2,935	1,062	1,873	1,254	617	637	417	187	230
	Rate	173.4	157.1	189.0	54.2	58.8	49.7	76.0	56.0	95.2	32.5	32.5	32.4	10.8	9.9	11.7
1949	White	1,016	570	446	409	277	132	316	126	190	248	146	102	43	21	22
	Rate	36.7	41.8	31.8	14.8	20.3	9.4	11.4	9.2	13.5	9.0	10.7	7.3	1.6	1.5	1.6
	Other	5,683	2,411	3,272	1,684	838	846	2,619	936	1,683	1,006	471	535	374	166	208
	Rate	517.9	452.1	580.0	153.5	157.1	150.0	238.7	175.5	298.4	91.7	88.3	94.8	34.1	31.1	36.9
	Total	5,168	2,269	2,899	1,196	597	599	2,467	925	1,542	1,171	595	576	334	152	182
	Rate	127.2	112.5	141.8	29.4	29.6	29.3	60.7	45.9	75.4	28.8	29.5	28.2	8.2	7.5	8.9
1950	White	500	253	247	164	100	64	169	69	100	139	73	66	28	11	17
	Rate	16.8	17.0	16.5	5.5	6.7	4.3	5.7	4.6	6.7	4.7	4.9	4.4	0.9	0.7	1.1
	Other	4,668	2,016	2,652	1,032	497	535	2,298	856	1,442	1,032	522	510	306	141	165
	Rate	432.7	382.3	480.8	95.7	94.3	97.0	213.0	162.3	261.4	95.7	99.0	92.5	28.4	26.7	29.9

TABLE 20D.—*Continued*

Year	Color	All Stages			Primary-Secondary			Early Latent			Late and Unknown			Congenital		
		Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
1951	Total	4,080	1,872	2,208	744	407	337	1,804	707	1,097	1,114	570	544	418	188	230
	Rate	99.0	91.4	106.4	18.0	19.9	16.2	43.8	34.5	52.9	27.0	27.8	26.2	10.1	9.2	11.1
	White	459	251	208	118	78	40	122	57	65	172	95	77	47	21	26
	Rate	15.1	16.6	13.7	3.9	5.1	2.6	4.0	3.8	4.3	5.7	6.3	5.1	1.5	1.4	1.7
	Other	3,621	1,621	2,000	626	329	297	1,682	650	1,032	942	475	467	371	167	204
	Rate	332.8	304.8	359.5	57.5	61.9	53.4	154.6	122.2	185.5	86.6	89.3	83.9	34.1	31.4	36.7

* Source: Monthly venereal disease morbidity reports, USPHS Report Form 8958-B, 1940-1947. Cases recorded by place of report rather than by place of residence. The totals for these years will not necessarily agree with other similar totals in this bulletin or in previous bulletins because the data have been corrected monthly; whereas, other data have been corrected monthly and annually.

TABLE 20E.—REPORTED CASES OF CONGENITAL SYPHILIS, PREVIOUSLY UNTREATED, BY COLOR SHOWING YEAR OF REPORT, 1945-1951 AND YEAR OF BIRTH: NORTH CAROLINA, ALL REPORT SOURCES

Year of Birth	Year of Report																							
	Total	White	Other	1951			1950			1949			1948			1947			1946			1945		
				Total	White	Other	Total	White	Other	Total	White	Other	Total	White	Other	Total	White	Other	Total	White	Other	Total	White	Other
1951	32	9	23	32	9	23	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
1950	53	2	51	3	------	3	50	2	48	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
1949	77	13	64	9	2	7	6	------	6	62	11	51	------	------	------	------	------	------	------	------	------	------	------	------
1948	128	13	115	11	2	9	8	1	7	27	2	25	82	8	74	------	------	------	------	------	------	------	------	------
1947	135	15	120	7	------	7	12	------	12	10	------	10	20	1	19	86	14	72	------	------	------	------	------	------
1946	119	20	99	13	2	11	6	1	5	5	1	4	8	------	8	21	1	20	66	15	51	------	------	------
1945	116	21	95	11	1	10	6	1	5	7	1	6	10	1	9	5	------	5	17	1	16	60	16	44
1944	77	5	72	12	------	12	9	------	9	10	2	8	6	1	5	11	1	10	14	------	14	15	1	14
1943	71	10	61	9	1	8	7	------	7	11	1	10	9	2	7	6	------	6	11	2	9	18	4	14
1942	65	5	60	9	1	8	8	1	7	11	------	11	13	2	11	6	------	6	10	1	9	8	------	8
1941	75	11	64	18	1	17	13	4	9	11	2	9	9	3	6	8	------	8	6	------	6	10	1	9
1940	96	12	84	20	3	17	14	1	13	17	2	15	8	------	8	12	2	10	17	2	15	8	2	6
1939	103	11	92	24	4	20	19	------	19	11	1	10	9	1	8	6	1	5	17	3	14	17	1	16
1938	116	13	103	40	2	38	13	1	12	13	2	11	15	4	11	12	2	10	10	------	10	13	2	11
1937	151	21	130	31	------	31	19	3	16	28	3	25	16	4	12	21	5	16	21	3	18	15	3	12
1936	158	21	137	39	4	35	17	------	17	21	2	19	10	2	8	25	5	20	27	4	23	19	4	15
1935	163	20	143	22	4	18	31	1	30	32	5	27	20	2	18	14	5	9	23	1	22	21	2	19
1934	175	17	158	32	3	29	21	3	18	32	------	32	23	1	22	24	6	18	28	1	27	15	3	12
1933	153	21	132	18	2	16	23	4	19	20	2	18	25	3	22	15	3	12	22	1	21	30	6	24
1932	151	18	133	20	1	19	17	1	16	20	2	18	17	2	15	21	4	17	26	6	20	30	2	28

TABLE 20E.—*Continued*

Year of Birth	Year of Report																							
	Total	White	Other	1951			1950			1949			1948			1947			1946			1945		
				Total	White	Other	Total	White	Other	Total	White	Other	Total	White	Other	Total	White	Other	Total	White	Other	Total	White	Other
1931	135	18	117	13	2	11	10	------	10	24	------	24	12	3	9	23	4	19	30	8	22	23	1	22
1930	91	9	82	7	2	5	4	------	4	16	------	16	11	1	10	13	------	13	14	3	11	26	3	23
1929	67	4	63	1	------	1	3	------	3	3	1	2	8	------	8	16	1	15	16	1	15	20	1	19
1928	44	6	38	5	------	5	4	1	3	1	------	1	3	------	3	6	2	4	15	1	14	10	2	8
1927	35	8	27	2	------	2	1	------	1	3	1	2	1	------	1	2	------	2	11	3	8	15	4	11
1926	24	4	20	1	------	1	1	------	1	5	------	5	2	------	2	3	1	2	7	3	4	5	------	5
1925	15	1	14	2	------	2	1	------	1	6	1	5	3	------	3	------	------	------	2	------	2	1	------	1
Prior to 1925	106	23	83	6	------	6	9	3	6	11	1	10	16	5	11	14	3	11	20	5	15	30	6	24

TABLE 21A.—REPORTED CASES OF TRACHOMA BY YEAR OF REPORT* AND AGE, 1931-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1931	6		1		1							3				1						
1933	5	1	1		2									1								
1934	1																		1			
1935	6					1	2			1	1						1					
1936	1									1												
1940	8					1		1	1			2		1					1	1		
1941	4			1		1					1	1										
1943	1													1								
1945	1								1													
1951																						

* No cases reported for years not shown prior to 1951.

Table 21B.—Reported Cases of Trachoma by Year of Report*, Color, and Sex with Rates per 100,000 Population, 1931-1951 (Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1931	6	0.2	3	0.2	3	0.2	6	0.3	3	0.3	3	0.3							
1933	5	0.2	3	0.2	2	0.1	5	0.2	3	0.3	2	0.2							
1934	1	0.0	1	0.1			1	0.0	1	0.1									
1935	6	0.2	3	0.2	3	0.2	6	0.2	3	0.2	3	0.2							
1936	1	0.0	1	0.1			1	0.0	1	0.1									
1940	8	0.2	4	0.2	4	0.2	4	0.2	2	0.2	2	0.2	4	0.4	2	0.4	2	0.4	
1941	4	0.1	3	0.2	1	0.1	2	0.1	1	0.1	1	0.1	2	0.2	2	0.4			
1943	1	0.0	1	0.1			1	0.0	1	0.1									
1945	1	0.0	1	0.1									1	0.1	1	0.2			
1951																			

* No cases reported for years not shown prior to 1951.

TABLE 22A.—REPORTED CASES OF TUBERCULOSIS, ALL FORMS, BY COUNTY, (Place of

Area	1950 Reports											
	Respiratory			Other Forms			Other Forms		Total		Childhood	
											Inflammatory	
	Total	White	Other	Total	White	Other	White	Other	White	Other	White	Other
North Carolina	3,507	2,014	1,493	146	58	88	69	96	1,801	1,139	38	53
Alamance	48	35	13	5	4	1	3	2	21	14	------	3
Alexander	7	6	1	------	------	------	------	------	10	------	------	------
Alleghany	3	3	------	1	1	------	1	------	5	------	------	------
Anson	18	2	16	------	------	------	------	------	1	7	------	2
Ashe	6	6	------	------	------	------	1	------	21	------	1	------
Avery	9	9	------	------	------	------	1	------	11	------	------	------
Beaufort	107	66	41	3	------	3	1	2	12	12	------	------
Bertie	15	5	10	1	------	1	4	1	7	7	------	------
Bladen	43	26	17	2	------	2	------	------	7	6	------	------
Brunswick	13	6	7	2	1	1	1	1	4	6	------	------
Buncombe	181	140	41	6	4	2	8	4	189	65	1	------
Burke	14	12	2	------	------	------	2	------	30	9	1	------
Cabarrus	22	11	11	------	------	------	1	1	23	5	1	------
Caldwell	15	14	1	------	------	------	------	------	12	2	------	------
Camden	18	10	8	------	------	------	1	1	4	------	------	------
Carteret	5	4	1	2	------	2	------	------	5	10	------	1
Caswell	4	1	3	3	------	3	------	------	7	1	------	------
Catawba	11	7	4	------	------	------	2	------	11	1	1	------
Chatham	59	35	24	2	------	2	------	------	3	3	------	1
Cherokee	7	7	------	------	------	------	1	------	4	------	------	------
Chowan	23	13	10	------	------	------	------	------	1	9	------	------
Clay	3	3	------	------	------	------	------	------	4	------	------	------
Cleveland	35	23	12	------	------	------	1	1	20	10	------	------
Columbus	32	16	16	------	------	------	------	1	39	15	1	1
Craven	43	23	20	3	1	2	1	2	16	18	------	------
Cumberland	41	16	25	1	------	1	3	3	26	17	1	------
Currituck	18	10	8	------	------	------	------	------	4	1	------	------
Dare	4	4	------	------	------	------	------	------	3	1	------	------
Davidson	51	43	8	1	1	------	1	------	12	7	------	------
Davie	16	13	3	------	------	------	------	------	2	------	------	------
Duplin	18	5	13	------	------	------	------	1	10	9	------	------
Durham	66	26	40	3	1	2	3	7	67	40	------	------
Edgecombe	77	20	57	6	------	6	------	------	33	32	------	1
Forsyth	138	75	63	8	------	8	1	1	69	78	2	9
Franklin	14	7	7	1	------	1	------	------	43	24	------	------

Color, and Type, 1950 and 1951, With Stage and Activity, 1951
Residence)

1951 Reports

Respiratory

Childhood		Active						Inactive						Not Stated	
Healed		Minimal		Moderate		Far Advanced		Minimal		Moderate		Far Advanced			
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
80	46	148	115	421	279	378	402	329	97	215	66	93	33	99	48
------	------	2	------	7	4	5	7	2	------	3	------	------	------	2	------
------	------	------	------	7	------	2	------	------	------	------	------	1	------	------	------
------	------	------	------	2	------	1	------	1	------	------	------	1	------	------	------
------	------	------	------	------	1	------	4	------	------	------	------	1	------	------	------
3	------	------	------	6	------	7	------	1	------	2	------	1	------	------	------
1	------	2	------	2	------	2	------	1	------	2	------	1	------	------	------
1	1	1	2	2	4	6	3	1	2	------	------	------	------	1	------
------	------	------	1	3	5	2	1	2	------	------	------	------	------	------	------
------	------	------	1	6	4	1	1	------	------	------	------	------	------	------	------
1	------	------	------	2	2	1	4	------	------	------	------	------	------	------	------
2	1	5	3	26	7	36	11	31	18	51	12	33	11	4	2
------	------	4	1	5	4	12	4	3	------	2	------	1	------	2	------
------	------	4	2	7	1	7	2	1	------	1	------	------	------	2	------
------	------	1	------	3	1	3	1	4	------	1	------	------	------	------	------
------	------	------	------	------	------	4	------	------	------	------	------	------	------	------	------
------	------	------	2	2	1	2	5	------	------	------	------	1	1	------	------
------	------	------	------	4	1	2	------	------	------	------	------	1	------	------	------
1	------	3	1	------	------	6	------	------	------	------	------	------	------	------	------
1	------	------	------	------	1	1	------	1	------	------	1	------	------	------	------
1	------	------	------	1	------	1	------	------	------	------	------	------	------	1	------
------	------	------	1	------	3	------	4	1	1	------	------	------	------	------	------
------	------	------	------	2	------	2	------	------	------	------	------	------	------	------	------
------	------	4	1	3	3	5	5	2	------	4	------	2	1	------	------
------	------	1	1	10	3	3	4	11	3	12	3	1	------	------	------
1	------	2	2	6	7	3	6	4	1	------	1	------	------	------	1
------	------	6	2	8	6	7	8	------	------	1	1	1	------	2	------
------	------	------	------	------	1	3	------	1	------	------	------	------	------	------	------
------	------	------	------	------	------	1	1	1	------	------	------	------	------	1	------
------	------	3	1	3	1	3	5	2	------	1	------	------	------	------	------
------	------	1	------	------	------	1	------	------	------	------	------	------	------	------	------
------	------	2	1	5	2	2	6	------	------	1	------	------	------	------	------
------	------	11	9	15	7	3	9	33	14	4	------	1	1	------	------
2	1	2	3	17	7	2	11	3	3	4	5	2	------	1	1
14	12	4	10	10	10	13	22	17	12	6	2	3	1	------	------
------	1	2	2	4	2	4	7	4	------	7	2	------	2	22	8

TABLE 22A.—

Area	1950 Reports											
	Respiratory			Other Forms			Other Forms		Total		Childhood Inflammatory	
	Total	White	Other	Total	White	Other	White	Other	White	Other	White	Other
Gaston	54	37	17	3	3	------	------	1	81	16	10	------
Gates	43	31	12	1	------	1	------	1	1	2	------	------
Graham	9	9	------	------	------	------	------	------	4	------	------	------
Granville	21	9	12	------	------	------	------	2	16	14	2	1
Greene	5	2	3	------	------	------	------	1	5	13	------	------
Guilford	65	33	32	7	3	4	------	3	29	35	1	4
Halifax	47	14	33	4	1	3	------	------	47	53	------	------
Harnett	53	33	20	1	------	1	1	2	22	21	3	3
Haywood	11	11	------	2	2	------	2	------	7	2	------	------
Henderson	17	15	2	2	------	2	2	------	32	2	------	------
Hertford	73	34	39	2	------	2	------	1	6	6	------	------
Hoke	13	3	10	------	------	------	------	1	2	8	------	------
Hyde	40	27	13	------	------	------	------	------	6	2	------	------
Iredell	16	4	12	1	1	------	------	------	19	1	------	1
Jackson	12	12	------	------	------	------	1	------	2	------	------	------
Johnston	63	46	17	2	------	2	1	------	16	15	------	------
Jones	29	19	10	1	------	1	------	1	4	2	------	------
Lee	22	6	16	1	------	1	1	1	10	11	3	1
Lenoir	104	52	52	3	3	------	2	2	13	18	------	4
Lincoln	6	4	2	------	------	------	------	1	3	2	------	------
McDowell	5	5	------	------	------	------	------	------	7	------	------	------
Macon	10	9	1	1	1	------	------	------	8	------	------	------
Madison	19	17	2	1	1	------	------	------	16	------	1	------
Martin	17	5	12	1	------	1	------	------	13	7	------	------
Mecklenburg	92	46	46	4	2	2	1	5	71	54	------	1
Mitchell	12	12	------	------	------	------	1	------	51	------	1	------
Montgomery	10	7	3	1	1	------	------	------	2	1	------	------
Moore	25	9	16	3	2	1	------	------	2	5	------	------
Nash	127	61	66	2	------	2	------	3	16	27	------	1
New Hanover	76	35	41	5	------	5	1	5	44	30	1	1
Northampton	82	41	41	4	1	3	1	2	8	13	------	------
Onslow	42	35	7	3	2	1	------	1	16	2	2	------
Orange	33	14	19	1	1	------	------	1	12	12	------	2
Pamlico	6	2	4	------	------	------	------	------	20	17	------	------
Pasquotank	89	38	51	------	------	------	------	3	15	11	------	------
Pender	25	11	14	2	2	------	2	------	1	7	------	------
Perquimans	18	11	7	------	------	------	------	1	4	4	------	------
Person	16	5	11	------	------	------	------	------	11	12	------	4
Pitt	210	112	98	3	------	3	1	5	19	34	------	1
Polk	4	3	1	------	------	------	------	------	5	1	------	------

Continued

1951 Reports

Respiratory

Childhood		Active						Inactive						Not Stated	
Healed		Minimal		Moderate		Far Advanced		Minimal		Moderate		Far Advanced			
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
17	2	7	------	5	4	4	6	30	3	6	------	1	------	1	1
------	------	------	------	------	------	1	------	------	------	------	------	------	1	------	1
------	------	1	------	1	------	1	------	1	------	------	------	------	------	------	------
------	3	3	------	7	4	3	5	------	------	------	------	------	------	1	1
------	------	------	1	3	2	1	5	------	------	------	------	------	------	1	5
4	1	2	2	9	8	8	14	2	4	1	------	1	2	1	------
2	3	------	2	6	15	4	11	28	7	5	11	2	2	------	2
------	------	1	1	4	4	10	10	------	------	2	1	1	1	1	1
------	------	1	------	3	1	------	1	------	------	1	------	2	------	------	------
4	------	3	------	4	2	6	------	3	------	6	------	4	------	2	------
------	------	1	2	1	2	3	2	1	------	------	------	------	------	------	------
------	------	------	2	1	2	------	3	1	------	------	------	------	1	------	------
1	------	1	------	1	------	1	2	1	------	------	------	------	------	1	------
------	------	3	------	6	------	5	------	1	------	3	------	1	------	------	------
------	------	------	------	1	------	------	------	1	------	------	------	------	------	------	------
------	------	4	2	3	6	5	7	1	------	1	------	------	------	2	------
------	------	1	------	1	1	1	1	------	------	1	------	------	------	------	------
------	3	1	2	2	2	3	3	1	------	------	------	------	------	------	------
------	------	2	2	4	1	4	8	1	------	------	2	1	------	1	1
------	------	------	------	1	------	1	2	1	------	------	------	------	------	------	------
------	------	------	------	1	------	2	------	2	------	1	------	------	------	1	------
------	------	------	------	1	------	4	------	1	------	2	------	------	------	------	------
1	------	------	------	7	------	5	------	1	------	------	------	1	------	------	------
2	------	------	------	7	5	4	2	------	------	------	------	------	------	------	------
------	------	9	12	15	11	25	29	10	------	5	1	5	------	2	------
------	------	2	------	3	------	7	------	4	------	8	------	3	------	23	------
------	------	------	1	1	------	1	------	------	------	------	------	------	------	------	------
------	------	------	------	1	1	1	3	------	------	------	1	------	------	------	------
1	------	1	4	7	5	5	12	1	2	1	------	------	2	------	1
4	1	5	3	11	8	6	15	8	1	6	------	3	------	------	1
1	1	------	------	3	4	------	7	3	1	------	------	------	------	1	------
------	------	4	------	4	2	3	------	------	------	2	------	1	------	------	------
1	3	1	1	3	------	3	2	2	2	2	2	------	------	------	------
------	------	------	2	2	4	------	2	7	7	8	1	2	1	1	------
2	2	2	1	2	4	1	2	2	------	4	1	------	------	2	1
------	------	------	1	1	3	------	3	------	------	------	------	------	------	------	------
------	------	------	------	------	1	2	3	1	------	1	------	------	------	------	------
1	1	------	------	1	2	1	5	5	------	1	------	2	------	------	------
------	------	2	4	6	3	4	14	2	2	2	4	1	2	2	4
------	------	1	------	2	------	------	------	1	1	1	------	------	------	------	------

TABLE 22A.—

Area	1950 Reports											
	Respiratory			Other Forms			Other Forms		Total		Childhood	
											Inflammatory	
	Total	White	Other	Total	White	Other	White	Other	White	Other	White	Other
Randolph	22	20	2	------	------	------	------	------	18	4	------	------
Richmond	10	8	2	1	1	------	1	1	6	6	------	1
Robeson	164	85	79	7	4	3	5	9	20	32	------	1
Rockingham	47	32	15	1	1	------	------	------	24	14	------	------
Rowan	52	35	17	3	2	1	------	1	15	7	1	1
Rutherford	18	12	6	5	2	3	------	------	19	3	------	------
Sampson	16	8	8	2	1	1	1	2	21	17	------	------
Scotland	32	18	14	1	------	1	------	1	16	8	------	------
Stanly	11	6	5	------	------	------	------	------	19	3	------	------
Stokes	22	20	2	------	------	------	------	------	3	------	------	------
Surry	38	35	3	1	1	------	2	------	35	1	------	------
Swain	8	5	3	------	------	------	------	2	5	2	------	------
Transylvania	4	3	1	1	1	------	1	------	6	------	1	------
Tyrrell	8	6	2	1	------	1	------	1	3	2	------	------
Union	9	4	5	------	------	------	------	------	8	5	------	------
Vance	16	8	8	------	------	------	------	------	11	10	------	------
Wake	58	26	32	4	2	2	2	6	34	35	------	3
Warren	10	3	7	2	------	2	------	------	5	8	------	------
Washington	16	9	7	------	------	------	------	------	3	1	------	------
Watauga	8	8	------	------	------	------	------	------	12	------	------	------
Wayne	44	23	21	4	2	2	1	1	12	26	------	1
Wilkes	30	24	6	------	------	------	------	------	18	5	1	------
Wilson	38	16	22	------	------	------	1	1	70	80	2	4
Yadkin	19	17	2	1	1	------	------	------	7	1	------	------
Yancey	2	2	------	1	1	------	1	------	9	------	------	------

Continued

1951 Reports															
Respiratory															
Childhood		Active						Inactive						Not Stated	
Healed		Minimal		Moderate		Far Advanced		Minimal		Moderate		Far Advanced			
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
1	------	------	1	1	------	2	2	4	1	2	------	1	------	7	------
------	------	------	------	2	3	3	2	1	------	------	------	------	------	------	------
1	2	2	3	2	10	9	11	2	1	2	2	2	------	------	2
------	1	5	3	7	3	6	6	5	------	------	------	1	------	------	1
------	------	4	------	4	2	2	3	2	------	1	------	1	------	------	1
------	------	------	------	4	1	6	2	5	------	2	------	1	------	1	------
------	------	3	1	5	4	2	6	4	1	7	3	------	1	------	1
------	1	------	------	4	2	3	3	3	------	3	------	------	------	3	2
2	------	3	1	1	1	4	1	8	------	------	------	1	------	------	------
------	------	------	------	1	------	1	------	1	------	------	------	------	------	------	------
------	------	------	------	14	------	8	1	13	------	------	------	------	------	------	------
------	------	------	1	2	------	------	1	2	------	------	------	1	------	------	------
------	------	------	------	1	------	3	------	1	------	------	------	------	------	------	------
1	------	1	2	------	------	1	------	------	------	------	------	------	------	------	------
------	------	------	------	------	1	4	4	3	------	------	------	1	------	------	------
------	------	1	1	9	3	1	4	------	------	------	------	------	------	------	2
------	------	------	3	19	16	7	11	3	------	3	------	------	1	2	1
------	1	1	2	2	2	------	3	1	------	------	------	------	------	1	------
1	------	------	------	1	------	1	1	------	------	------	------	------	------	------	------
1	------	1	------	7	------	------	------	1	------	1	------	1	------	------	------
------	------	------	------	6	11	4	13	------	------	2	1	------	------	------	------
------	------	1	------	5	------	8	3	1	------	2	1	------	------	------	1
4	5	6	6	10	25	8	14	18	10	17	8	1	2	4	6
------	------	2	------	1	------	2	1	1	------	1	------	------	------	------	------
------	------	------	------	4	------	5	------	------	------	------	------	------	------	------	------

TABLE 22B.—REPORTED CASES OF TUBERCULOSIS, ALL FORMS, BY YEAR OF REPORT AND AGE, 1933-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1933	2,524	------	5	8	5	9	14	26	38	44	48	268	300	384	354	226	359	183	78	32	4	139
1934	2,047	------	3	9	1	8	17	21	24	57	52	336	228	271	229	161	227	119	64	22	5	193
1935	1,996	6	4	3	9	9	17	27	37	48	50	270	191	288	277	175	256	120	62	21	7	119
1936	3,008	10	8	7	10	15	14	35	31	35	44	297	312	423	394	307	473	231	146	59	21	136
1937	2,632	12	6	4	8	9	9	5	7	2	10	78	236	426	455	270	415	269	154	73	12	172
1938	2,607	16	17	15	17	11	7	13	14	12	14	97	250	374	415	310	395	245	130	72	15	168
1939	2,366	11	12	12	9	11	16	21	24	29	24	244	291	307	315	242	340	198	129	46	4	81
1940	2,084	9	9	10	5	6	6	10	12	15	16	95	198	319	322	236	333	243	112	52	8	68
1941	2,425	7	6	13	5	12	13	12	15	20	18	112	238	335	325	271	397	260	141	62	3	160
1942	1,902	8	3	7	12	10	4	11	9	8	5	66	155	334	265	211	310	227	103	47	8	99
1943	1,633	10	8	10	7	4	4	12	6	6	10	53	178	236	218	197	258	179	103	48	8	78
1944	1,804	5	5	9	14	6	10	7	9	9	6	68	131	256	246	246	287	235	146	58	19	32
1945	3,392	4	15	22	16	33	39	69	63	65	74	548	526	320	292	277	398	343	162	96	17	13
1946	3,466	12	9	24	17	10	19	41	32	44	37	356	290	346	376	306	516	475	337	182	34	3
1947	3,591	15	4	21	19	19	17	17	30	30	28	255	303	371	391	324	573	527	376	213	52	6
1948	3,274	13	11	10	7	19	15	31	30	21	22	185	198	318	358	319	532	517	388	219	59	2
1949	3,402	19	21	34	21	17	9	28	24	20	27	169	215	286	318	300	663	533	426	199	69	4
1950	3,653	14	17	19	26	21	13	28	19	15	28	122	183	262	320	333	620	591	524	361	122	15
1951	3,105	10	13	25	21	19	20	23	23	18	11	91	138	226	337	318	566	474	449	235	78	10

TABLE 22C.—REPORTED CASES OF TUBERCULOSIS, ALL FORMS, BY YEAR OF REPORT, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1933-1951 (Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1933	2,524	76.1	1,158	70.2	1,366	81.9	1,437	61.0	663	56.1	774	65.8	1,087	113.1	495	105.7	592	120.2	----------
1934	2,097	60.9	904	54.1	1,143	67.7	1,260	52.7	559	46.6	701	58.8	783	80.9	344	72.9	439	88.6	4
1935	1,996	59.0	881	52.4	1,115	65.6	1,133	47.0	508	42.1	625	52.0	863	88.9	373	78.8	490	98.6	----------
1936	3,008	88.5	1,462	86.5	1,546	90.4	1,558	64.2	760	62.5	798	65.8	1,393	143.1	672	141.4	721	144.8	57
1937	2,632	76.7	1,140	66.8	1,492	86.4	1,204	49.1	548	44.6	656	53.5	1,416	144.7	587	122.8	829	165.8	12
1938	2,607	75.0	1,146	66.3	1,461	83.6	1,262	50.7	546	43.8	716	57.5	1,329	135.0	594	123.3	735	146.1	16
1939	2,366	67.0	1,065	60.7	1,262	71.0	1,140	44.9	560	44.2	580	45.7	1,187	119.3	505	103.6	682	134.3	39
1940	2,084	58.3	1,021	57.6	1,063	59.1	930	36.2	493	38.5	437	34.0	1,154	114.9	528	107.5	626	122.1	----------
1941	2,425	66.1	1,209	66.4	1,202	65.0	1,144	43.4	606	46.1	538	40.7	1,267	122.4	603	119.1	664	125.6	14
1942	1,902	51.9	1,040	57.7	826	44.4	932	35.4	580	44.6	352	26.5	934	90.4	460	91.6	474	89.2	36
1943	1,633	44.3	883	49.3	746	39.4	809	30.7	484	37.8	324	23.9	820	78.4	398	78.3	422	78.5	4
1944	1,804	50.2	1,058	62.1	736	38.9	897	34.8	567	46.8	330	24.2	897	87.9	491	99.7	406	76.8	10
1945	3,392	96.5	1,741	106.3	1,651	88.0	1,977	78.7	1,065	92.1	912	67.2	1,415	141.3	676	140.4	739	142.1	----------
1946	3,466	95.2	1,821	102.3	1,645	88.4	2,188	83.9	1,200	93.9	988	74.4	1,278	123.6	621	123.6	657	123.6	----------
1947	3,591	96.6	1,943	106.4	1,648	87.1	2,140	80.4	1,181	90.0	959	71.1	1,451	137.4	762	148.5	689	126.9	----------
1948	3,274	86.2	1,803	96.7	1,470	76.0	1,932	71.0	1,114	83.1	818	59.3	1,342	124.4	689	131.5	652	117.6	----------
1949	3,402	88.0	1,816	95.7	1,586	80.6	2,076	75.0	1,147	84.1	929	66.2	1,325	120.7	668	125.3	657	116.5	1
1950	3,653	89.9	1,919	95.1	1,734	84.8	2,072	69.5	1,172	78.7	900	60.3	1,581	146.5	747	141.7	834	151.2	----------
1951	3,105	75.3	1,854	90.5	1,251	60.3	1,870	61.6	1,141	75.3	729	48.0	1,235	113.5	713	134.1	522	93.8	----------

TABLE 23A.—REPORTED CASES OF TULAREMIA BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF ONSET, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	25	19	6		17	13	4				1	2		1	1	5		2	2	3	
Alamance	1		1		1		1							1							
Cabarrus	1	1			1	1														1	
Chatham	1	1																			
Chowan					1	1												1			
Craven					1	1												1			
Cumberland					1		1				1										
Davidson	3	3																			
Edgecombe	1		1																		
Forsyth					1	1														1	
Guilford	1		1		1	1													1		
Johnston	2	2																			
Lincoln	1	1																			
Madison	1	1																			
Mecklenburg	2	1	1																		
New Hanover					1	1						1									

Orange	1	1																				
Pender	1	1																				
Perquimans	2	1	1																			
Pitt	1	1																				
Randolph					1	1											1					
Rowan	1	1																				
Sampson					1		1										1					
Stanly	2	1	1		1	1															1	
Stokes					1	1											1					
Union					2	2										1				1		
Wake	1	1			2	2						1					1					
Warren	1	1																				
Wayne					1		1										1					
Wilson	1	1																				

TABLE 23B.—REPORTED CASES OF TULAREMIA BY YEAR* AND AGE, 1930-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1930	7													1			2	3	1			
1931	3													1	1		1					
1932	10										1			2		1	2	4				
1933	28											1	1	3	1	5	10	5	1			1
1934	14											2		1			8	3				
1935	15											3	2	2	2	2	1	2	1			
1936	10											1		1	2	1	3	2				
1937	13									1		1	2	2	3		1	3				
1938	26											3	3	1	4	3	5	2	2	2		1
1939	26											3	2	3	5	3	7	2	1			
1940	12								1			3	1			1	3	1	2			
1941	22											6	1	1	4	1	1	6	2			
1942	13								1			1		1	2		7		1			
1943	14				1							1	1	1	2	1	2	3	1			1
1944	10													1	3		3	2			1	
1945	27											1	1	2	2	8	6	4	3			
1946	45										1	5	1	4	5	4	8	7	2	4		4
1947	74				1	1		1	2		2	8	4	7	7	8	14	7	8	2		2
1948	42							1		1		4	2	4	4	3	9	8	1	3		2
1949	38					1		1		1		3	3	2	6	1	9	8	3			
1950	25									1		3	1	2	1	4	6	1	5			1
1951	17					1				2		1	2	1	2		2	2	2			2

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 23C.—REPORTED CASES OF TULAREMIA BY YEAR*, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1930-1951
(Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1930	7	0.2	6	0.4	1	0.1	6	0.3	5	0.4	1	0.1	1	0.1	1	0.2	------	------	------
1931	3	0.1	3	0.2	------	------	2	0.1	2	0.2	------	------	1	0.1	1	0.2	------	------	------
1932	10	0.3	5	0.3	5	0.3	9	0.4	4	0.3	5	0.4	1	0.1	1	0.2	------	------	------
1933	28	0.8	20	1.2	8	0.5	23	1.0	16	1.4	7	0.6	4	0.4	3	0.6	1	0.2	1
1934	14	0.4	6	0.4	8	0.5	12	0.5	5	0.4	7	0.6	2	0.2	1	0.2	1	0.2	------
1935	15	0.4	9	0.5	6	0.4	12	0.5	8	0.7	4	0.3	3	0.3	1	0.2	2	0.4	------
1936	10	0.3	4	0.2	6	0.4	8	0.3	3	0.2	5	0.4	2	0.2	1	0.2	1	0.2	------
1937	13	0.4	9	0.5	4	0.2	10	0.4	7	0.6	3	0.2	3	0.3	2	0.4	1	0.2	------
1938	26	0.7	19	1.1	7	0.4	24	1.0	17	1.4	7	0.6	2	0.2	2	0.4	------	------	------
1939	26	0.7	17	1.0	9	0.5	18	0.7	12	0.9	6	0.5	8	0.8	5	1.0	3	0.6	------
1940	12	0.3	8	0.5	4	0.2	11	0.4	7	0.5	4	0.3	1	0.1	1	0.2	------	------	------
1941	22	0.6	13	0.7	9	0.5	18	0.7	11	0.8	7	0.5	4	0.4	2	0.4	2	0.4	------
1942	13	0.4	5	0.3	7	0.4	5	0.2	3	0.2	2	0.2	7	0.7	2	0.4	5	0.9	1
1943	14	0.4	7	0.4	7	0.4	6	0.2	4	0.3	2	0.1	8	0.8	3	0.6	5	0.9	------
1944	10	0.3	5	0.3	5	0.3	7	0.3	5	0.4	2	0.1	3	0.3	------	------	3	0.6	------
1945	27	0.8	15	0.9	12	0.6	22	0.9	13	1.1	9	0.7	5	0.5	2	0.4	3	0.6	------
1946	45	1.2	29	1.6	16	0.9	33	1.3	19	1.5	14	1.1	12	1.2	10	2.0	2	0.4	------
1947	74	2.0	49	2.7	25	1.3	51	1.9	33	2.5	18	1.3	23	2.2	16	3.1	7	1.3	------
1948	42	1.1	22	1.2	20	1.0	32	1.2	16	1.2	16	1.2	10	0.9	6	1.1	4	0.7	------
1949	38	1.0	24	1.3	14	0.7	31	1.1	20	1.5	11	0.8	7	0.6	4	0.8	3	0.5	------
1950	25	0.6	13	0.6	12	0.6	19	0.6	11	0.7	8	0.5	6	0.6	2	0.4	4	0.7	------
1951	17	0.4	10	0.5	7	0.3	13	0.4	8	0.5	5	0.3	4	0.4	2	0.4	2	0.4	------

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 24A.—REPORTED CASES OF TYPHOID FEVER BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF ONSET, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	58	45	13	------	44	31	13	------	3	------	2	5	1	5	10	5	6	4	1	2	------
Alexander	2	1	1	------	1	1	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------
Beaufort	2	1	1	------	2	1	1	------	------	------	------	------	------	1	------	------	------	1	------	------	------
Brunswick	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Buncombe	2	2	------	------	4	3	1	------	------	------	------	------	------	1	------	2	1	------	------	------	------
Burke	------	------	------	------	1	1	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------
Caldwell	------	------	------	------	1	1	------	------	------	------	------	1	------	------	------	------	------	------	------	------	------
Carteret	------	------	------	------	1	1	------	------	------	------	1	------	------	------	------	------	------	------	------	------	------
Columbus	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Craven	3	------	3	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Cumberland	------	------	------	------	1	1	------	------	------	------	------	------	------	1	------	------	------	------	------	------	------
Davidson	2	2	------	------	1	1	------	------	------	------	------	1	------	------	------	------	------	------	------	------	------
Duplin	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Forsyth	1	1	------	------	3	3	------	------	------	------	------	------	1	------	1	1	------	------	------	------	------
Gaston	3	3	------	------	2	2	------	------	------	------	------	------	------	------	2	------	------	------	------	------	------
Guilford	1	------	1	------	4	3	1	------	1	------	1	------	------	------	2	------	------	------	------	------	------

Harnett	1	1																			
Haywood	1	1																			
Henderson	2	2			1	1			1												
Hoke					1		1													1	
Iredell					2	2									1					1	
Jackson	1	1																			
Johnston	3	3																			
Lenoir	1		1																		
Madison	1	1			2	2								1	1						
Mecklenburg	4	4			1	1								1							
Montgomery	1		1																		
Nash					1	1									1						
New Hanover	1	1			2	1	1					2									
Onslow	1	1																			
Orange	1	1			1	1											1				
Pitt	2	2			7		7								1	1	1	3	1		
Richmond					1		1									1					
Robeson	5	5																			
Rockingham	2		2																		
Rowan	2	2			2	2											2				
Sampson	2	1	1		1	1						1									
Stanly	1	1																			
Stokes	1	1																			
Wake	2	2																			
Wayne	1		1		1	1											1				
Wilson	1		1																		
Yadkin	2	2																			

TABLE 24B.—REPORTED CASES OF TYPHOID FEVER BY YEAR* AND AGE, 1930-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1930	1,000	1	5	7	24	20	33	31	41	45	39	174	160	116	81	64	78	38	16	8	4	15
1931	991	1	3	8	20	31	32	29	44	38	37	165	170	103	78	53	77	56	29	7	2	8
1932	823	------	4	8	15	28	29	36	28	39	27	136	139	92	60	43	55	48	20	7	2	7
1933	684	1	6	9	16	20	24	24	20	26	32	109	112	85	52	38	52	27	12	8	3	8
1934	464	3	1	1	5	7	20	18	20	18	17	90	67	53	43	27	42	15	8	------	------	9
1935	645	1	------	7	12	21	16	19	27	22	21	107	91	97	50	33	53	31	12	6	2	17
1936	518	2	4	9	5	15	20	15	20	18	15	79	59	59	52	46	38	29	13	7	------	13
1937	493	4	6	5	16	18	22	16	22	21	15	65	62	55	44	41	43	18	12	2	------	6
1938	485	1	4	6	15	15	16	18	21	16	19	67	72	51	37	29	35	28	13	5	------	17
1939	343	2	6	10	9	18	16	13	9	8	13	53	48	32	33	22	28	9	7	1	1	5
1940	238	1	1	5	8	9	6	6	4	7	6	32	22	33	35	19	16	13	5	6	------	4
1941	197	2	1	4	11	7	15	6	10	2	4	26	27	19	19	12	13	8	3	2	------	6
1942	181	1	3	6	12	7	6	10	7	5	10	30	21	12	10	7	16	11	4	1	------	2
1943	111	1	1	1	4	3	7	10	5	4	4	11	15	9	8	2	13	6	2	1	1	3
1944	122	1	------	1	2	6	5	5	4	7	6	30	13	9	5	3	14	5	2	1	1	2
1945	82	1	------	4	5	1	2	------	4	1	2	14	13	6	4	8	11	4	2	------	------	------
1946	54	------	1	------	------	3	1	3	1	6	1	8	5	2	6	1	7	3	4	2	------	------
1947	47	1	------	2	3	4	4	1	1	1	3	8	2	1	3	4	4	5	------	------	------	------
1948	59	1	6	1	2	3	5	4	3	3	------	6	8	5	3	3	4	1	------	1	------	------
1949	53	------	3	2	2	2	1	1	1	3	1	6	7	2	4	5	4	6	2	1	------	------
1950	58	------	3	1	2	2	2	4	------	2	------	9	7	6	6	5	3	4	1	------	1	------
1951	44	------	1	1	4	4	3	------	3	1	1	2	4	4	4	4	3	3	1	1	------	------

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 24C.—REPORTED CASES OF TYPHOID FEVER BY YEAR*, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1930-1951 (Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1930	1,000	31.5	545	34.6	454	28.5	566	25.3	306	27.3	260	23.3	431	46.1	237	52.1	194	40.4	3
1931	991	30.9	532	33.4	459	28.5	609	26.9	322	28.3	287	25.4	382	40.6	210	45.9	172	35.7	----------
1932	823	25.2	444	27.4	379	23.1	517	22.3	289	24.9	228	19.8	306	32.2	155	33.5	151	31.6	----------
1933	684	20.6	385	23.3	299	17.9	365	15.5	213	18.0	152	12.9	316	32.9	170	36.3	146	29.6	3
1934	464	13.8	270	16.2	194	11.5	275	11.5	172	14.3	103	8.6	189	19.5	98	20.8	91	18.4	----------
1935	645	19.1	382	22.7	263	15.5	346	14.4	213	17.6	133	11.1	298	30.7	169	35.7	129	26.0	1
1936	518	15.2	292	17.3	226	13.2	306	12.6	167	13.7	139	11.5	209	21.5	123	25.9	86	17.3	3
1937	493	14.4	264	15.5	229	13.3	299	12.2	164	13.4	135	11.0	191	19.5	98	20.5	93	18.6	3
1938	485	14.0	279	16.2	206	11.8	299	12.0	165	13.2	134	10.8	182	18.5	112	23.2	70	13.9	4
1939	343	9.7	189	10.8	148	8.3	221	8.7	123	9.7	98	7.7	116	11.7	66	13.5	50	9.8	6
1940	238	6.7	137	7.7	101	5.6	161	6.3	91	7.1	70	5.4	77	7.7	46	9.4	31	6.0	----------
1941	197	5.4	112	6.2	84	4.5	106	4.0	58	4.4	48	3.6	90	8.7	54	10.7	36	6.8	1
1942	181	4.9	103	5.7	77	4.1	113	4.3	62	4.8	51	3.8	67	6.5	41	8.2	26	4.9	1
1943	111	3.0	64	3.6	45	2.4	66	2.5	35	2.7	31	2.3	43	4.1	29	5.7	14	2.6	2
1944	122	3.4	77	4.5	45	2.4	88	3.4	57	4.7	31	2.3	34	3.3	20	4.1	14	2.6	----------
1945	82	2.3	45	2.7	37	2.0	52	2.1	28	2.4	24	1.8	30	3.0	17	3.5	13	2.5	----------
1946	54	1.5	35	2.0	18	1.0	32	1.2	23	1.8	9	0.7	21	2.0	12	2.4	9	1.7	1
1947	47	1.3	28	1.5	19	1.0	26	1.0	12	0.9	14	1.0	21	2.0	16	3.1	5	0.9	----------
1948	59	1.6	34	1.8	25	1.3	43	1.6	21	1.6	22	1.6	16	1.5	13	2.5	3	0.5	----------
1949	53	1.4	29	1.5	24	1.2	28	1.0	15	1.1	13	0.9	24	2.2	14	2.6	10	1.8	1
1950	58	1.4	33	1.6	25	1.2	45	1.5	23	1.5	22	1.5	13	1.2	10	1.9	3	0.5	----------
1951	44	1.1	23	1.1	21	1.0	31	1.0	18	1.2	13	0.9	13	1.2	5	0.9	8	1.4	----------

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 25A.—REPORTED CASES OF TYPHUS FEVER, MURINE, BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF ONSET, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets															
	Color				Color				Month of Onset											
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	12	10	2		19	16	3				1	2		3	9	2				2	
Anson	1		1		1	1									1						
Bertie	1		1																		
Caldwell	1	1																			
Caswell					1		1					1									
Chatham					1	1									1						
Clay					1	1								1							
Duplin	1	1			1	1						1									
Guilford	2	2																			
Iredell					1	1									1						
Johnston					2	2									1	1					
Lee	2	2			3	3					1				1	1					
Mecklenburg					3	3									1					2	
Orange	1	1																			
Richmond					2	1	1								2						
Robeson	1	1																			
Rockingham	1	1																			
Rowan					1	1									1						
Sampson	1	1																			
Vance					1	1								1							
Wilson					1		1							1							

TABLE 25B.—REPORTED CASES OF TYPHUS FEVER, MURINE, BY YEAR* AND AGE, 1930-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1930	16						1			2		3		2	3		1	3	1			
1931	14					1						2	1		1	2	1	2	3			1
1932	24					1			1	1		2	3	1	4		6	1	2			2
1933	46					2	1			1	1	2	5	6	6	3	9	5	3	1		1
1934	23											2	3	9		1	5	1	1		1	
1935	51						1			1		3	3	9	6	3	10	9	3			3
1936	33								1		1	1	6	1	4	3	8	4	2	2		
1937	68					1			2	2	1	2	6	5	7	11	9	15	3	4		
1938	81			2					1	3		5	8	14	8	8	13	8	6	4		1
1939	122			2	1	4	1	2	2	1	1	7	12	18	16	10	17	15	7	2	1	3
1940	65					1	1	1	1		1	4	7	10	4	9	10	6	3	4		3
1941	78				1					1		2	14	11	12	7	8	7	5	2		8
1942	100				1			1	2			11	8	9	9	12	21	10	8	4		4
1943	157	1			1		1				1	8	19	11	20	14	27	27	12	4		11
1944	236				1	4		1	1	3	2	8	22	18	22	24	46	40	24	9		11
1945	159			1		1	1	1	2	3		13	9	8	21	16	32	18	20	5		8
1946	82				1	2		1	1	1	2	9	9	7	5	7	13	9	8	4	1	2
1947	51			1		1	2	1	1	1	1	3	2		4	5	10	6	5	5	2	1
1948	45					1		3	2	1	1	3	2	2	2	4	8	5	7	3		1
1949	26				1				1	1		4	2	2	1	5	8				1	
1950	12							1				1		1	3		3	2	1			
1951	19		1	1				1	1	2		3	2		2	3	2					1

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 25C.—REPORTED CASES OF TYPHUS FEVER, MURINE, BY YEAR*, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1930-1951
(Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1930	16	0.5	10	0.6	6	0.4	15	0.7	10	0.9	5	0.4	1	0.1	------	------	1	0.2	------
1931	14	0.4	13	0.8	1	0.1	14	0.6	13	1.1	1	0.1	------	------	------	------	------	------	------
1932	24	0.7	12	0.7	12	0.7	21	0.9	9	0.8	12	1.0	3	0.3	3	0.6	------	------	------
1933	46	1.4	31	1.9	15	0.9	42	1.8	29	2.5	13	1.1	4	0.4	2	0.4	2	0.4	------
1934	23	0.7	10	0.6	13	0.8	18	0.8	7	0.6	11	0.9	5	0.5	3	0.6	2	0.4	------
1935	51	1.5	32	1.9	19	1.1	48	2.0	30	2.5	18	1.5	3	0.3	2	0.4	1	0.2	------
1936	33	1.0	27	1.6	6	0.4	33	1.4	27	2.2	6	0.5	------	------	------	------	------	------	------
1937	68	2.0	53	3.1	15	0.9	57	2.3	46	3.7	11	0.9	10	1.0	7	1.5	3	0.6	1
1938	81	2.3	58	3.4	22	1.3	71	2.9	53	4.3	18	1.4	9	0.9	5	1.0	4	0.8	1
1939	122	3.5	75	4.3	41	2.3	104	4.1	67	5.3	37	2.9	12	1.2	8	1.6	4	0.8	6
1940	65	1.8	48	2.7	17	0.9	54	2.1	38	3.0	16	1.2	11	1.1	10	2.0	1	0.2	------
1941	78	2.1	56	3.1	20	1.1	66	2.5	48	3.7	18	1.4	10	1.0	8	1.6	2	0.4	2
1942	100	2.7	63	3.5	32	1.7	86	3.3	58	4.5	28	2.1	9	0.9	5	1.0	4	0.8	5
1943	157	4.3	92	5.1	64	3.4	144	5.5	86	6.7	58	4.3	12	1.1	6	1.2	6	1.1	1
1944	236	6.6	158	9.3	73	3.9	217	8.4	149	12.3	68	5.0	14	1.4	9	1.8	5	0.9	5
1945	159	4.5	90	5.5	67	3.6	141	5.6	79	6.8	62	4.6	16	1.6	11	2.3	5	1.0	2
1946	82	2.3	43	2.4	38	2.0	72	2.8	38	3.0	34	2.6	9	0.9	5	1.0	4	0.8	1
1947	51	1.4	29	1.6	22	1.2	46	1.7	26	2.0	20	1.5	5	0.5	3	0.6	2	0.4	------
1948	45	1.2	23	1.2	22	1.1	37	1.4	18	1.3	19	1.4	8	0.7	5	1.0	3	0.5	------
1949	26	0.7	20	1.1	6	0.3	22	0.8	17	1.2	5	0.4	4	0.4	3	0.6	1	0.2	------
1950	12	0.3	6	0.3	6	0.3	10	0.3	6	0.4	4	0.3	2	0.2	------	------	2	0.4	------
1951	19	0.5	5	0.2	14	0.7	16	0.5	3	0.2	13	0.9	3	0.3	2	0.4	1	0.2	------

* 1930-1948 by year of report; 1949-1951 by year of onset.

Table 26A.—Reported Cases of Undulant Fever by County and Color, 1950 and 1951, with Month of Onset, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	21	17	4		28	24	4		4	2	5	4	6		1	1		2	1		2
Alexander	1	1																			
Bertie	1		1																		
Catawba	1	1																			
Cleveland					1	1							1								
Craven					3	3			1			1							1		
Currituck					1	1							1								
Edgecombe	1		1																		
Gaston					1	1					1										
Gates	1	1			2	1	1					1	1								
Guilford					3	3					2	1									
Halifax	1		1		1	1			1												
Haywood	1	1																			
Hertford	1	1																			
Iredell	2	2			2	2												1			1
Lenoir					1	1							1								

TABLE 26A.—*Continued*

Area	1950 Onsets				1951 Onsets															
	Color				Color				Month of Onset											
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
Lincoln					1	1				1											
Madison	1	1																			
Martin	1		1		2	2			1							1					
Mecklenburg	1	1			2	2												1			1
Nash					2	2				1			1								
New Hanover					1		1					1									
Northampton	1	1																			
Onslow					1		1		1												
Pasquotank	1	1																			
Perquimans	3	3			1	1							1								
Pitt	2	2																			
Stanly	1	1																			
Wayne					1		1				1										
Wilson					1	1					1										
Yancey					1	1									1						

TABLE 26B.—REPORTED CASES OF UNDULANT FEVER BY YEAR* AND AGE, 1932-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1932	4											1	1						1			1
1933	15													3	3	2	5		1			1
1934	19											2	1	1	2	3	5	1	2			2
1935	31						1			1		2	1	5	5	3	6	5	1	1		
1936	23											2		2	5	2	4	3	3	1		1
1937	26											1	2	2	4	2	6	2	2	1		4
1938	29											4	2	6	4	3	5	1	3			1
1939	25							1	1		1		2	2	3	4	3	6	1			1
1940	11										1			2	4	1		2				1
1941	12													1	4	1	2	3				1
1942	9											1	1		1	1	1	1				3
1943	7												1	1			3	1		1		
1944	14												1	3	1	1	4	3	1			
1945	15											1	1	1	2	3	3	4				
1946	9													1	1	2	1	3		1		
1947	21					1		1				1		1	2	2	9	2	1			1
1948	15											1	1	2		1	5	3	1	1		
1949	25		1	1									1	3	3	2	7	4		1	1	1
1950	21							1				1			2	2	7	3	4	1		
1951	28								1			1		4		2	13	2	5			

* 1932-1948 by year of report; 1949-1951 by year of onset.

TABLE 26C.—REPORTED CASES OF UNDULANT FEVER BY YEAR*, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1932-1951
(Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1932	4	0.1	2	0.1	2	0.1	4	0.2	2	0.2	2	0.2	------	------	------	------	------	------	------
1933	15	0.5	8	0.5	7	0.4	13	0.6	8	0.7	5	0.4	2	0.2	------	------	2	0.4	------
1934	19	0.6	16	1.0	3	0.2	16	0.7	14	1.2	2	0.2	3	0.3	2	0.4	1	0.2	------
1935	31	0.9	20	1.2	11	0.6	22	0.9	13	1.1	9	0.7	9	0.9	7	1.5	2	0.4	------
1936	23	0.7	15	0.9	8	0.5	20	0.8	13	1.1	7	0.6	3	0.3	2	0.4	1	0.2	------
1937	26	0.8	15	0.9	11	0.6	25	1.0	15	1.2	10	0.8	1	0.1	------	------	1	0.2	------
1938	29	0.8	18	1.0	11	0.6	20	0.8	14	1.1	6	0.5	9	0.9	4	0.8	5	1.0	------
1939	25	0.7	13	0.7	10	0.6	19	0.7	9	0.7	10	0.8	4	0.4	4	0.8	------	------	2
1940	11	0.3	8	0.5	3	0.2	9	0.4	6	0.5	3	0.2	2	0.2	2	0.4	------	------	------
1941	12	0.3	9	0.5	3	0.2	9	0.3	7	0.5	2	0.2	3	0.3	2	0.4	1	0.2	------
1942	9	0.2	8	0.4	1	0.1	7	0.3	6	0.5	1	0.1	2	0.2	2	0.4	------	------	------
1943	7	0.2	5	0.3	2	0.1	7	0.3	5	0.4	2	0.1	------	------	------	------	------	------	------
1944	14	0.4	10	0.6	4	0.2	12	0.5	8	0.7	4	0.3	2	0.2	2	0.4	------	------	------
1945	15	0.4	12	0.7	3	0.2	13	0.5	11	1.0	2	0.1	2	0.2	1	0.2	1	0.2	------
1946	9	0.2	5	0.3	4	0.2	8	0.3	5	0.4	3	0.2	1	0.1	------	------	1	0.2	------
1947	21	0.6	12	0.7	9	0.5	17	0.6	10	0.8	7	0.5	4	0.4	2	0.4	2	0.4	------
1948	15	0.4	10	0.5	5	0.3	11	0.4	6	0.4	5	0.4	4	0.4	4	0.8	------	------	------
1949	25	0.6	13	0.7	12	0.6	21	0.8	10	0.7	11	0.8	4	0.4	3	0.6	1	0.2	------
1950	21	0.5	17	0.8	4	0.2	17	0.6	13	0.9	4	0.3	4	0.4	4	0.8	------	------	------
1951	28	0.7	22	1.1	6	0.3	24	0.8	19	1.3	5	0.3	4	0.4	3	0.6	1	0.2	------

* 1932-1948 by year of report; 1949-1951 by year of onset.

TABLE 27A.—REPORTED CASES OF WHOOPING COUGH BY COUNTY AND COLOR, 1950 AND 1951, WITH MONTH OF ONSET, 1951
(Place of Residence)

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina	3,352	2,519	817	16	1,961	1,207	739	15	277	193	225	223	244	187	240	83	66	64	48	53	58
Alamance	11	11			2	2										1	1				
Alexander	5	5			3	3						1				1				1	
Alleghany	9	9																			
Anson	6	5	1		5	5			1	4											
Ashe	29	29			1	1								1							
Avery					4	4												1		3	
Beaufort	20	6	14		7	1	6		1	3	1	1				1					
Bertie	46	25	20	1	3	1	2		2		1										
Bladen	26	10	16		2	1	1							1	1						
Brunswick	9	9			23	18	4	1	1		5	2	1	1	1	1		4	6		1
Buncombe	23	16	7		54	53	1		7		7	8	11	7	9	2		3			
Burke	16	16			11	10	1			3	6	2									
Cabarrus					35	26	9		14	1	4		7	2	5	1					1
Caldwell	17	14	1	2	4	3	1		1				1	1	1						
Camden					1	1													1		

TABLE 27A.—*Continued*

Area	1950 Onsets				1951 Onsets															
	Color				Color				Month of Onset											
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
Carteret	2	2			4	4			3						1						
Caswell	31	6	25		18		18			11	1	2	1	2	1						
Catawba	5	5			2	2						1	1								
Chatham	37	28	9		12	3	9		3	1	2	1	1	2			2				
Cherokee	6	6			4	4							2				1	1			
Chowan	67	7	60		20	18	2		2			1				1	2	4	6	1	3
Clay	8	8			1	1					1										
Cleveland	66	47	18	1	41	30	11		10	3	6		5	4	8	1	1	1	1	1	
Columbus					7	4	3			1	3	1					1	1			
Craven	69	49	20		1	1					1										
Cumberland	31	28	3		6		6			2					1	3					
Currituck					4	4														4	
Dare	1	1			1	1							1								
Davidson	3	2		1	6	6							3	1	1			1			
Davie	11	11			6	6				4						1					1
Duplin	7	7			1		1													1	
Durham	369	313	55	1	211	113	98		20	9	12	14	18	44	51	15	11	6	6		5
Edgecombe	69	46	23		7	6	1		1			1	4				1				
Forsyth	78	75	3		64	54	10		14	7	6	2	7	1	16	2	4			5	
Franklin	42	9	31	2	16	13	3					2	5	6	1	1					1

Gaston	242	208	31	3	38	37	1		11	4		2	6	8	2	2	1	2			
Gates	22	15	7		23	8	15		3	2	1	4	13								
Graham	30	30			41	41				4	12			1	9	1		1	3	10	
Granville	20	14	6		35	10	25		6	6	8	8	1	3			1		2		
Greene	3	3																			
Guilford	116	106	10		22	17	5		2	1	1	6	5		2	1	2		2		
Halifax	40	38	2		20	9	11		2	1			2	1	1	6	3		1	3	
Harnett	4	4			14	13	1					5	3	1		1		3			1
Haywood	31	31			1	1						1									
Henderson	15	12	3		8	8							2				1	1	1	3	
Hertford	14	2	12		6	2	4		3	1					1						1
Hoke	15	5	10																		
Hyde					1		1		1												
Iredell	128	108	19	1	25	17	7	1	3	4	4		1	4	7		2				
Jackson	10	5	5		3	3				1	2										
Johnston	3	3			7	7						2	3	2							
Jones	46	43	3																		
Lee	21	13	8		1	1					1										
Lenoir	8	6	2		2	2												2			
Lincoln	12	11	1																		
McDowell					4	4					1	3									
Macon	3	3			1	1							1								
Madison	4	4			32	32								1	10	3	6	10		2	
Martin	3	2	1		4	1	3										1	1		2	
Mecklenburg	332	286	46		134	83	45	6	38	9	23	6	9	17	19	5	2	2		4	
Mitchell	3	3			16	15		1		2	9		1	1	2					1	
Montgomery	42	27	15		5		5		5												
Moore	48	35	13		13	11	2		1		2	3	1	2	1	3					
Nash	111	63	48		28	25	3		1	1	5	6	5	2	6	1					1
New Hanover	102	92	9	1	61	42	18	1	4	2	7	6	11	5	8	7	7	3		1	

TABLE 27A.—*Continued*

Area	1950 Onsets				1951 Onsets																
	Color				Color				Month of Onset												
	Total	White	Other	Not Stated	Total	White	Other	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
Northampton	3	------	3	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Onslow	21	19	2	------	10	10	------	------	4	------	------	------	3	------	1	------	2	------	------	------	------
Orange	16	6	10	------	3	3	------	------	1	------	------	------	------	------	------	------	------	1	------	------	1
Pamlico	41	30	11	------	3	3	------	------	3	------	------	------	------	------	------	------	------	------	------	------	------
Pasquotank	12	12	------	------	19	5	14	------	------	------	------	------	------	------	------	------	1	5	9	4	------
Pender	10	7	3	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Perquimans	2	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Person	37	17	20	------	8	7	1	------	------	------	1	1	4	1	1	------	------	------	------	------	------
Pitt	12	4	8	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Randolph	31	30	1	------	12	8	4	------	------	5	------	2	------	------	------	------	1	------	------	4	------
Richmond	32	32	------	------	11	10	------	1	------	4	2	------	1	2	1	------	------	1	------	------	------
Robeson	53	29	24	------	46	2	43	1	3	2	3	1	13	5	2	4	------	1	10	2	------
Rockingham	11	10	1	------	5	5	------	------	------	------	------	------	------	------	3	2	------	------	------	------	------
Rowan	35	31	4	------	35	24	11	------	11	3	1	4	------	------	2	8	5	1	------	------	------
Rutherford	9	9	------	------	11	7	4	------	1	1	2	1	1	2	2	------	------	------	------	------	1
Sampson	1	1	------	------	7	5	2	------	2	------	------	------	------	4	1	------	------	------	------	------	------
Scotland	59	7	51	1	26	12	14	------	5	1	3	7	------	------	1	1	1	4	------	------	3
Stanly	67	39	28	------	18	18	------	------	7	------	6	2	------	1	1	1	------	------	------	------	------
Surry	14	13	1	------	8	8	------	------	1	1	1	3	2	------	------	------	------	------	------	------	------
Swain	23	18	5	------	2	------	2	------	------	------	2	------	------	------	------	------	------	------	------	------	------

Transylvania	1	1																			
Tyrrell	48	37	10	1	18	9	9		18												
Union	11	10	1		1	1			1												
Vance	8	3	5		4	3	1					2	1		1						
Wake	151	100	51		477	239	238		59	69	67	102	73	38	47	5	4	3			10
Warren	2	1	1		7		7		1						6						
Washington	4	3	1		66	16	48	2		14	2	4	11	6	2		2				25
Watauga	27	27			1	1				1											
Wayne	8	3	5																		
Wilkes	12	10	2																		
Wilson	35	23	11	1	22	13	8	1			2	3	2	7	4	1		1		1	1
Yadkin	2	2			3	3				1	1		1								
Yancey	7	7			6	6				4											2

TABLE 27B.—REPORTED CASES OF WHOOPING COUGH BY YEAR* AND AGE, 1930-1951 (Place of Residence)

Year	All Ages	Under 1 Yr.	1 Yr.	2 Yrs.	3 Yrs.	4 Yrs.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10-14 Yrs.	15-19 Yrs.	20-24 Yrs.	25-29 Yrs.	30-34 Yrs.	35-44 Yrs.	45-54 Yrs.	55-64 Yrs.	65-74 Yrs.	75 and Over	Not Stated
1930	10,093	810	713	913	986	941	797	1,105	691	529	384	596	69	25	10	9	3	2	1	------	1	1,508
1931	6,992	575	567	706	773	797	689	857	677	412	249	372	51	16	5	1	5	2	1	------	------	237
1932	12,137	1,029	968	1,330	1,360	1,387	1,209	1,417	1,150	843	460	731	99	19	14	10	7	------	------	------	------	104
1933	7,155	585	548	698	750	711	661	945	643	499	326	609	70	14	8	5	5	2	2	1	------	73
1934	14,299	1,211	1,133	1,403	1,512	1,597	1,331	1,717	1,350	973	582	1,091	128	24	12	6	6	1	------	------	------	222
1935	10,075	936	775	997	1,089	1,129	911	1,225	993	660	403	697	74	32	6	9	5	2	1	1	------	130
1936	1,566	169	126	164	168	175	142	202	137	106	51	102	8	1	------	2	4	1	------	------	------	8
1937	7,782	717	710	803	843	848	748	915	713	534	292	430	49	15	12	10	4	2	1	------	------	136
1938	14,908	1,405	1,210	1,466	1,671	1,533	1,337	1,690	1,391	1,110	672	999	130	24	20	13	7	4	3	2	------	221
1939	9,321	876	830	1,035	1,120	1,091	895	1,063	755	541	364	522	56	9	9	9	2	2	2	------	------	140
1940	5,500	528	442	538	588	599	567	691	532	382	219	306	15	6	1	5	6	------	------	------	------	75
1941	10,932	1,031	829	1,264	1,318	1,171	1,061	1,338	1,003	734	366	588	52	16	11	9	7	6	1	4	------	123
1942	5,557	569	327	663	675	603	524	714	543	318	186	322	38	5	7	5	5	------	------	------	------	53
1943	8,408	863	496	1,001	1,036	981	824	955	806	583	289	398	37	14	8	4	5	1	------	------	1	106
1944	6,355	691	380	876	798	729	645	641	521	376	208	321	41	8	7	1	3	1	------	------	------	108
1945	5,834	613	348	774	682	715	554	663	511	359	230	315	24	10	6	6	4	3	------	------	------	17
1946	3,391	376	202	283	419	409	303	362	338	215	142	210	17	3	6	2	------	------	------	------	------	4
1947	2,983	439	172	341	384	334	290	270	243	185	115	171	10	2	3	3	2	------	1	2	------	16
1948	1,976	332	193	214	222	179	195	164	130	119	76	115	17	2	2	2	2	------	------	------	------	12
1949	1,398	195	138	153	158	139	115	143	93	82	52	109	11	2	2	------	1	------	------	------	------	5
1950	3,352	457	297	375	392	345	276	280	242	202	146	265	31	2	4	2	2	1	1	------	------	32
1951	1,961	294	193	220	226	217	157	163	98	118	76	161	15	4	1	1	2	------	------	------	------	15

* 1930-1948 by year of report; 1949-1951 by year of onset.

TABLE 27C.—REPORTED CASES OF WHOOPING COUGH BY YEAR*, COLOR, AND SEX WITH RATES PER 100,000 POPULATION, 1930-1951 (Place of Residence)

Year	All Classes						White						Other						Not Stated Sex and/or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
1930	10,093	318.3	4,249	269.6	4,436	278.1	7,561	338.1	3,636	324.4	3,776	338.6	1,194	127.7	574	126.2	620	129.2	1,408
1931	6,992	218.0	3,306	207.4	3,520	281.2	5,975	263.6	2,871	252.7	3,053	270.0	810	86.2	384	83.9	426	88.3	207
1932	12,137	371.7	5,739	353.6	6,151	374.6	10,424	450.5	5,037	434.3	5,387	466.8	1,220	128.3	567	122.4	653	133.9	493
1933	7,155	215.6	3,531	214.0	3,606	216.1	5,649	239.6	2,770	234.4	2,864	243.6	1,111	115.6	548	117.0	563	114.3	395
1934	14,299	425.7	6,873	411.4	7,313	433.1	11,804	493.5	5,646	471.0	6,055	507.5	2,274	235.1	1,110	235.3	1,154	232.9	221
1935	10,075	298.1	4,985	296.5	5,090	299.6	8,637	358.4	4,304	356.4	4,333	360.4	1,366	140.8	646	136.4	720	144.9	72
1936	1,566	46.1	724	42.8	842	49.2	1,240	51.1	573	47.2	667	55.0	323	33.2	150	31.6	173	34.7	3
1937	7,782	226.7	3,710	217.5	4,072	235.9	6,972	284.1	3,322	270.6	3,650	297.6	744	76.1	353	73.8	391	78.2	66
1938	14,908	428.9	7,087	410.3	7,821	447.4	11,876	476.8	5,685	456.4	6,191	497.2	2,946	299.2	1,364	283.1	1,582	314.5	86
1939	9,321	263.9	4,325	246.4	4,688	263.9	6,888	271.5	3,318	261.6	3,570	281.4	2,125	213.6	1,007	206.6	1,118	220.2	308
1940	5,500	154.0	2,676	150.9	2,822	156.9	4,493	175.0	2,191	170.9	2,302	179.0	1,006	100.2	485	98.7	521	101.6	2
1941	10,932	297.9	5,061	278.0	5,633	304.5	8,666	328.9	4,117	313.4	4,549	344.3	2,028	196.0	944	186.4	1,084	205.1	238
1942	5,557	151.6	2,580	143.1	2,819	151.4	4,222	160.4	2,017	155.0	2,205	165.7	1,177	113.9	563	112.1	614	115.5	158
1943	8,408	228.3	3,671	205.1	4,714	249.0	7,132	270.5	3,159	246.5	3,973	293.1	1,253	119.8	512	100.7	741	137.8	23
1944	6,355	176.8	2,961	173.8	3,193	168.9	4,425	171.9	2,142	176.8	2,283	167.6	1,729	169.4	819	166.3	910	172.2	201
1945	5,834	166.0	2,731	166.8	3,049	162.5	4,427	176.2	2,085	180.3	2,342	172.6	1,353	135.1	646	134.2	707	135.9	54
1946	3,391	93.1	1,634	91.8	1,740	93.5	2,694	103.3	1,312	102.7	1,382	104.0	680	65.8	322	64.1	358	67.4	17
1947	2,983	80.2	1,421	77.8	1,562	82.5	1,948	73.2	935	71.2	1,013	75.1	1,035	98.0	486	94.7	549	101.1	----------
1948	1,976	52.0	953	51.1	1,023	52.9	1,366	50.2	659	49.2	707	51.3	594	55.1	284	54.2	310	55.9	16
1949	1,398	36.2	658	34.7	740	37.6	1,071	38.7	497	36.4	574	40.9	321	29.3	159	29.8	162	28.7	6
1950	3,352	82.5	1,619	80.3	1,731	84.7	2,519	84.4	1,195	80.2	1,324	88.7	817	75.7	417	79.1	400	72.5	16
1951	1,961	47.6	935	45.7	1,024	49.3	1,207	39.8	589	38.9	617	40.6	739	67.9	338	63.6	401	72.1	15

* 1930-1948 by year of report; 1949-1951 by year of onset.

UNIVERSITY OF N.C. AT CHAPEL HILL
00015568887

This **BOOK** may be kept out **TWO WEE**
ONLY, and is subject to a fine of **FI**
CENTS a day thereafter. It is **DUE** on t
DAY indicated below: